

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 23 May 2013

Yarding Change 1500
-1360

comparison date 16/05/2013

The predicted rain, which produced around 10 to 15mm in most areas, reduced numbers considerably. There were some good quality trade cattle penned along with good numbers of cows and grown steers. There was also the normal percentage of plainer quality young cattle throughout. Not all the regular buyers were in attendance and operating however most categories still enjoyed reasonable gains.

Trade cattle to kill were 8c to 10c dearer with prime steer yearlings selling from 170c to 217.2c while the properly finished heifer yearlings sold from 148c to 197c/kg. Plainer quality young cattle to the restockers and feeders were firm while the better quality types were 8c to 12c/kg dearer. Steer yearlings to the restockers and feeders sold from 116c to 169c while the heifer portion ranged in price from 80c to 162c/kg.

The better quality grown steers yarded were 10c dearer with the C3 and C4 medium and heavy weights selling from 145c to 185c/kg. Plain conditioned cows were 5c dearer while the better finished cows enjoyed 11c to 13c/kg gains. D2 light and medium weight cows sold from 53c to 88c while the D3 and D4 medium and heavy weight cows sold from 85c to 119.2c/kg. The best bull sold for 150c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
Vealer Steer															
0-200	RS	C	2	31	154.0	- 183.3	164.4	5	-			285	- 339	304	
200-280	RS	C	2	24	147.6	- 154.6	152.8	-4	-			332	- 410	375	
		C	2	3	159.2	- 165.0	161.1	N/Q	306	- 317	310	406	- 421	411	
		C	3	1	150.0	- 150.0	150.0	N/Q	289	- 289	289	368	- 368	368	
280-330	C	C	2	2	175.0	- 175.0	175.0	N/Q	324	- 324	324	551	- 551	551	
		RS	C	2	11	145.0	- 174.6	162.7	22	-		442	- 498	477	
		C	3	1	178.0	- 178.0	178.0	N/Q	330	- 330	330	579	- 579	579	
330+	C	C	3	4	157.2	- 189.6	165.3	-5	297	- 345	309	558	- 730	601	
		FD	C	3	12	164.0	- 164.0	164.0	N/Q	-		582	- 582	582	
		RS	C	3	5	147.6	- 147.6	147.6	N/Q	-		524	- 524	524	
				94	145.0	189.6	160.4		289	345	312	285	730	415	
Vealer Heifer															
200-280	C	C	2	10	125.0	- 153.0	140.0	8	236	- 289	264	294	- 375	335	
		C	3	1	180.2	- 180.2	180.2	N/Q	340	- 340	340	496	- 496	496	
280-330	C	C	3	3	160.0	- 175.2	165.1	-12	302	- 331	311	499	- 520	513	
				14	125.0	180.2	148.2		236	340	280	294	520	385	
Yearling Steer															
0-330	C	C	2	2	170.0	- 170.0	170.0	N/Q	321	- 321	321	485	- 485	485	
		FD	C	2	10	169.2	- 169.2	169.2	18	-		558	- 558	558	
		RS	C	2	66	146.6	- 163.2	150.4	-4	-		328	- 483	424	
			C	3	5	185.2	- 217.2	197.5	33	349	- 395	370	491	- 706	549
		RS	D	2	12	116.2	- 116.2	116.2	-1	-		331	- 331	331	
		RS	D	3	7	142.6	- 142.6	142.6	27	-		406	- 406	406	
330-400	FD	C	2	42	158.2	- 166.6	164.1	17	-		575	- 628	602		
		RS	C	2	30	150.0	- 157.2	155.7	-4	-		550	- 605	577	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400+		C	3	6	181.2	- 208.2	192.0	21	324	- 386	352	701	- 786	728	
		RS	D	3	10	120.2	- 120.2	120.2	N/Q	-		427	- 427	427	
		FD	C	2	12	157.2	- 162.2	161.0	9	-		637	- 689	679	
			C	2	1	160.0	- 160.0	160.0	N/Q	302	- 302	302	680	- 680	680
		FD	C	3	11	158.2	- 160.2	159.1	10	-		697	- 720	709	
		RS	C	3	17	149.6	- 149.6	149.6	N/Q	-		636	- 636	636	
			C	3	21	155.0	- 200.0	187.8	17	287	- 360	340	731	- 863	824
		D	3	5	165.0	- 165.0	165.0	N/Q	290	- 290	290	701	- 701	701	
				257	116.2	217.2	157.2		287	395	337	328	863	559	
Yearling Heifer															
0-330		C	2	20	130.0	- 150.0	138.5	12	250	- 283	263	332	- 428	372	
		FD	C	2	6	130.0	- 130.0	130.0	8	-		358	- 358	358	
		RS	C	2	11	139.6	- 149.2	144.0	20	-		342	- 380	359	
			C	3	3	175.2	- 191.2	180.5	N/Q	324	- 361	337	543	- 621	569
		RS	D	2	22	80.0	- 98.2	88.7	-2	-		192	- 280	229	
		RS	D	3	36	90.0	- 112.2	104.3	4	-		243	- 286	259	
		RS	C	2	30	158.2	- 158.2	158.2	23	-		577	- 609	589	
330-400		FD	C	2	5	141.2	- 150.0	146.5	23	-		487	- 510	501	
			C	2	1	159.2	- 159.2	159.2	N/Q	300	- 300	300	613	- 613	613
			C	3	14	165.0	- 191.2	178.3	-4	311	- 361	336	635	- 755	694
		RS	C	3	12	160.2	- 162.2	161.2	N/Q	-		560	- 617	588	
		RS	D	3	18	115.2	- 115.2	115.2	24	-		415	- 415	415	
		FD	D	3	1	100.0	- 100.0	100.0	N/Q	-		385	- 385	385	
		FD	C	2	4	133.0	- 133.0	133.0	13	-		545	- 545	545	
400+		RS	C	2	2	153.2	- 153.2	153.2	N/Q	-		651	- 651	651	
			C	3	15	148.2	- 197.2	174.4	24	280	- 366	325	630	- 922	764
		RS	D	3	13	107.2	- 107.2	107.2	N/Q	-		440	- 440	440	
					213	80.0	197.2	133.7		250	366	304	192	922	449
	Grown Steer														
	0-400		C	2	10	146.2	- 146.2	146.2	N/Q	281	- 281	281	563	- 563	563
			RS	D	3	3	114.2	- 114.2	114.2	N/Q	-		440	- 440	440
400-500		FD	C	2	23	140.0	- 164.2	158.9	24	-		637	- 752	734	
			C	2	2	138.0	- 145.0	141.5	N/Q	260	- 274	267	600	- 674	637
		FD	C	3	50	142.0	- 154.0	149.4	-12	-		646	- 747	699	
			C	3	88	145.0	- 169.2	150.4	12	274	- 313	283	682	- 804	726
500-600			C	4	8	185.0	- 185.0	185.0	20	336	- 336	336	916	- 916	916
			C	3	34	144.0	- 150.0	146.2	-1	267	- 283	272	773	- 842	821
			C	4	48	160.0	- 185.0	176.8	N/Q	291	- 336	322	883	- 1045	965
600-750			C	3	9	155.0	- 155.0	155.0	N/Q	293	- 293	293	969	- 969	969
			C	4	17	143.2	- 150.0	145.8	N/Q	265	- 278	270	906	- 938	927
				292	114.2	185.0	155.0		260	336	291	440	1045	788	
Grown Heifer															
0-540		FD	C	2	12	145.0	- 153.2	152.5	N/Q	-		602	- 651	647	
		RS	C	3	13	156.2	- 156.2	156.2	N/Q	-		601	- 601	601	
			C	3	21	135.0	- 140.0	135.5	-14	255	- 269	256	641	- 658	643

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
	FD	C	3	22	149.2	- 155.2	153.0	22	-			691	- 761	716	
540+		D	4	1	130.0	- 130.0	130.0	N/Q	250	- 250	250	813	- 813	813	
					69	130.0	156.2	147.9		250	269	256	601	813	662
Manufacturing Steer															
0-540		D	3	4	90.0	- 90.0	90.0	-40	177	- 177	177	437	- 437	437	
540+		D	3	15	80.0	- 80.0	80.0	N/Q	154	- 154	154	604	- 604	604	
					19	80.0	90.0	82.1		154	177	159	437	604	569
Cows															
0-400	RS	D	2	23	73.2	- 87.6	84.5	N/Q	-			209	- 337	309	
400-520		D	2	23	53.2	- 88.6	71.7	5	127	- 201	164	218	- 377	301	
		D	3	83	85.2	- 105.0	98.2	11	185	- 223	214	413	- 509	463	
		D	4	7	110.6	- 110.6	110.6	16	213	- 213	213	536	- 536	536	
520+		D	3	8	98.2	- 102.2	101.7	N/Q	209	- 217	216	516	- 537	534	
		D	4	78	108.0	- 119.2	114.5	15	216	- 238	229	584	- 745	652	
		D	5	5	103.2	- 103.2	103.2	18	206	- 206	206	542	- 542	542	
					227	53.2	119.2	100.3		127	238	214	209	745	502
Bulls															
0-450		D	3	25	95.2	- 95.2	95.2	N/Q	194	- 194	194	405	- 405	405	
450-600		C	2	5	135.0	- 135.0	135.0	20	260	- 260	260	790	- 790	790	
		C	3	1	144.2	- 144.2	144.2	N/Q	272	- 272	272	815	- 815	815	
		D	3	39	115.0	- 115.0	115.0	N/Q	235	- 235	235	546	- 546	546	
600+		C	2	14	126.2	- 150.2	138.2	14	238	- 283	262	890	- 1197	1056	
					84	95.2	150.2	114.5		194	283	229	405	1197	607

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.