

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Dubbo

report date 06 Jun 2013

Yarding Change 1360  
-300

comparison date 30/05/2013

Following the welcomed rain over last weekend, numbers were reduced again for a fair quality yarding where most weights and grades were represented. Not all the regular buyers were in attendance with the absence of some northern restocker and feeder orders.

Trade weight cattle to kill were firm to 3c dearer with prime vealers selling from 168c to 210c/kg. Yearling steers to the trade sold from 155c to 214c, with the heavier weights averaging 194c/kg. Young cattle to restockers and feeders were 7c to 12c cheaper, with the steer portion selling from 137c to 177c/kg. Heifer yearlings to restockers and feeders sold from 103c to 160c/kg.

Prime conditioned grown steers were firm, with the better 3 and 4 scores selling from 140c to 185c/kg. Grown heifers sold to 161.2c/kg, while cows were 2c to 5c dearer with lightweight 2 score cows selling from 50c to 99c/kg. Better 3 and 4 score medium and heavy weight cows sold from 92c to 122.2c, with the 4 score heavy weights averaging 115c/kg. Bulls were also dearer topping at 160.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
80+		D	2	2	216.0	- 216.0	216.0	N/Q	424	- 424	424	238	- 238	238
				<b>2</b>	<b>216.0</b>	<b>216.0</b>	<b>216.0</b>		<b>424</b>	<b>424</b>	<b>424</b>	<b>238</b>	<b>238</b>	<b>238</b>
<b>Vealer Steer</b>														
200-280		C	2	2	150.0	- 150.0	150.0	N/Q	289	- 289	289	308	- 308	308
	RS	C	2	56	143.6	- 176.2	163.0	-5	-	-	-	326	- 449	390
	RS	C	3	1	185.0	- 185.0	185.0	N/Q	-	-	-	426	- 426	426
		C	3	2	200.0	- 203.2	201.6	N/Q	364	- 370	367	510	- 518	514
280-330		C	2	3	170.0	- 170.0	170.0	N/Q	321	- 321	321	485	- 485	485
	RS	C	2	4	145.2	- 147.6	147.0	-8	-	-	-	457	- 480	474
		C	3	3	175.2	- 183.2	180.5	-24	319	- 339	332	569	- 595	587
330+	FD	C	2	6	175.2	- 175.2	175.2	N/Q	-	-	-	622	- 622	622
		C	3	10	150.0	- 195.0	190.5	-21	278	- 348	341	548	- 761	739
				<b>87</b>	<b>143.6</b>	<b>203.2</b>	<b>168.0</b>		<b>278</b>	<b>370</b>	<b>334</b>	<b>308</b>	<b>761</b>	<b>461</b>
<b>Vealer Heifer</b>														
0-200	RS	C	2	9	130.0	- 146.2	142.6	N/Q	-	-	-	228	- 285	272
		C	2	2	150.0	- 150.0	150.0	N/C	283	- 283	283	278	- 278	278
		C	3	1	168.2	- 168.2	168.2	N/Q	306	- 306	306	311	- 311	311
200-280	RS	C	2	25	130.0	- 130.2	130.1	-15	-	-	-	267	- 319	292
		C	2	59	135.0	- 167.2	150.8	5	255	- 316	286	287	- 416	362
		C	3	4	190.0	- 205.2	200.9	41	359	- 380	370	466	- 523	508
280-330		C	3	3	190.0	- 190.0	190.0	3	352	- 352	352	542	- 542	542
330+		C	3	21	202.2	- 210.2	206.0	-1	361	- 382	370	746	- 778	756
				<b>124</b>	<b>130.0</b>	<b>210.2</b>	<b>158.1</b>		<b>255</b>	<b>382</b>	<b>312</b>	<b>228</b>	<b>778</b>	<b>415</b>
<b>Yearling Steer</b>														
0-330	FD	C	2	9	151.2	- 170.0	166.2	5	-	-	-	395	- 485	470
	RS	C	2	28	137.2	- 177.2	162.5	-10	-	-	-	353	- 487	462

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
330-400	RS	D	2	18	144.0	- 144.0	144.0	N/Q	-			396	- 396	396	
	FD	D	3	1	150.2	- 150.2	150.2	N/Q	-			466	- 466	466	
	FD	C	2	48	145.0	- 177.2	161.4	14	-			500	- 620	575	
		C	2	16	152.6	- 179.2	175.9	9	288	- 338	332	534	- 609	600	
	RS	C	2	2	140.2	- 140.2	140.2	N/Q	-			498	- 498	498	
400+		C	3	27	155.0	- 214.0	195.6	2	293	- 382	357	527	- 830	733	
	FD	C	2	30	143.2	- 160.2	152.9	-2	-			587	- 668	636	
	FD	C	3	8	140.0	- 166.2	148.8	-21	-			651	- 723	663	
		C	3	27	151.2	- 205.0	194.3	13	280	- 370	353	701	- 871	817	
		D	3	1	112.2	- 112.2	112.2	N/Q	212	- 212	212	471	- 471	471	
					<b>215</b>	<b>112.2</b>	<b>214.0</b>	<b>167.7</b>		<b>212</b>	<b>382</b>	<b>348</b>	<b>353</b>	<b>871</b>	<b>603</b>
<b>Yearling Heifer</b>															
0-330		C	2	36	129.2	- 135.0	133.6	-7	244	- 260	256	297	- 354	306	
	FD	C	2	15	155.2	- 155.2	155.2	-13	-			442	- 442	442	
	RS	C	2	39	120.6	- 138.2	131.6	-21	-			333	- 435	382	
		C	3	2	155.0	- 155.0	155.0	N/Q	287	- 287	287	504	- 504	504	
	RS	D	2	30	125.2	- 125.2	125.2	21	-			307	- 307	307	
	RS	D	3	23	119.2	- 122.0	119.3	-7	-			381	- 397	382	
		D	3	9	110.0	- 125.2	123.5	-16	208	- 236	233	307	- 314	307	
330-400	FD	C	2	16	157.2	- 160.0	157.9	N/C	-			542	- 576	551	
	RS	C	3	2	130.6	- 130.6	130.6	N/Q	-			490	- 490	490	
		C	3	32	141.6	- 206.2	192.4	7	262	- 375	350	559	- 794	733	
		D	3	1	120.0	- 120.0	120.0	N/Q	226	- 226	226	414	- 414	414	
	RS	D	3	5	103.2	- 125.2	116.4	14	-			397	- 432	418	
400+	RS	C	2	9	121.6	- 121.6	121.6	N/Q	-			511	- 511	511	
		C	3	5	140.0	- 202.2	178.9	18	259	- 368	328	581	- 839	748	
		D	3	1	110.0	- 110.0	110.0	N/Q	212	- 212	212	457	- 457	457	
					<b>225</b>	<b>103.2</b>	<b>206.2</b>	<b>141.9</b>		<b>208</b>	<b>375</b>	<b>293</b>	<b>297</b>	<b>839</b>	<b>439</b>
<b>Grown Steer</b>															
0-400	RS	D	2	12	131.2	- 131.2	131.2	N/Q	-			374	- 374	374	
400-500	FD	C	2	10	130.0	- 145.6	141.2	-26	-			533	- 679	632	
		C	2	2	140.0	- 140.0	140.0	N/Q	264	- 264	264	595	- 595	595	
	FD	C	3	10	160.6	- 162.2	161.6	-3	-			770	- 779	774	
		C	3	23	151.2	- 169.2	156.9	N/C	285	- 313	298	658	- 804	720	
		C	4	5	142.0	- 142.0	142.0	-32	263	- 263	263	703	- 703	703	
		D	3	7	110.0	- 150.0	127.1	N/Q	208	- 283	240	451	- 743	576	
500-600		C	3	18	140.0	- 162.0	150.0	-12	264	- 300	278	735	- 851	787	
		C	4	66	155.0	- 185.0	176.9	2	277	- 336	322	783	- 971	929	
600-750		C	4	2	156.2	- 156.2	156.2	N/Q	284	- 284	284	976	- 976	976	
					<b>155</b>	<b>110.0</b>	<b>185.0</b>	<b>159.9</b>		<b>208</b>	<b>336</b>	<b>303</b>	<b>374</b>	<b>976</b>	<b>782</b>
<b>Grown Heifer</b>															
0-540		C	3	18	140.0	- 159.6	147.1	N/Q	264	- 301	278	637	- 703	658	
	FD	C	3	5	150.0	- 150.0	150.0	5	-			728	- 728	728	
		C	4	22	150.0	- 161.2	155.5	-4	278	- 299	288	760	- 788	776	
	FD	D	3	2	110.0	- 110.0	110.0	N/C	-			358	- 358	358	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
	RS	D	3	8	109.2	- 111.2	110.5	-19	-				420	- 428	425
		D	3	2	103.2	- 103.2	103.2	N/Q	199	- 199	199		423	- 423	423
				<b>57</b>	<b>103.2</b>	<b>161.2</b>	<b>142.6</b>		<b>199</b>	<b>301</b>	<b>279</b>		<b>358</b>	<b>788</b>	<b>658</b>
<b>Manufacturing Steer</b>															
0-540	RS	D	2	11	75.2	- 75.2	75.2	N/Q	-				177	- 177	177
				<b>11</b>	<b>75.2</b>	<b>75.2</b>	<b>75.2</b>		<b>0</b>	<b>0</b>			<b>177</b>	<b>177</b>	<b>177</b>
<b>Cows</b>															
0-400		D	2	30	50.0	- 99.2	77.0	4	114	- 226	175		198	- 337	280
400-520		D	2	22	87.2	- 96.2	90.9	5	198	- 219	207		371	- 390	378
		D	3	67	92.0	- 108.2	103.0	5	196	- 230	222		396	- 516	481
	RS	D	3	1	105.2	- 105.2	105.2	N/Q	-				479	- 479	479
		D	4	23	108.0	- 117.2	111.5	-4	216	- 249	226		498	- 567	554
520+		D	4	19	112.0	- 122.2	115.5	2	224	- 247	231		599	- 739	627
		D	5	1	95.0	- 95.0	95.0	N/Q	198	- 198	198		518	- 518	518
				<b>163</b>	<b>50.0</b>	<b>122.2</b>	<b>99.2</b>		<b>114</b>	<b>249</b>	<b>213</b>		<b>198</b>	<b>739</b>	<b>458</b>
<b>Bulls</b>															
600+		C	2	23	132.0	- 155.0	141.3	5	249	- 287	265		865	- 1172	998
		C	3	5	146.0	- 160.2	152.1	N/Q	269	- 286	277		1203	- 1370	1258
		D	2	1	116.2	- 116.2	116.2	N/Q	228	- 228	228		877	- 877	877
				<b>29</b>	<b>116.2</b>	<b>160.2</b>	<b>142.3</b>		<b>228</b>	<b>287</b>	<b>266</b>		<b>865</b>	<b>1370</b>	<b>1038</b>

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.