

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 18 Jun 2013

Yarding Change ¹²⁵²
132

comparison date 11/06/2013

There was a small lift in supply and overall quality was mixed with the standard of the cows not up to the previous week's level. A good panel of buyers were present with representatives covering all classes. The better end of the vealer heifers and heavy weight yearling steers to feed improved in price. However the remaining categories of young cattle struggled to hold firm and in a number of places lost ground. Export slaughter lines could not maintain the improved rates of the previous sale with cows losing 4c to 8c/kg.

Calves to restockers averaged 172c and made to 190.2c/kg. Vealer steers to feed and restockers averaged in the early 170c/kg range with sales to 178.2c/kg. Vealer heifers to feed averaged 147c and slaughter classes 155c, with the occasional sale to local butchers at 194.2c/kg. Lightweight yearling steers to feed and restockers averaged 161c and 164c/kg respectively. Medium and heavy weights to feed generally sold in the early to mid 160c/kg range with some heavyweights making to 166.2c/kg. Medium weight yearling heifers to feed average 144c while poorer quality lines averaged close to 120c/kg.

Heavy grown steers averaged 155c and bullocks sold to 163.2c to average 160c/kg. Medium weight plain cows averaged 73c, and 2 scores 94c, while 3 scores averaged 106c/kg. Good heavy cows generally sold around 117c with the occasional pen to 128.2c/kg. Heavy bulls made to 145.6c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	12	140.0	151.2	147.7	3	264	285	279	245	280	264
	RS	C	2	23	153.2	190.2	172.2	-4	-	-	-	215	352	295
		D	2	6	128.0	128.0	128.0	N/Q	242	242	242	211	211	211
				41	128.0	190.2	158.6		242	285	266	211	352	274
Vealer Steer														
200-280		C	2	12	155.0	155.2	155.1	-9	282	282	282	364	411	372
	FD	C	2	38	154.2	176.0	170.9	N/C	-	-	-	409	466	435
	RS	C	2	48	167.2	178.2	172.7	-4	-	-	-	398	444	416
				98	154.2	178.2	169.8		282	282	282	364	466	418
Vealer Heifer														
200-280		C	2	48	148.0	158.0	151.4	3	274	293	280	333	413	364
	FD	C	2	43	142.0	155.2	147.5	-2	-	-	-	344	411	374
	RS	C	2	3	142.0	142.0	142.0	-4	-	-	-	334	334	334
		C	3	20	160.2	194.2	178.5	8	297	360	331	376	515	463
		D	2	8	130.0	140.0	137.4	-3	241	259	254	318	369	335
280-330		C	3	3	170.2	173.2	172.2	-1	315	321	319	511	511	511
				125	130.0	194.2	153.8		241	360	292	318	515	384
Yearling Steer														
0-330		C	2	2	150.2	150.2	150.2	N/Q	273	273	273	368	368	368
	FD	C	2	20	150.2	172.0	161.8	8	-	-	-	368	443	401
	RS	C	2	53	157.2	176.2	164.6	1	-	-	-	369	472	407
	RS	D	2	10	146.2	149.2	148.3	9	-	-	-	306	410	349
330-400	RS	C	2	12	150.0	153.2	151.6	-15	-	-	-	536	578	559
	FD	C	2	38	159.2	172.2	163.6	-4	-	-	-	552	587	563
	FD	C	3	18	160.0	171.2	165.4	-2	-	-	-	570	659	617

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400+		C	3	5	168.0	- 170.0	168.9	-5	306	- 309	307	563	- 668	606	
		FD	D	2	140.0	- 142.2	141.3	-7	-	-	-	476	- 511	490	
		RS	D	2	146.2	- 150.2	148.9	29	-	-	-	503	- 504	504	
		FD	C	2	159.2	- 166.2	164.5	12	-	-	-	645	- 706	687	
		FD	C	3	150.0	- 165.0	160.0	5	-	-	-	648	- 705	679	
			C	3	9	160.0	- 176.2	166.5	N/C	291	- 320	303	677	- 875	743
				231	140.0	176.2	161.1		273	320	300	306	875	534	
Yearling Heifer															
0-330		C	2	4	140.0	- 148.0	142.0	-1	259	- 274	263	343	- 392	355	
		RS	D	2	6	110.0	- 120.2	113.8	-5	-	-	259	- 294	275	
			D	2	34	110.0	- 136.2	119.6	-10	204	- 252	222	242	- 361	284
330-400		FD	C	2	29	140.0	- 150.0	144.0	3	-	-	469	- 548	502	
		RS	C	2	12	151.2	- 151.2	151.2	N/Q	-	-	582	- 582	582	
		FD	C	3	15	149.2	- 155.0	153.1	8	-	-	560	- 566	564	
			C	3	4	160.0	- 169.2	166.9	12	296	- 313	309	600	- 651	639
		FD	D	2	9	130.0	- 135.0	132.7	-3	-	-	446	- 466	453	
			D	2	13	100.0	- 130.0	117.8	-4	185	- 241	218	395	- 475	422
400+		FD	C	2	4	137.2	- 137.2	137.2	N/Q	-	-	597	- 597	597	
			C	3	2	150.2	- 173.2	161.7	N/Q	278	- 321	299	638	- 736	687
		RS	D	2	2	98.2	- 98.2	98.2	N/Q	-	-	398	- 398	398	
				134	98.2	173.2	134.8		185	321	233	242	736	443	
Grown Steer															
400-500			D	3	4	135.2	- 135.2	135.2	N/Q	246	- 246	246	575	- 575	575
500-600			C	3	6	147.2	- 150.2	149.2	4	268	- 273	271	788	- 804	798
			C	4	11	155.2	- 155.2	155.2	-4	277	- 277	277	877	- 916	891
		RS	D	2	14	132.2	- 132.2	132.2	N/Q	-	-	707	- 707	707	
600-750			C	3	15	146.2	- 146.2	146.2	-5	266	- 266	266	906	- 906	906
			C	4	12	157.2	- 163.2	160.7	-14	281	- 291	287	1064	- 1100	1079
				62	132.2	163.2	147.0		246	291	273	575	1100	860	
Grown Heifer															
0-540			D	1	3	80.0	- 80.0	80.0	N/Q	178	- 178	178	292	- 292	292
		RS	D	1	31	76.2	- 129.2	119.4	28	-	-	320	- 497	465	
		RS	D	2	18	107.2	- 115.2	109.8	N/Q	-	-	358	- 501	401	
			D	3	17	125.0	- 143.2	135.0	N/Q	240	- 275	260	558	- 766	671
				69	76.2	143.2	119.0		178	275	247	292	766	491	
Manufacturing Steer															
540+			C	3	1	143.6	- 143.6	143.6	N/Q	261	- 261	261	898	- 898	898
				1	143.6	143.6	144.0		261	261	261	898	898	898	
Cows															
0-400			D	1	26	60.2	- 72.2	69.0	-6	151	- 181	172	238	- 281	263
		RS	D	1	13	77.2	- 85.0	81.4	-4	-	-	309	- 336	321	
			E	1	6	52.2	- 52.2	52.2	N/Q	131	- 131	131	180	- 180	180
		RS	E	1	16	30.0	- 56.2	44.5	N/Q	-	-	105	- 197	155	
400-520		RS	D	1	13	62.2	- 100.0	83.1	-8	-	-	271	- 425	360	
			D	1	23	69.2	- 80.0	73.4	-8	173	- 200	184	301	- 348	321

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
520+	RS	D	2	27	83.2	- 100.6	94.5	-5	189	- 229	215	362	- 453	419
		D	2	4	100.2	- 100.2	100.2	N/Q	-			451	- 451	451
		D	3	26	101.2	- 110.0	106.8	-6	207	- 225	218	440	- 525	505
		D	4	3	110.2	- 112.0	110.8	-8	216	- 220	217	534	- 554	541
		D	2	4	99.2	- 101.2	100.2	-10	226	- 230	228	526	- 541	534
		D	3	4	104.6	- 108.2	105.6	-8	214	- 221	216	560	- 611	581
		D	4	28	108.2	- 128.2	117.2	-6	212	- 251	230	579	- 741	646
			193		30.0	128.2	87.1		131	251	203	105	741	399
Bulls														
0-450	FD	C	2	3	120.0	- 120.0	120.0	N/Q	-			510	- 510	510
		C	3	1	126.2	- 126.2	126.2	N/Q	-			486	- 486	486
		C	3	4	118.2	- 120.2	118.7	-16	211	- 219	213	532	- 541	534
		D	2	9	105.0	- 105.0	105.0	-19	-			420	- 420	420
		D	2	2	109.2	- 113.2	111.2	N/Q	199	- 206	202	399	- 436	417
600+		C	2	2	118.0	- 122.0	120.0	N/Q	215	- 222	218	793	- 808	801
		C	3	13	121.6	- 145.6	138.2	-5	221	- 260	247	922	- 1271	1050
					34		105.0	145.6	122.5		199	260	233	399

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.