

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Pakenham

report date 24 Jun 2013

Yarding Change  $\frac{1839}{296}$

comparison date 17/06/2013

There were approximately 700 grown and 1100 young cattle penned. The usual buying group attended a firm market overall. Quality was typical of a mid-winter yarding, with a large proportion of secondary and plain cattle presented for sale. A large number of young cattle were purchased to feed but were slightly easier week on week. Restocker attendance lifted slightly but activity was still subdued. There were strong numbers of supplementary fed yearling cattle, with strong competition for the secondary vealer grades.

Good C3 vealer steers to the trade sold from 199c to 210c, with the secondary lines from 149c to 205c/kg. The C3 vealer heifers to the trade made between 200c and 210c, with the secondary lines between 150c and 200c/kg. Vealers to feed sold between 150c and 179c/kg. The C3 and B3 yearling grass steers, including many supplementary fed lines, made from 185c to 232c, with the secondary lines from 130c to 190c/kg. Most yearling grass heifers, including many supplementary fed lines sold from 158c to 226c, with the secondary lines from 130c to 180c/kg.

The C muscled grown steers made between 190c to 196c, with the secondary D muscled lines between 165c and 189c/kg. The bullocks were all secondary D muscled drafts selling between 173c and 186c/kg. The 3 score grown empty heifers made from 126c to 160c/kg. Light weight Friesian steers sold from 133c to 148c/kg, stronger than the last comparable offering. Heavy weight 3 score crossbred manufacturing steers made between 144c and 177c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
80+		C	2	13	150.0	- 150.0	150.0	N/Q	278	- 278	278	270	- 270	270
				<b>13</b>	<b>150.0</b>	<b>150.0</b>	<b>150.0</b>		<b>278</b>	<b>278</b>	<b>278</b>	<b>270</b>	<b>270</b>	<b>270</b>
<b>Vealer Steer</b>														
0-200	RS	C	2	9	148.6	- 148.6	148.6	N/Q	-	-	-	297	- 297	297
200-280		C	2	8	189.6	- 189.6	189.6	N/Q	345	- 345	345	531	- 531	531
	FD	C	2	6	165.0	- 172.0	166.5	-10	-	-	-	462	- 482	466
		D	2	2	132.0	- 144.0	138.0	N/Q	244	- 267	256	290	- 346	318
280-330	FD	C	2	21	156.6	- 178.6	166.8	2	-	-	-	491	- 554	524
		C	2	8	159.6	- 205.0	187.2	-3	290	- 373	340	511	- 677	578
		C	3	1	205.0	- 205.0	205.0	N/Q	373	- 373	373	615	- 615	615
330+	FD	C	2	2	150.0	- 155.0	152.5	N/Q	-	-	-	543	- 563	553
		C	2	10	182.0	- 200.0	189.8	7	337	- 364	348	637	- 760	681
	RS	C	2	1	164.6	- 164.6	164.6	N/Q	-	-	-	601	- 601	601
		C	3	7	198.6	- 210.0	202.3	-8	361	- 376	367	723	- 788	747
	FD	D	2	1	165.0	- 165.0	165.0	N/Q	-	-	-	578	- 578	578
		D	2	1	180.0	- 180.0	180.0	N/Q	333	- 333	333	630	- 630	630
				<b>77</b>	<b>132.0</b>	<b>210.0</b>	<b>174.9</b>		<b>244</b>	<b>376</b>	<b>344</b>	<b>290</b>	<b>788</b>	<b>540</b>
<b>Vealer Heifer</b>														
200-280		C	2	11	155.0	- 186.6	168.1	6	282	- 339	306	400	- 522	453
	FD	C	2	6	153.2	- 160.0	156.6	-16	-	-	-	429	- 448	438
280-330	FD	C	2	10	153.2	- 171.6	164.6	-6	-	-	-	460	- 549	501
		C	2	9	161.6	- 188.0	179.0	2	294	- 342	328	485	- 602	545
		C	3	2	200.0	- 200.0	200.0	N/Q	364	- 364	364	600	- 600	600
		D	2	6	140.0	- 146.6	145.5	-19	259	- 272	269	420	- 469	461

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330+	FD	D	2	10	132.0	- 146.6	140.9	-1	-			422	- 440	435
		B	3	1	210.0	- 210.0	210.0	N/Q	362	- 362	362	735	- 735	735
		C	2	7	150.0	- 199.6	179.3	7	278	- 363	329	543	- 699	632
		C	3	2	206.6	- 206.6	206.6	N/Q	369	- 369	369	795	- 795	795
				<b>64</b>	<b>132.0</b>	<b>210.0</b>	<b>165.7</b>		<b>259</b>	<b>369</b>	<b>317</b>	<b>400</b>	<b>795</b>	<b>509</b>
<b>Yearling Steer</b>														
0-330	FD	C	2	2	153.2	- 162.0	157.6	N/Q	-			429	- 518	474
		C	3	8	216.6	- 216.6	216.6	N/Q	387	- 387	387	693	- 693	693
330-400	RS	D	2	1	151.6	- 151.6	151.6	N/Q	-			485	- 485	485
		B	3	18	215.6	- 232.0	224.7	5	372	- 387	381	836	- 928	886
	RS	C	2	1	155.0	- 155.0	155.0	N/Q	-			566	- 566	566
		C	2	10	175.0	- 190.0	183.1	4	318	- 346	333	665	- 760	719
400+	FD	C	2	8	154.2	- 174.0	170.5	5	-			602	- 688	637
		C	3	43	190.0	- 222.0	204.1	-1	346	- 396	368	713	- 854	773
	FD	D	2	8	134.6	- 164.8	152.1	5	-			495	- 616	572
	RS	D	2	38	153.2	- 189.6	184.4	24	-			575	- 692	685
		D	3	5	160.0	- 175.0	164.1	-6	294	- 324	303	591	- 700	627
		C	2	9	163.6	- 180.0	170.6	2	298	- 327	311	726	- 799	771
		C	3	30	185.0	- 215.0	196.2	-1	336	- 384	354	836	- 907	877
	FD	D	2	40	140.0	- 162.0	148.9	N/Q	-			595	- 722	659
	RS	D	2	20	155.0	- 170.6	165.9	N/Q	-			651	- 725	703
		D	2	10	143.2	- 155.0	150.8	5	265	- 290	282	601	- 744	663
	FD	D	3	5	163.2	- 163.2	163.2	N/Q	-			718	- 718	718
	D	3	10	172.0	- 188.0	180.5	5	313	- 343	331	722	- 884	809	
				<b>266</b>	<b>134.6</b>	<b>232.0</b>	<b>181.4</b>		<b>265</b>	<b>396</b>	<b>351</b>	<b>429</b>	<b>928</b>	<b>732</b>
<b>Yearling Heifer</b>														
0-330	RS	D	2	25	142.0	- 143.6	143.1	19	-			426	- 431	429
	FD	D	2	17	130.0	- 156.0	152.9	-37	-			390	- 499	461
330-400		D	2	3	140.0	- 168.0	150.9	1	269	- 323	290	364	- 504	434
		D	3	4	180.0	- 180.0	180.0	30	327	- 327	327	576	- 576	576
		C	3	16	195.0	- 225.6	204.6	4	355	- 410	369	697	- 846	776
		D	1	1	111.6	- 111.6	111.6	N/Q	223	- 223	223	402	- 402	402
	FD	D	2	101	132.0	- 180.0	158.8	-7	-			482	- 684	580
		D	2	42	134.2	- 156.6	150.9	7	258	- 301	290	517	- 626	590
400+		D	3	108	150.0	- 200.0	180.3	1	278	- 364	332	597	- 780	671
	FD	D	3	4	158.2	- 160.0	158.7	-15	-			593	- 640	605
	GF	D	3	5	160.0	- 195.0	184.5	N/Q	296	- 355	338	608	- 780	725
		C	3	4	205.6	- 205.6	205.6	14	367	- 367	367	905	- 905	905
	FD	D	2	12	145.0	- 155.0	154.2	-12	-			609	- 659	655
	RS	D	2	13	142.6	- 155.0	146.4	N/Q	-			642	- 659	647
		D	2	39	130.0	- 155.0	147.1	-4	250	- 298	281	546	- 684	651
		D	3	122	158.0	- 192.0	171.6	-1	293	- 349	317	695	- 851	762
	GF	D	3	6	175.0	- 175.0	175.0	N/Q	324	- 324	324	735	- 735	735
	D	4	2	150.0	- 165.0	157.5	N/Q	273	- 300	286	705	- 792	749	
				<b>524</b>	<b>111.6</b>	<b>225.6</b>	<b>165.6</b>		<b>223</b>	<b>410</b>	<b>317</b>	<b>364</b>	<b>905</b>	<b>651</b>

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
<b>Grown Steer</b>															
400-500	FD	C	2	1	147.2	- 147.2	147.2	N/Q	-			677	- 677	677	
		C	3	1	185.6	- 185.6	185.6	N/Q	338	- 338	338	928	- 928	928	
	RS	D	2	13	152.6	- 162.0	159.1	N/Q	-			717	- 770	753	
		D	2	5	158.0	- 158.0	158.0	N/Q	298	- 298	298	790	- 790	790	
		D	3	70	166.0	- 190.6	183.2	14	307	- 353	336	780	- 912	875	
500-600		C	3	30	189.6	- 195.6	192.7	1	345	- 356	350	993	- 1138	1056	
		D	3	174	165.0	- 188.6	183.1	2	300	- 343	333	891	- 1132	1017	
600-750		C	4	1	182.6	- 182.6	182.6	N/Q	326	- 326	326	1187	- 1187	1187	
		D	3	54	173.2	- 185.6	183.8	1	315	- 338	333	1108	- 1253	1205	
					<b>349</b>	<b>147.2</b>	<b>195.6</b>	<b>182.7</b>		<b>298</b>	<b>356</b>	<b>335</b>	<b>677</b>	<b>1253</b>	<b>1007</b>
<b>Grown Heifer</b>															
0-540		D	1	2	116.6	- 116.6	116.6	N/Q	248	- 248	248	525	- 525	525	
		D	2	6	130.0	- 134.0	132.1	N/Q	260	- 268	264	611	- 724	689	
		D	3	51	136.0	- 157.6	144.8	N/Q	262	- 303	278	665	- 835	740	
540+		C	3	2	156.6	- 158.0	157.3	N/Q	290	- 293	291	1027	- 1175	1101	
		D	3	16	126.0	- 160.0	147.8	3	242	- 300	283	770	- 992	844	
		D	4	3	143.2	- 147.2	144.5	13	275	- 283	278	859	- 913	877	
					<b>80</b>	<b>116.6</b>	<b>160.0</b>	<b>144.1</b>		<b>242</b>	<b>303</b>	<b>278</b>	<b>525</b>	<b>1175</b>	<b>766</b>
<b>Manufacturing Steer</b>															
0-540	DA	D	2	59	132.6	- 148.0	143.4	1	255	- 285	276	630	- 710	669	
		D	2	35	140.0	- 162.0	153.2	8	269	- 306	290	680	- 875	797	
		D	3	21	151.6	- 170.0	158.8	-23	281	- 315	294	728	- 885	789	
540+		D	2	16	136.6	- 155.0	151.8	-5	253	- 293	287	853	- 1093	895	
	DA	D	2	3	148.2	- 148.2	148.2	12	285	- 285	285	926	- 926	926	
		D	3	27	143.6	- 176.6	165.7	-2	266	- 324	306	982	- 1395	1090	
		D	4	3	157.6	- 157.6	157.6	N/Q	287	- 287	287	1103	- 1103	1103	
					<b>164</b>	<b>132.6</b>	<b>176.6</b>	<b>152.3</b>		<b>253</b>	<b>324</b>	<b>288</b>	<b>630</b>	<b>1395</b>	<b>816</b>
<b>Cows</b>															
400-520		D	2	1	126.6	- 126.6	126.6	N/Q	264	- 264	264	633	- 633	633	
					<b>1</b>	<b>126.6</b>	<b>126.6</b>	<b>127.0</b>		<b>264</b>	<b>264</b>	<b>264</b>	<b>633</b>	<b>633</b>	<b>633</b>
<b>Bulls</b>															
450-600		C	2	7	148.6	- 148.6	148.6	N/Q	270	- 270	270	817	- 817	817	
600+		C	3	1	145.0	- 145.0	145.0	N/Q	259	- 259	259	1015	- 1015	1015	
					<b>8</b>	<b>145.0</b>	<b>148.6</b>	<b>148.1</b>		<b>259</b>	<b>270</b>	<b>269</b>	<b>817</b>	<b>1015</b>	<b>842</b>

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.