

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### CTLX

report date 25 Jun 2013

Yarding Change 2450  
-460

comparison date 18/06/2013

Continuing showers reduced consignments as extra numbers of vealers were penned. Yearling numbers were back as grown steers nearly doubled, while cows were also well supplied. The usual buyers competed with an extra southern cow buyer also entering the competition. The market on average trended dearer.

Prime conditioned heavy vealers to the butchers ranged from 175c to 220c/kg. Yearling steers across most weight ranges lifted 6c to 8c, as medium weights averaged 186.5c, after reaching 194c/kg. Heavy weights ranged from 178c to 190c, with those selling to trade orders reaching 201c/kg. Yearling heifers sold to solid lot feeder competition to gain 14c, as prices ranged from 150c to 175c and up to 202c/kg for heavy weights selling to processors.

Heavy weight grown steers and bullocks to slaughter sold at equal prices compared to the last market, as the best conditioned pens ranged from 175c to 192.6c/kg. The heifer portion gained 5c to reach 176c/kg. Cows continued to be dearer to improve from 5c to 8c/kg, however there were pens of good quality cows offered. The plainer 2 scores averaged 111c, as the well-finished 3 and 4 score C muscled grades sold from 106c to 137c/kg. The best heavy weight bull topped at 170c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Vealer Steer</b>														
200-280	RS	C	2	67	148.0	- 190.0	175.7	N/Q	-			414	- 532	470
	DA	D	2	2	122.0	- 122.0	122.0	N/Q	260	- 260	260	342	- 342	342
	RS	D	2	1	130.0	- 130.0	130.0	N/Q	-			267	- 267	267
280-330	RS	C	2	23	175.0	- 187.6	183.5	N/Q	-			508	- 582	555
		C	2	5	187.6	- 187.6	187.6	N/Q	361	- 361	361	600	- 600	600
	FD	C	2	27	174.2	- 190.0	187.9	N/Q	-			531	- 580	559
330+		C	3	21	193.2	- 214.6	204.7	11	358	- 390	377	696	- 865	811
				<b>146</b>	<b>122.0</b>	<b>214.6</b>	<b>182.7</b>		<b>260</b>	<b>390</b>	<b>366</b>	<b>267</b>	<b>865</b>	<b>550</b>
<b>Vealer Heifer</b>														
200-280		C	2	22	145.0	- 150.0	145.2	-3	279	- 289	279	330	- 377	367
	RS	C	2	56	135.0	- 149.6	144.5	-2	-			311	- 417	389
	RS	D	2	4	119.6	- 130.0	122.2	N/Q	-			273	- 287	284
280-330		C	2	16	145.0	- 175.0	156.9	N/Q	279	- 337	302	428	- 543	469
	FD	C	2	17	145.0	- 172.2	154.0	-3	-			435	- 542	475
	RS	C	2	25	140.0	- 152.0	146.2	N/Q	-			420	- 433	427
		C	3	2	170.0	- 170.0	170.0	N/Q	321	- 321	321	527	- 527	527
330+		C	3	73	175.0	- 220.0	186.7	-4	330	- 400	352	587	- 770	656
				<b>215</b>	<b>119.6</b>	<b>220.0</b>	<b>160.6</b>		<b>279</b>	<b>400</b>	<b>330</b>	<b>273</b>	<b>770</b>	<b>494</b>
<b>Yearling Steer</b>														
0-330	RS	D	2	2	107.0	- 107.0	107.0	N/Q	-			342	- 342	342
330-400	RS	C	2	4	186.8	- 186.8	186.8	N/Q	-			635	- 635	635
	FD	C	2	115	165.0	- 193.8	186.5	6	-			586	- 720	658
		C	3	2	202.2	- 202.2	202.2	N/Q	368	- 368	368	778	- 778	778
	FD	C	3	23	187.0	- 188.2	187.3	N/Q	-			655	- 715	670
	DA	D	2	1	120.0	- 120.0	120.0	N/Q	250	- 250	250	432	- 432	432
400+	FD	C	2	96	178.6	- 190.0	186.8	9	-			732	- 869	777

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	58	172.0	- 201.0	189.0	1	325	- 366	350	757	- 877	830
				<b>301</b>	<b>107.0</b>	<b>202.2</b>	<b>186.5</b>		<b>250</b>	<b>368</b>	<b>349</b>	<b>342</b>	<b>877</b>	<b>727</b>
<b>Yearling Heifer</b>														
0-330	FD	C	2	19	150.2	- 175.2	166.7	14	-	-	-	451	- 561	530
	RS	C	2	17	143.0	- 143.0	143.0	-10	-	-	-	400	- 400	400
	RS	D	1	2	85.0	- 85.0	85.0	N/Q	-	-	-	238	- 238	238
	RS	D	2	13	80.0	- 120.0	97.7	N/Q	-	-	-	216	- 342	272
	FD	D	2	11	125.0	- 125.0	125.0	N/Q	-	-	-	394	- 394	394
	RS	E	1	1	54.0	- 54.0	54.0	N/Q	-	-	-	135	- 135	135
330-400	RS	C	2	14	180.2	- 180.2	180.2	21	-	-	-	649	- 649	649
	FD	C	2	92	155.0	- 173.6	169.3	16	-	-	-	549	- 642	599
		C	2	1	158.0	- 158.0	158.0	N/Q	304	- 304	304	537	- 537	537
	FD	C	3	1	165.6	- 165.6	165.6	N/Q	-	-	-	596	- 596	596
		C	3	15	175.0	- 188.6	178.8	-1	337	- 356	338	613	- 679	670
400+		B	3	6	202.0	- 202.0	202.0	N/Q	374	- 374	374	1071	- 1071	1071
	FD	C	2	1	155.0	- 155.0	155.0	N/Q	-	-	-	622	- 622	622
		C	3	54	160.0	- 188.2	171.7	-1	302	- 355	325	642	- 774	714
				<b>247</b>	<b>54.0</b>	<b>202.0</b>	<b>162.8</b>		<b>302</b>	<b>374</b>	<b>331</b>	<b>135</b>	<b>1071</b>	<b>592</b>
<b>Grown Steer</b>														
400-500		C	2	7	126.0	- 140.0	136.0	-6	252	- 269	264	529	- 602	579
	FD	C	2	16	160.0	- 169.6	167.8	-8	-	-	-	656	- 729	712
	RS	C	2	11	155.0	- 155.0	155.0	N/Q	-	-	-	713	- 713	713
500-600	FD	C	2	3	175.0	- 175.0	175.0	13	-	-	-	893	- 893	893
		C	2	5	142.0	- 166.2	161.4	N/Q	273	- 320	310	717	- 864	835
		C	3	217	175.0	- 192.6	186.6	N/C	324	- 350	340	919	- 1086	1040
		C	4	32	184.8	- 191.6	187.2	-5	336	- 348	340	1018	- 1111	1052
600-750		C	3	30	172.0	- 182.0	178.9	2	319	- 337	331	1049	- 1232	1120
		C	4	87	182.0	- 189.8	185.5	-1	331	- 345	337	1128	- 1197	1162
				<b>408</b>	<b>126.0</b>	<b>192.6</b>	<b>183.0</b>		<b>252</b>	<b>350</b>	<b>337</b>	<b>529</b>	<b>1232</b>	<b>1040</b>
<b>Grown Heifer</b>														
0-540		C	2	31	140.0	- 145.0	141.5	1	292	- 302	295	602	- 725	628
	FD	C	2	21	145.0	- 157.6	148.0	3	-	-	-	551	- 599	562
		C	3	60	140.0	- 176.0	161.2	6	280	- 339	316	602	- 915	791
		D	1	5	60.0	- 60.0	60.0	N/Q	171	- 171	171	192	- 192	192
		D	2	19	102.0	- 118.6	112.4	-1	227	- 264	250	385	- 427	412
540+		C	3	23	157.6	- 174.0	166.7	N/Q	315	- 335	328	946	- 957	954
		C	4	5	165.6	- 165.6	165.6	9	331	- 331	331	911	- 911	911
				<b>164</b>	<b>60.0</b>	<b>176.0</b>	<b>148.0</b>		<b>171</b>	<b>339</b>	<b>300</b>	<b>192</b>	<b>957</b>	<b>695</b>
<b>Manufacturing Steer</b>														
0-540		D	2	1	100.0	- 100.0	100.0	N/C	208	- 208	208	405	- 405	405
				<b>1</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>		<b>208</b>	<b>208</b>	<b>208</b>	<b>405</b>	<b>405</b>	<b>405</b>
<b>Cows</b>														
0-400		D	1	13	70.0	- 81.0	75.9	3	184	- 213	200	252	- 308	282
		D	2	7	85.0	- 92.0	91.0	14	207	- 224	222	298	- 350	342
400-520		C	2	3	128.2	- 128.2	128.2	N/Q	267	- 267	267	654	- 654	654

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
520+	DA	D	1	3	80.0	- 80.0	80.0	-2	211	- 211	211	328	- 328	328
		D	2	85	88.0	- 117.2	110.7	12	215	- 273	260	378	- 585	514
		D	3	13	106.0	- 118.0	112.6	3	226	- 251	240	530	- 590	563
		C	2	1	121.2	- 121.2	121.2	N/Q	264	- 264	264	667	- 667	667
		C	3	5	132.0	- 137.0	133.6	9	264	- 266	265	805	- 1000	856
		C	4	35	129.6	- 137.0	130.8	5	259	- 268	261	858	- 1096	944
		D	2	30	114.0	- 120.0	118.6	11	271	- 279	276	604	- 648	634
		D	2	3	112.0	- 112.0	112.0	6	267	- 267	267	588	- 588	588
		D	3	133	115.0	- 126.2	123.2	8	245	- 263	258	610	- 764	697
		D	4	74	123.2	- 129.6	125.8	5	257	- 270	262	670	- 907	780
		D	5	3	120.0	- 120.0	120.0	9	255	- 255	255	840	- 840	840
				<b>408</b>	<b>70.0</b>	<b>137.0</b>	<b>118.7</b>		<b>184</b>	<b>279</b>	<b>257</b>	<b>252</b>	<b>1096</b>	<b>666</b>
<b>Bulls</b>														
0-450		C	2	1	137.2	- 137.2	137.2	N/Q	254	- 254	254	412	- 412	412
450-600		C	2	4	120.0	- 158.0	147.9	11	222	- 282	266	624	- 887	804
		D	1	1	100.0	- 100.0	100.0	N/Q	208	- 208	208	520	- 520	520
600+		B	2	21	152.0	- 170.2	160.2	-5	262	- 293	276	1177	- 1680	1418
		C	2	8	125.0	- 149.0	137.9	-11	232	- 266	248	793	- 1267	1019
		D	1	1	115.0	- 115.0	115.0	N/Q	230	- 230	230	713	- 713	713
				<b>36</b>	<b>100.0</b>	<b>170.2</b>	<b>150.3</b>		<b>208</b>	<b>293</b>	<b>265</b>	<b>412</b>	<b>1680</b>	<b>1188</b>

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.