

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 25 Jun 2013

Yarding Change 1029
-223

comparison date 18/06/2013

Numbers fell by 18% and young cattle made up the vast majority of the yarding, with a limited number of bullocks and a relatively short supply of cows. A full gallery of buyers was in attendance and, apart from some adjustments in places due to quality, competition was stronger across most classes. Vealer steers to restockers improved from 12c to 14c, and vealer heifers to feed and slaughter lifted from 1c to 8c/kg. Medium and heavy weight yearling steers to feed averaged from 5c to 10c/kg dearer. Cows also experienced a lift in prices, averaging from 2c to 7c/kg better.

Vealer steers to feed and restockers generally sold in the early to mid 180c range, with prices to 196c/kg. Most of the vealer heifers sold in the early to mid 150c range, with local butchers paying to 194c/kg. Medium weight yearling steers to feed averaged around 173c and sold to 180c, while a small selection to the trade averaged 177c/kg. Heavyweights to feed averaged 164c and made to 172c/kg. Medium weight yearling heifers to feed averaged just under 150c, with a few to the trade making to 174c, while the D muscle lines averaged 117c/kg.

A limited number of heavy grown steers averaged 163c, while a few bullocks averaged 157c and sold to 159c/kg. Medium weight 2 and 3 score cows averaged 94c and 104c/kg respectively. Heavy 3 scores averaged 112c, while the good cows made to 130c to average around 119c/kg. Heavy bulls made to 156c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	33	146.2	- 156.2	150.0	2	276	- 295	283	209	- 293	252
	RS	C	2	16	159.2	- 191.2	173.5	1		-		263	- 371	312
	RS	D	2	7	133.2	- 133.2	133.2	N/Q		-		233	- 233	233
		D	2	2	132.2	- 132.2	132.2	N/Q	249	- 249	249	245	- 245	245
				58	132.2	191.2	153.8		249	295	281	209	371	266
Vealer Steer														
200-280	FD	C	2	12	170.2	- 185.0	183.2	12		-		383	- 433	426
	RS	C	2	21	173.2	- 196.2	186.8	14		-		424	- 491	459
	FD	C	3	2	180.0	- 180.0	180.0	N/Q		-		504	- 504	504
	RS	D	2	3	154.2	- 154.2	154.2	N/Q		-		362	- 362	362
280-330		C	2	2	165.0	- 165.0	165.0	N/Q	300	- 300	300	470	- 470	470
		C	3	11	178.2	- 197.2	188.7	N/Q	324	- 359	343	535	- 601	578
330+		C	3	3	170.0	- 190.0	180.0	N/Q	309	- 346	327	570	- 637	603
				54	154.2	197.2	183.1		300	359	335	362	637	481
Vealer Heifer														
200-280		C	2	40	147.2	- 160.0	152.2	1	273	- 296	282	361	- 416	370
	FD	C	2	81	150.2	- 159.2	155.6	8		-		353	- 419	389
	RS	C	2	10	157.2	- 157.2	157.2	15		-		369	- 369	369
		C	3	7	160.0	- 183.2	168.5	-10	296	- 339	312	388	- 485	418
	FD	D	2	17	140.0	- 146.2	144.2	N/Q		-		341	- 387	359
		D	2	16	136.2	- 146.2	142.7	5	252	- 271	264	334	- 387	357
	RS	D	2	4	138.2	- 138.2	138.2	N/Q		-		325	- 325	325
280-330		C	3	15	163.2	- 194.2	178.0	6	302	- 360	330	490	- 631	536
				190	136.2	194.2	154.7		252	360	290	325	631	390
Yearling Steer														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-330	FD	C	2	9	160.0	- 161.2	160.8	-1	-	-	-	376	- 379	378
	RS	C	2	34	166.2	- 186.0	176.7	12	-	-	-	416	- 465	439
	RS	D	2	41	138.2	- 158.2	145.7	-3	-	-	-	311	- 356	334
330-400	FD	C	2	107	155.0	- 180.2	173.2	10	-	-	-	533	- 658	614
		C	2	2	166.2	- 166.2	166.2	N/Q	302	- 302	302	640	- 640	640
		C	3	18	170.2	- 180.2	177.1	8	310	- 328	322	587	- 675	640
	FD	C	3	4	165.0	- 170.0	168.8	3	-	-	-	587	- 619	595
	RS	D	2	17	140.0	- 153.2	143.9	-5	-	-	-	483	- 559	505
	FD	D	2	18	145.0	- 160.0	151.8	11	-	-	-	503	- 590	542
400+	FD	C	2	28	159.2	- 165.2	163.7	-1	-	-	-	645	- 730	689
	FD	C	3	45	151.2	- 172.0	164.8	5	-	-	-	643	- 825	719
		C	3	14	153.2	- 175.2	173.6	7	279	- 319	316	758	- 932	837
	FD	D	2	2	150.2	- 150.2	150.2	N/Q	-	-	-	676	- 676	676
	RS	D	2	5	146.2	- 146.2	146.2	N/Q	-	-	-	680	- 680	680
				344	138.2	186.0	165.1		279	328	318	311	932	580
Yearling Heifer														
0-330	RS	C	2	4	140.0	- 140.0	140.0	N/Q	-	-	-	329	- 329	329
	RS	D	2	1	120.2	- 120.2	120.2	N/Q	-	-	-	282	- 282	282
		D	2	6	133.2	- 138.2	134.9	15	247	- 256	250	326	- 366	340
330-400	FD	C	2	28	141.2	- 153.2	149.3	5	-	-	-	494	- 559	536
		C	3	8	169.2	- 174.2	171.8	5	313	- 323	318	584	- 674	603
	FD	D	2	37	102.2	- 131.2	117.3	-15	-	-	-	373	- 479	420
		D	2	5	127.2	- 145.0	134.3	17	236	- 269	249	464	- 529	490
400+		C	3	12	150.2	- 156.2	151.2	-11	278	- 289	280	638	- 679	645
	FD	C	3	4	148.2	- 150.0	149.6	N/Q	-	-	-	638	- 645	639
	FD	D	2	3	130.2	- 130.2	130.2	N/Q	-	-	-	566	- 566	566
		D	2	1	118.2	- 118.2	118.2	N/Q	219	- 219	219	514	- 514	514
		D	3	5	138.2	- 138.2	138.2	N/Q	256	- 256	256	594	- 601	598
				114	102.2	174.2	137.4		219	323	274	282	679	500
Grown Steer														
400-500		D	2	5	103.2	- 103.2	103.2	N/Q	188	- 188	188	439	- 439	439
500-600		C	3	9	142.2	- 148.2	145.5	-4	259	- 270	265	747	- 837	797
		C	4	3	163.2	- 164.6	163.7	8	291	- 294	292	881	- 947	925
600-750		C	3	1	145.2	- 145.2	145.2	N/Q	264	- 264	264	908	- 908	908
		C	4	14	153.2	- 159.2	157.1	-4	274	- 284	281	958	- 1069	1023
				32	103.2	164.6	145.7		188	294	262	439	1069	855
Grown Heifer														
0-540		C	4	6	142.0	- 148.2	146.1	N/Q	268	- 280	276	760	- 793	782
		D	2	6	110.0	- 120.0	115.1	N/Q	229	- 250	240	468	- 540	514
	RS	D	2	3	118.0	- 118.0	118.0	8	-	-	-	631	- 631	631
		D	3	13	135.2	- 143.2	139.9	5	260	- 270	265	610	- 766	652
540+		C	4	3	148.0	- 154.6	152.4	N/Q	279	- 292	288	836	- 928	897
				31	110.0	154.6	135.4		229	292	264	468	928	672
Manufacturing Steer														
540+		D	3	3	110.0	- 110.0	110.0	N/Q	200	- 200	200	1029	- 1029	1029

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				3	110.0	110.0	110.0		200	200	200	1029	1029	1029
Cows														
400-520	RS	D	1	6	71.2	- 102.2	91.7	9	-			352	- 434	404
	DA	D	1	9	68.0	- 85.0	73.4	N/Q	170	- 213	183	316	- 421	329
		D	1	6	70.0	- 83.2	74.7	1	175	- 208	187	305	- 362	325
		D	2	5	90.0	- 96.2	94.2	N/C	205	- 219	214	418	- 470	442
	RS	D	2	2	100.2	- 100.2	100.2	N/C	-			486	- 486	486
		D	3	9	101.2	- 105.2	104.3	-2	207	- 215	213	473	- 491	479
		D	4	10	112.6	- 112.6	112.6	2	221	- 221	221	535	- 535	535
520+	RS	C	2	1	110.2	- 110.2	110.2	N/Q	-			590	- 590	590
		C	3	6	122.6	- 122.6	122.6	N/Q	245	- 245	245	693	- 693	693
	DA	D	1	5	97.2	- 97.2	97.2	N/Q	243	- 243	243	520	- 520	520
	DA	D	2	1	100.0	- 100.0	100.0	N/Q	227	- 227	227	535	- 535	535
		D	3	19	108.0	- 120.0	112.3	7	220	- 245	229	578	- 678	616
		D	4	11	113.2	- 130.0	119.3	2	222	- 255	234	651	- 780	699
		D	5	4	100.0	- 111.2	105.6	N/Q	204	- 227	216	565	- 667	616
				94	68.0	130.0	103.1		170	255	220	305	780	531
Bulls														
0-450	RS	C	2	27	140.0	- 158.2	155.2	N/Q	-			329	- 396	375
	FD	C	3	3	125.2	- 127.2	126.5	N/C	-			457	- 541	513
	RS	C	3	1	147.2	- 147.2	147.2	N/Q	-			567	- 567	567
		D	2	1	117.2	- 117.2	117.2	N/Q	213	- 213	213	510	- 510	510
450-600	RS	C	2	1	150.2	- 150.2	150.2	N/Q	-			728	- 728	728
		C	3	1	128.2	- 128.2	128.2	N/Q	229	- 229	229	686	- 686	686
600+		C	3	3	128.6	- 156.2	139.5	1	230	- 279	249	804	- 1726	1139
		D	1	1	90.0	- 90.0	90.0	N/Q	164	- 164	164	563	- 563	563
				38	90.0	158.2	147.9		164	279	226	329	1726	477

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.