

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 09 Jul 2013

Yarding Change ¹⁰⁶⁰
523

comparison date 02/07/2013

Numbers doubled on the previous week's rain reduced yarding. A fair panel of export buyers was present and operating. However feeder buyer activity was not as strong as the previous sale and restockers were very cautious in their purchases, with prices varying accordingly. Vealers, yearling steers and heifers suited to the local trade market experienced strong demand, and all export slaughter classes of heavy steers, bullocks and cows improved in price by 4c to 8c/kg.

A few vealer steers to local butchers reached 211c and most of the vealer heifers sold around 150c, with the occasional sale to 188c/kg. A large selection of lightweight yearling steers returned to the paddock 5c less at 175c, with sales to 189c/kg. Medium weight yearling steers to feed were scarce, with most sales in the 170c/kg range, and slaughter classes averaged 176c to make up to 200.2c/kg. The best of the lightweight yearling heifers averaged 151c, and D muscle lines generally sold from around 128c to 130c/kg.

Heavy grown steers made to 172c and bullocks made to 170c; however the 6 and 8 tooth classes were in the largest numbers, with most sales around 165c/kg. Medium weight 2 score cows averaged 4c dearer at 111c, and 3 scores improved a similar amount to average 116c/kg. Good heavy cows made to a top of 142c to average 8c dearer at 132c/kg. Heavy bulls made to 155c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	20	147.2	- 160.2	153.8	-16	278	- 302	290	210	- 280	245
	RS	C	2	11	144.2	- 180.2	159.5	11	-	-	-	252	- 315	271
				31	144.2	180.2	155.8		278	302	290	210	315	254
Vealer Steer														
200-280		C	2	7	165.0	- 166.2	165.2	N/Q	300	- 302	300	371	- 440	381
	FD	C	2	5	178.0	- 178.0	178.0	12	-	-	-	436	- 436	436
	RS	C	2	13	177.2	- 184.2	180.4	N/Q	-	-	-	381	- 396	388
		C	3	1	191.2	- 191.2	191.2	N/Q	348	- 348	348	507	- 507	507
		D	2	12	155.0	- 155.0	155.0	N/Q	282	- 282	282	341	- 341	341
280-330		C	3	6	189.2	- 211.2	200.2	23	344	- 384	364	558	- 634	596
				44	155.0	211.2	173.7		282	384	308	341	634	411
Vealer Heifer														
200-280		C	2	33	149.2	- 163.2	151.9	-4	276	- 302	281	343	- 378	360
	FD	C	2	45	144.2	- 152.2	149.9	-6	-	-	-	340	- 403	350
		C	3	6	160.0	- 178.2	164.7	-11	296	- 330	305	371	- 472	398
		D	2	5	141.2	- 141.2	141.2	-4	262	- 262	262	318	- 318	318
280-330		C	3	6	170.2	- 187.6	179.4	2	315	- 341	331	511	- 563	520
				95	141.2	187.6	152.9		262	341	288	318	563	366
Yearling Steer														
0-330	FD	C	2	13	170.0	- 180.0	170.9	10	-	-	-	417	- 450	419
	RS	C	2	134	153.2	- 189.2	175.1	-5	-	-	-	360	- 516	431
	RS	D	2	21	134.2	- 148.2	142.9	-10	-	-	-	313	- 358	338
	FD	D	2	5	149.2	- 149.2	149.2	-1	-	-	-	366	- 366	366
330-400	FD	C	2	19	165.0	- 180.0	172.2	-3	-	-	-	596	- 657	615
	RS	C	2	5	185.2	- 185.2	185.2	N/Q	-	-	-	676	- 676	676

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	C	3	13	174.2	- 179.2	177.4	N/Q	-			601	- 654	640
		C	3	14	158.2	- 200.2	176.8	-1	288	- 364	321	579	- 763	669
	FD	D	2	3	137.2	- 143.2	139.2	-8	-			501	- 523	508
	RS	D	2	6	140.0	- 146.2	144.1	-9	-			483	- 534	517
		D	3	1	140.2	- 140.2	140.2	N/Q	255	- 255	255	498	- 498	498
	RS	C	2	7	157.2	- 174.2	166.9	N/Q	-			652	- 758	713
		C	3	19	155.0	- 181.2	165.3	-6	282	- 330	301	668	- 855	740
	FD	D	2	6	140.0	- 140.0	140.0	N/Q	-			595	- 595	595
	FD	D	3	4	151.2	- 151.2	151.2	N/Q	-			658	- 658	658
		D	3	2	143.2	- 145.2	144.2	N/Q	260	- 264	262	609	- 617	613
				272	134.2	200.2	168.7		255	364	305	313	855	502
Yearling Heifer														
0-330		C	2	13	145.0	- 152.2	146.2	1	269	- 282	271	355	- 413	381
	FD	C	2	16	151.2	- 151.2	151.2	12	-			370	- 370	370
		C	3	4	148.2	- 148.2	148.2	N/Q	274	- 274	274	393	- 393	393
	RS	D	2	42	128.2	- 129.2	128.5	-3	-			278	- 288	285
	FD	D	2	1	133.2	- 133.2	133.2	N/Q	-			380	- 380	380
		D	2	58	129.2	- 133.2	130.3	-5	239	- 247	241	265	- 299	276
330-400		C	3	24	140.0	- 187.2	169.6	-13	259	- 347	314	511	- 739	611
	RS	C	3	12	150.0	- 150.0	150.0	N/Q	-			503	- 563	528
	FD	D	2	5	124.2	- 124.2	124.2	-13	-			441	- 441	441
	RS	D	2	17	135.2	- 135.2	135.2	N/Q	-			507	- 521	517
		D	2	4	118.2	- 137.2	132.5	1	219	- 254	245	431	- 487	473
	FD	D	3	2	131.2	- 131.2	131.2	N/Q	-			505	- 505	505
	RS	E	2	5	81.2	- 81.2	81.2	N/Q	-			280	- 280	280
400+		C	3	13	146.2	- 180.0	159.5	3	271	- 333	295	636	- 756	684
				216	81.2	187.2	139.2		219	347	267	265	756	398
Grown Steer														
400-500		D	2	15	102.2	- 102.2	102.2	N/Q	186	- 186	186	496	- 496	496
	FD	D	2	8	130.0	- 133.2	130.8	N/Q	-			566	- 631	614
500-600		C	4	8	161.2	- 172.2	169.0	8	288	- 308	302	900	- 921	916
600-750		C	4	27	161.2	- 170.2	165.8	4	288	- 304	296	1045	- 1169	1115
				58	102.2	172.2	145.0		186	308	264	496	1169	858
Grown Heifer														
0-540		C	4	4	151.2	- 156.2	152.5	1	285	- 295	288	733	- 836	778
		D	2	3	108.2	- 108.2	108.2	8	225	- 225	225	579	- 579	579
		D	3	7	120.0	- 134.2	129.6	-9	231	- 258	249	522	- 624	595
540+		C	4	1	150.2	- 150.2	150.2	N/Q	283	- 283	283	849	- 849	849
				15	108.2	156.2	132.8		225	295	257	522	849	657
Manufacturing Steer														
540+		C	4	27	161.2	- 166.6	164.4	8	288	- 298	294	1076	- 1169	1119
		D	3	1	140.2	- 140.2	140.2	N/Q	255	- 255	255	960	- 960	960
				28	140.2	166.6	163.5		255	298	292	960	1169	1113
Cows														
0-400	DA	D	1	1	65.2	- 65.2	65.2	N/Q	163	- 163	163	261	- 261	261

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-520	RS	D	1	8	75.2	- 80.2	79.0	N/Q	-			293	- 297	294
		E	1	3	61.2	- 61.2	61.2	6	153	- 153	153	230	- 230	230
	RS	E	1	9	48.2	- 60.2	58.4	N/Q	-			176	- 216	203
	DA	E	1	3	40.2	- 50.0	43.5	N/Q	101	- 125	109	159	- 183	167
	DA	D	1	5	68.0	- 75.0	70.8	-9	170	- 188	177	326	- 330	328
	RS	D	1	1	85.2	- 85.2	85.2	N/Q	-			371	- 371	371
		D	1	2	97.2	- 97.2	97.2	N/Q	243	- 243	243	423	- 423	423
		D	2	19	98.2	- 116.2	111.4	4	218	- 264	253	442	- 552	504
		D	3	17	111.2	- 120.2	116.1	4	227	- 245	237	484	- 583	548
520+		D	4	9	121.6	- 133.6	122.9	6	238	- 262	241	529	- 601	537
	RS	C	1	1	95.2	- 95.2	95.2	N/Q	-			509	- 509	509
		C	2	1	116.2	- 116.2	116.2	N/Q	253	- 253	253	622	- 622	622
	RS	D	1	1	85.0	- 85.0	85.0	N/Q	-			455	- 455	455
		D	2	2	106.2	- 106.2	106.2	N/Q	231	- 231	231	568	- 568	568
	DA	D	2	1	107.2	- 107.2	107.2	N/Q	233	- 233	233	606	- 606	606
	DA	D	3	1	125.0	- 125.0	125.0	N/Q	255	- 255	255	794	- 794	794
		D	3	18	115.2	- 122.6	119.7	4	235	- 250	244	633	- 673	660
	D	4	30	117.2	- 141.6	132.7	8	230	- 278	260	674	- 980	782	
				132	40.2	141.6	107.9		101	278	239	159	980	543
Bulls														
0-450	FD	C	2	6	135.2	- 135.2	135.2	12	-			406	- 406	406
		C	4	1	126.2	- 126.2	126.2	N/Q	230	- 230	230	568	- 568	568
450-600		C	2	2	131.2	- 131.2	131.2	N/Q	239	- 239	239	741	- 741	741
		C	3	5	141.2	- 152.2	148.4	N/Q	252	- 272	265	793	- 814	802
600+		C	3	12	135.0	- 155.2	149.0	N/Q	241	- 277	266	925	- 1400	1065
		D	2	2	106.2	- 125.2	115.7	N/Q	193	- 228	210	664	- 783	723
				28	106.2	155.2	141.4		193	277	257	406	1400	812

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.