

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dalby

report date 10 Jul 2013

Yarding Change 5640
302

comparison date 03/07/2013

With no substantial rain over the supply area numbers lifted to a higher level. Overall quality was fair with increased numbers of plain condition lines. Export buyer attendance was good however not all the major feeder operators were active. Restockers were very selective and less feeder competition resulted in yearling steers losing 6c to 10c/kg. The supply of yearling heifers exceeded demand an average prices also eased. Heavy grown steers and bullocks to export slaughter managed to sell close to the improved prices of the previous sale. Cows experienced a mixed trend with plain cows 4c to 12c/kg cheaper while a fair supply of good heavy cows held firm.

A large number of calves returned to the paddock at just under 180c with sales to 193.2c/kg. Vealer heifers to slaughter and restockers mostly sold around 150c/kg. A large selection of lightweight yearling steers returned to the paddock 6c less at 173c with some well bred lines to 185.2c while lesser quality lines averaged 141c/kg. Medium weight yearling steers to feed averaged 173c with some to 193.2 and D muscle lines averaged 147c/kg. Apart from one large consignment of heavy yearling steers to feed making to 173.2c the remainder sold around 162c/kg. The best of the lightweight yearling heifers averaged 141c/kg. However a large number of yearling heifers sold around 115c to 120c/kg.

Heavy grown steers made to 177.2c to average close to 170c/kg. A fair selection of bullocks also averaged 170c and made to 176.2c/kg. Plain condition cows averaged 83c and medium weight 2 scores averaged 103c/kg. Good heavy cows mostly sold around 130c with the occasional pen reaching 140.2c/kg. Heavy bulls made to 162.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	74	137.2	- 147.2	142.2	-6	259	- 278	268	185	- 265	212
	RS	C	2	109	146.2	- 193.2	179.5	6	-	-	-	192	- 299	251
	RS	D	2	26	117.2	- 140.6	122.6	-3	-	-	-	158	- 232	193
		D	2	17	119.2	- 135.0	127.3	N/C	225	- 255	240	137	- 196	169
				226	117.2	193.2	156.8		225	278	263	137	299	225
Vealer Heifer														
200-280		C	2	25	148.0	- 153.2	150.7	1	274	- 284	279	336	- 406	365
	RS	C	2	12	152.2	- 152.2	152.2	-5	-	-	-	358	- 358	358
				37	148.0	153.2	151.2		274	284	279	336	406	363
Yearling Steer														
0-330		C	2	10	157.2	- 157.2	157.2	N/Q	286	- 286	286	472	- 472	472
	FD	C	2	108	152.2	- 188.2	175.8	-13	-	-	-	338	- 499	442
	RS	C	2	473	150.0	- 185.2	173.2	-6	-	-	-	333	- 514	411
	RS	D	2	33	130.0	- 155.2	141.1	-5	-	-	-	279	- 388	339
	FD	D	2	10	131.2	- 140.0	134.7	4	-	-	-	321	- 343	330
		D	2	2	128.2	- 128.2	128.2	N/Q	233	- 233	233	314	- 314	314
	RS	E	2	18	100.0	- 101.2	100.6	N/Q	-	-	-	228	- 240	234
330-400	FD	C	2	78	152.2	- 193.2	173.5	-2	-	-	-	556	- 647	612
	RS	C	2	12	144.2	- 148.2	146.9	N/Q	-	-	-	483	- 496	492
		C	3	6	185.2	- 185.2	185.2	N/Q	337	- 337	337	732	- 732	732
		D	2	22	142.0	- 151.2	147.0	N/Q	258	- 275	267	518	- 582	553
	RS	D	2	18	112.2	- 130.2	124.2	N/Q	-	-	-	376	- 475	442
	FD	D	2	89	140.0	- 154.2	145.0	-7	-	-	-	469	- 594	539
400+	FD	C	2	114	151.2	- 173.2	162.4	-13	-	-	-	657	- 825	708

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	C	3	92	155.0	- 173.2	172.1	5	-			698	- 875	865
		C	3	46	153.2	- 174.2	162.9	N/Q	279	- 317	296	666	- 854	749
	FD	D	3	13	145.0	- 145.0	145.0	2	-			631	- 638	634
		D	3	37	149.2	- 159.2	152.4	N/Q	271	- 290	277	649	- 693	663
				1181	100.0	193.2	164.9		233	337	285	228	875	525
Yearling Heifer														
0-330	RS	C	2	20	138.2	- 146.2	143.8	12	-			339	- 344	342
		C	2	108	136.2	- 145.2	141.0	-3	252	- 269	261	312	- 414	347
		D	2	63	115.0	- 136.2	125.9	1	213	- 252	233	254	- 302	277
	FD	D	2	25	119.2	- 120.0	119.7	-14	-			280	- 282	281
	RS	D	2	108	93.2	- 127.2	120.7	N/C	-			248	- 296	273
330-400	RS	C	2	3	140.0	- 140.0	140.0	N/Q	-			469	- 469	469
	FD	C	2	35	137.2	- 145.0	140.2	-4	-			473	- 558	514
		C	2	4	115.0	- 115.0	115.0	-25	213	- 213	213	420	- 420	420
	FD	C	3	72	130.0	- 148.2	143.6	N/Q	-			475	- 544	529
		C	3	61	132.2	- 172.2	149.3	-2	245	- 319	277	503	- 663	566
	FD	D	2	31	105.0	- 127.2	115.9	-19	-			352	- 477	418
		D	2	71	100.0	- 130.0	114.1	N/Q	185	- 241	211	380	- 480	415
	RS	D	2	24	111.2	- 131.2	116.2	4	-			384	- 440	398
		D	3	30	126.2	- 132.2	129.1	-11	234	- 245	239	473	- 509	493
	FD	D	3	13	135.0	- 135.0	135.0	N/Q	-			506	- 520	515
400+		C	3	131	133.2	- 161.2	148.5	-15	247	- 299	275	579	- 773	652
	FD	C	3	60	145.0	- 151.2	149.8	-2	-			616	- 658	649
	FD	D	2	101	117.2	- 127.2	119.7	-20	-			510	- 553	519
		D	2	13	112.0	- 115.0	112.2	N/Q	207	- 213	208	466	- 487	486
		D	3	68	125.2	- 132.2	129.3	-11	232	- 245	239	532	- 605	565
	FD	D	3	20	126.2	- 130.0	127.7	-12	-			536	- 566	548
				1061	93.2	172.2	132.7		185	319	251	248	773	469
Grown Steer														
0-400	RS	D	2	10	102.2	- 102.2	102.2	N/Q	-			373	- 373	373
400-500	FD	C	3	17	153.2	- 154.2	153.4	N/C	-			694	- 743	731
	RS	D	2	8	127.2	- 127.2	127.2	N/Q	-			541	- 541	541
		D	2	8	129.2	- 129.2	129.2	-2	235	- 235	235	581	- 581	581
	FD	D	3	14	145.2	- 145.2	145.2	N/Q	-			704	- 704	704
500-600		C	3	69	148.2	- 155.2	152.3	-6	270	- 282	277	783	- 876	834
		C	4	79	160.0	- 177.2	169.3	N/C	286	- 316	302	904	- 1054	960
		D	3	20	136.2	- 137.0	136.7	N/Q	248	- 249	249	770	- 774	772
600-750		C	3	12	150.0	- 152.2	151.8	-6	273	- 277	276	938	- 1073	1030
		C	4	121	163.2	- 176.2	170.8	-2	291	- 315	305	1036	- 1195	1092
				358	102.2	177.2	158.7		235	316	291	373	1195	917
Grown Heifer														
0-540		C	4	48	140.0	- 156.2	149.1	-7	269	- 295	283	651	- 814	724
		D	1	6	80.0	- 80.0	80.0	N/Q	191	- 191	191	288	- 288	288
		D	2	66	80.0	- 123.2	101.0	1	167	- 242	209	268	- 524	377

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	D	2	18	100.2	- 130.0	120.1	3	-			401	- 566	511
		D	3	60	125.2	- 140.2	131.9	-12	236	- 270	253	566	- 664	617
540+		C	4	6	158.2	- 158.2	158.2	N/C	299	- 299	299	894	- 894	894
				204	80.0	158.2	124.2		167	299	244	268	894	553
Manufacturing Steer														
540+		C	3	4	127.2	- 146.2	141.5	N/Q	231	- 266	257	890	- 1023	990
				4	127.2	146.2	141.5		231	266	257	890	1023	990
Cows														
0-400		D	1	23	40.0	- 80.0	59.3	-16	100	- 200	148	146	- 292	217
	RS	D	1	26	73.2	- 78.2	75.5	-8	-			267	- 309	286
		E	1	36	40.0	- 67.2	49.3	N/Q	100	- 168	123	146	- 245	177
400-520	RS	D	1	8	98.2	- 98.2	98.2	-3	-			427	- 427	427
		D	1	122	73.2	- 91.2	83.2	-12	183	- 228	208	318	- 388	359
		D	2	106	90.0	- 112.2	103.6	-4	200	- 251	229	383	- 534	467
	RS	D	2	20	113.2	- 115.2	114.2	-12	-			518	- 538	528
		D	3	26	115.0	- 118.2	117.3	-1	235	- 241	239	533	- 561	543
		D	4	32	122.0	- 127.2	123.3	-1	239	- 249	242	549	- 605	579
520+		D	3	25	113.2	- 120.0	116.6	2	231	- 245	238	606	- 642	624
		D	4	184	120.2	- 140.2	130.6	N/C	236	- 275	256	643	- 817	742
		D	5	21	115.0	- 118.2	116.2	N/Q	235	- 241	237	691	- 739	718
				629	40.0	140.2	104.4		100	275	225	146	817	518
Bulls														
0-450		C	2	8	128.2	- 128.2	128.2	-17	233	- 233	233	365	- 365	365
	FD	C	2	12	136.2	- 136.2	136.2	N/Q	-			388	- 388	388
	RS	C	2	6	149.2	- 149.2	149.2	N/Q	-			336	- 448	354
	FD	C	3	4	140.0	- 140.0	140.0	-9	-			553	- 553	553
		D	2	8	100.2	- 113.2	106.7	-18	182	- 206	194	346	- 413	379
450-600	FD	C	3	2	123.2	- 123.2	123.2	N/Q	-			573	- 573	573
		D	1	1	100.0	- 100.0	100.0	N/Q	182	- 182	182	585	- 585	585
600+		C	2	6	126.2	- 126.2	126.2	5	230	- 230	230	789	- 789	789
		C	3	12	131.2	- 162.2	140.2	-8	234	- 290	250	885	- 1443	1081
				59	100.0	162.2	131.4		182	290	228	336	1443	583

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.