

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Pakenham

report date 16 Sep 2013

Yarding Change 771
-549

comparison date 09/09/2013

There were approximately 370 grown and 400 young cattle penned. The usual buying group was present and operating in a dearer market. A significant decline in numbers from last week was, as the spring feed window opens and local producers have the capacity to hold and finish secondary and plainer cattle. A limited selection of vealers sold to stronger demand, lifting a few cents on most sales. Demand increased for grass cattle also, with yearling trade steers and heifers gaining 3c to 9c, while the grown steers and bullocks lifted 1c to 4c/kg.

A handful of good quality C3 vealers to the trade sold from 206c to 227c, with the secondary lines from 172c to 215c/kg. Yearling trade steers, including a limited selection of supplementary fed calves, made between 195c and 230c, lifting 5c to 9c/kg. The well finished yearling grass heifers also contained a few supplementary fed calves selling between 163c and 206c, lifting 3c to 7c/kg on most, and selling firm on the better C muscle top end.

Grown steers made from 184c to 198c, lifting 1c/kg. Bullocks sold from 184c to 196c, lifting 4c/kg. Well finished grown heifers made between 145c and 165c/kg. Heavy weight Friesian manufacturing steers sold between 140c and 160c, lifting 12c/kg on the better 2 scores. Heavy weight crossbred manufacturing steers in 3 score condition made from 163c to 185c/kg, holding firm.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
0-200		C	2	1	200.0	- 200.0	200.0	N/Q	364	- 364	364	400	- 400	400
200-280	FD	C	2	1	172.0	- 172.0	172.0	N/Q	-	-	-	482	- 482	482
	RS	C	2	2	160.0	- 160.0	160.0	N/Q	-	-	-	416	- 416	416
	RS	D	2	3	165.6	- 165.6	165.6	N/Q	-	-	-	447	- 447	447
280-330		C	2	9	185.0	- 215.0	203.2	12	336	- 391	370	555	- 688	641
	RS	D	2	4	162.2	- 162.2	162.2	N/Q	-	-	-	487	- 487	487
330+		C	2	7	186.2	- 205.6	196.1	7	339	- 367	354	633	- 781	709
		C	3	10	209.6	- 226.6	217.7	-2	374	- 405	389	793	- 817	807
				37	160.0	226.6	195.1		336	405	372	400	817	644
Vealer Heifer														
0-200		C	2	1	200.0	- 200.0	200.0	N/Q	364	- 364	364	400	- 400	400
200-280		C	2	6	182.2	- 185.0	184.1	-12	331	- 336	335	407	- 518	478
	FD	C	2	1	172.0	- 172.0	172.0	N/Q	-	-	-	482	- 482	482
		D	2	3	152.6	- 162.2	159.0	9	283	- 306	298	366	- 438	414
280-330	RS	C	2	7	175.0	- 175.0	175.0	N/Q	-	-	-	525	- 525	525
		C	2	3	180.0	- 181.6	181.1	-1	327	- 330	329	545	- 576	555
		C	3	3	210.6	- 211.6	210.9	11	383	- 385	384	635	- 674	661
330+		C	2	7	185.0	- 186.0	185.3	N/Q	336	- 338	337	629	- 675	651
		C	3	6	205.6	- 220.0	211.2	6	374	- 393	382	748	- 839	765
				37	152.6	220.0	187.0		283	393	347	366	839	580
Yearling Steer														
0-330	FD	D	1	1	132.0	- 132.0	132.0	N/Q	-	-	-	396	- 396	396
	FD	D	2	2	167.6	- 172.0	169.8	N/Q	-	-	-	536	- 550	543
	RS	D	2	1	165.6	- 165.6	165.6	N/Q	-	-	-	364	- 364	364
330-400		B	3	5	230.0	- 230.0	230.0	N/Q	383	- 383	383	920	- 920	920

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+		C	3	17	195.0	- 220.6	209.4	9	355	- 394	378	780	- 882	815
	RS	D	1	2	158.2	- 158.2	158.2	N/Q	-			585	- 585	585
	FD	D	2	14	152.0	- 172.6	166.0	-5	-			547	- 621	595
		D	2	1	164.6	- 164.6	164.6	N/Q	311	- 311	311	625	- 625	625
		D	3	4	186.2	- 195.6	190.2	2	345	- 362	352	680	- 782	728
		B	3	4	222.6	- 230.0	224.5	N/Q	377	- 383	379	935	- 966	943
		C	3	42	195.0	- 220.0	206.6	5	348	- 393	369	867	- 1230	1007
	RS	D	2	9	165.0	- 165.0	165.0	5	-			784	- 784	784
		D	2	5	170.0	- 176.2	175.0	18	315	- 326	324	714	- 828	805
	FD	D	2	2	152.0	- 152.0	152.0	N/Q	-			722	- 722	722
	D	3	3	192.0	- 194.0	192.7	14	356	- 359	357	902	- 941	922	
				112	132.0	230.0	194.0		311	394	368	364	1230	846
Yearling Heifer														
0-330	FD	D	1	3	132.2	- 132.2	132.2	N/Q	-			331	- 331	331
		D	2	7	134.0	- 147.2	141.5	-15	258	- 283	272	429	- 471	453
	RS	D	2	3	155.0	- 155.0	155.0	1	-			465	- 465	465
		D	3	6	170.2	- 185.0	175.1	N/Q	315	- 343	324	545	- 592	560
330-400	FD	C	2	18	180.0	- 180.0	180.0	N/Q	-			648	- 648	648
		C	3	10	195.0	- 206.0	201.7	-1	355	- 375	367	780	- 806	798
		D	2	23	142.6	- 155.6	148.7	-7	274	- 299	286	499	- 589	529
	RS	D	2	4	145.0	- 145.0	145.0	-12	-			551	- 551	551
		D	3	30	170.0	- 190.0	181.1	3	315	- 348	335	646	- 760	687
400+		C	3	7	190.0	- 200.0	197.1	-5	346	- 364	358	808	- 840	831
		D	2	4	151.6	- 158.0	156.4	1	292	- 304	301	664	- 667	664
		D	3	48	163.2	- 197.6	178.2	7	302	- 366	330	685	- 884	768
				163	132.2	206.0	172.7		258	375	324	331	884	668
Grown Steer														
400-500	RS	D	2	1	160.0	- 160.0	160.0	N/Q	-			800	- 800	800
		D	3	1	180.0	- 180.0	180.0	N/Q	333	- 333	333	900	- 900	900
500-600		C	3	34	193.2	- 198.0	196.7	1	348	- 360	357	1053	- 1148	1099
		D	3	8	184.0	- 195.0	186.0	-2	341	- 355	344	971	- 1092	1010
600-750		C	3	14	193.6	- 194.6	194.2	N/Q	346	- 348	347	1278	- 1304	1295
		C	4	37	194.6	- 196.2	195.3	4	348	- 350	349	1213	- 1314	1276
		D	3	69	183.6	- 195.6	192.4	4	334	- 356	350	1203	- 1382	1266
		D	4	2	190.0	- 190.0	190.0	N/Q	346	- 346	346	1292	- 1292	1292
				166	160.0	198.0	193.5		333	360	350	800	1382	1220
Grown Heifer														
0-540		D	1	5	126.2	- 137.2	130.6	8	263	- 286	272	505	- 652	564
		D	2	3	143.6	- 153.6	150.3	-3	287	- 307	301	646	- 829	768
		D	3	8	155.0	- 162.2	159.9	1	298	- 312	308	634	- 876	746
540+		D	2	8	145.0	- 154.6	146.2	-10	290	- 309	292	798	- 881	808
		D	3	11	145.0	- 165.0	160.6	-2	279	- 317	309	868	- 960	928
		D	4	1	142.6	- 142.6	142.6	N/Q	274	- 274	274	799	- 799	799
		D	5	6	118.0	- 146.0	134.8	N/Q	227	- 281	259	791	- 986	891
				42	118.0	165.0	149.3		227	317	293	505	986	807

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Manufacturing Steer														
0-540		D	1	7	130.0	- 148.6	137.4	9	260	- 310	277	585	- 743	673
		D	2	10	150.6	- 166.6	164.1	4	290	- 314	310	753	- 875	858
	RS	D	2	24	162.0	- 173.2	169.6	10		-		828	- 935	860
		D	3	2	160.0	- 165.0	162.5	N/Q	296	- 306	301	760	- 891	826
540+	DA	D	1	9	140.0	- 153.6	152.1	3	275	- 307	304	883	- 910	886
	DA	D	2	27	155.0	- 160.2	158.5	12	298	- 308	303	969	- 1059	1009
	RS	D	2	7	146.0	- 162.6	157.9	N/Q		-		832	- 894	877
		D	2	9	151.6	- 172.6	160.6	-4	292	- 326	306	834	- 1061	963
		D	3	32	162.6	- 185.0	175.9	1	301	- 338	327	955	- 1341	1091
		D	4	7	140.6	- 168.6	154.7	2	256	- 307	281	1254	- 1433	1329
				134	130.0	185.0	163.5		256	338	308	585	1433	969
Bulls														
600+		C	2	3	165.6	- 165.6	165.6	N/Q	296	- 296	296	1118	- 1118	1118
		C	3	1	156.0	- 156.0	156.0	N/Q	274	- 274	274	1092	- 1092	1092
				4	156.0	165.6	163.3		274	296	290	1092	1118	1111

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.