

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 17 Sep 2013

Yarding Change 975
-556

comparison date 10/09/2013

Cattle numbers were back and the quality remained mixed, but there were some very good crop finished and supplementary fed yearlings penned. Yearlings were best supplied and there was a better offering of 2 and 4 tooth heifers. Grown steers were limited, and only 90 cows were penned. The usual buyers were present but not all operated in the dearer market.

The medium and heavy vealers sold 10c to 18c stronger and ranged from 180c to 213c/kg. Yearling feeder steers gained 6c and sold from 165c to 190c/kg. The medium and heavy trade yearling steers were 5c to 11c dearer, ranging from 175c to 205c, to average 196c/kg. Trade heifers lifted 3c on the medium weights and up to 15c on a better run of heavy heifers, ranging from 160c to 204c, to average 179c/kg. Heifers going onto feed were 10c dearer and averaged 154c/kg.

There was a smaller number of medium weight grown steers which gained 8c and sold between 182c and 195c/kg. The large numbers of younger grown heifers lifted 12c to 15c, and most sold from 153c to 179c/kg. Cows lifted 15c to 20c on limited supply, and the medium and heavy cows sold from 122c to 157c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	1	2	60.0	- 60.0	60.0	N/Q	120	- 120	120	36	- 36	36
	RS	C	1	2	100.0	- 100.0	100.0	N/Q	-	-	-	60	- 60	60
80+	RS	C	1	13	150.0	- 188.0	182.2	14	-	-	-	180	- 207	203
		C	1	5	150.0	- 150.0	150.0	-48	289	- 289	289	180	- 180	180
	RS	D	1	9	127.0	- 127.0	127.0	N/Q	-	-	-	108	- 108	108
				31	60.0	188.0	147.8		120	289	240	36	207	152
Vealer Steer														
0-200	RS	C	1	4	188.2	- 188.2	188.2	N/Q	-	-	-	263	- 263	263
	RS	C	3	1	195.0	- 195.0	195.0	N/Q	-	-	-	98	- 98	98
200-280	RS	C	2	25	180.2	- 198.0	190.5	N/Q	-	-	-	407	- 469	433
		C	3	1	190.0	- 190.0	190.0	N/Q	352	- 352	352	494	- 494	494
280-330		C	2	2	195.0	- 195.0	195.0	N/Q	361	- 361	361	624	- 624	624
	FD	C	2	1	182.2	- 182.2	182.2	N/Q	-	-	-	583	- 583	583
	FD	C	3	5	182.0	- 182.0	182.0	N/Q	-	-	-	546	- 546	546
		C	3	9	200.0	- 213.2	211.7	18	370	- 395	392	640	- 682	678
330+		C	2	2	205.0	- 205.0	205.0	N/Q	380	- 380	380	697	- 697	697
				50	180.2	213.2	193.9		352	395	383	98	697	491
Vealer Heifer														
0-200	RS	D	1	6	125.0	- 125.0	125.0	N/Q	-	-	-	175	- 175	175
	RS	D	2	2	155.0	- 155.0	155.0	N/Q	-	-	-	248	- 248	248
200-280		C	2	17	140.0	- 186.2	174.5	13	264	- 346	329	364	- 484	413
	RS	C	2	14	170.0	- 170.0	170.0	N/Q	-	-	-	357	- 357	357
		C	3	2	185.0	- 185.0	185.0	N/Q	349	- 349	349	490	- 490	490
	RS	D	2	4	166.6	- 166.6	166.6	39	-	-	-	367	- 367	367
280-330		C	3	1	180.0	- 180.0	180.0	N/Q	333	- 333	333	594	- 594	594
330+		C	3	5	195.0	- 210.0	198.0	18	361	- 389	367	653	- 725	668
				51	125.0	210.0	168.9		264	389	338	175	725	391

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Steer														
0-330		C	2	2	170.0	- 170.0	170.0	N/Q	327	- 327	327	476	- 476	476
	FD	C	2	21	178.6	- 191.2	185.2	25	-	-	-	486	- 596	583
	RS	C	2	4	169.2	- 175.2	170.7	-1	-	-	-	406	- 464	421
		C	3	1	205.0	- 205.0	205.0	N/Q	380	- 380	380	656	- 656	656
	FD	D	1	2	120.0	- 120.0	120.0	N/Q	-	-	-	264	- 264	264
	FD	D	2	6	139.2	- 160.0	142.7	N/Q	-	-	-	334	- 392	344
	RS	D	2	23	140.0	- 199.2	168.3	14	-	-	-	378	- 418	397
330-400	FD	C	2	41	165.0	- 190.0	182.8	6	-	-	-	610	- 741	673
	FD	C	3	10	168.0	- 168.0	168.0	N/Q	-	-	-	605	- 605	605
		C	3	17	190.0	- 202.6	198.6	11	352	- 375	368	665	- 761	714
		C	4	1	204.6	- 204.6	204.6	N/Q	379	- 379	379	777	- 777	777
	FD	D	2	4	150.0	- 154.2	153.2	N/Q	-	-	-	524	- 570	536
		D	2	5	125.0	- 125.0	125.0	25	250	- 250	250	438	- 438	438
400+	FD	C	2	32	165.0	- 185.0	180.4	11	-	-	-	693	- 796	763
	FD	C	3	2	178.2	- 183.6	180.9	N/Q	-	-	-	784	- 808	796
		C	3	38	175.0	- 204.6	194.7	5	324	- 379	361	777	- 859	820
		C	4	4	193.2	- 193.2	193.2	12	358	- 358	358	1043	- 1043	1043
		D	3	3	165.0	- 165.0	165.0	N/Q	317	- 317	317	677	- 677	677
				216	120.0	205.0	180.0		250	380	352	264	1043	655
Yearling Heifer														
0-330	FD	C	2	6	140.0	- 140.0	140.0	-9	-	-	-	364	- 364	364
	RS	C	2	1	140.0	- 140.0	140.0	N/Q	-	-	-	336	- 336	336
		C	2	1	140.0	- 140.0	140.0	N/Q	269	- 269	269	448	- 448	448
	FD	C	3	24	135.0	- 165.0	155.0	N/Q	-	-	-	396	- 432	408
		C	3	3	165.0	- 165.0	165.0	-12	306	- 306	306	545	- 545	545
		D	1	1	100.0	- 100.0	100.0	N/Q	200	- 200	200	310	- 310	310
	RS	D	1	8	102.0	- 102.0	102.0	-15	-	-	-	224	- 224	224
	RS	D	2	8	156.6	- 156.6	156.6	51	-	-	-	352	- 352	352
	FD	D	2	1	130.0	- 130.0	130.0	N/Q	-	-	-	390	- 390	390
		E	1	1	80.0	- 80.0	80.0	N/Q	170	- 170	170	200	- 200	200
330-400		C	2	2	136.2	- 136.2	136.2	N/Q	262	- 262	262	490	- 490	490
	FD	C	2	35	145.0	- 165.0	153.9	10	-	-	-	493	- 627	538
		C	3	59	160.0	- 204.6	179.6	3	296	- 379	333	594	- 737	634
		D	1	2	135.0	- 135.0	135.0	N/Q	287	- 287	287	500	- 500	500
	FD	D	1	10	99.6	- 135.0	113.8	N/Q	-	-	-	359	- 452	396
	RS	D	1	3	104.2	- 104.2	104.2	N/Q	-	-	-	386	- 386	386
	RS	D	2	4	131.2	- 131.2	131.2	6	-	-	-	453	- 453	453
	FD	D	2	36	140.0	- 163.6	159.6	N/Q	-	-	-	513	- 589	570
		D	2	9	120.0	- 152.2	137.6	3	231	- 316	276	414	- 540	470
		D	3	13	155.0	- 175.0	163.2	N/Q	293	- 330	308	527	- 665	596
400+		C	3	36	170.0	- 190.0	176.9	21	315	- 352	329	714	- 841	796
		C	4	26	163.6	- 182.0	179.6	27	303	- 337	334	687	- 837	819
		D	3	17	160.0	- 175.2	168.0	35	302	- 337	319	716	- 771	742

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					306	80.0	204.6	160.8		170	379	322	200	841	589
Grown Steer															
0-400	RS	D	2	1	135.0	- 135.0	135.0	N/Q	-				479	- 479	479
400-500	FD	C	2	1	160.0	- 160.0	160.0	N/Q	-				664	- 664	664
		C	3	12	180.8	- 180.8	180.8	12	335	- 335	335	759	- 759	759	
500-600		C	3	27	182.0	- 195.2	191.9	8	337	- 362	355	946	- 1054	1021	
					41	135.0	195.2	186.5		335	362	349	479	1054	923
Grown Heifer															
0-540		C	2	1	155.0	- 155.0	155.0	N/Q	310	- 310	310	589	- 589	589	
		C	3	23	170.0	- 179.6	177.8	N/Q	315	- 333	329	780	- 862	841	
		C	4	32	155.0	- 177.0	172.2	29	287	- 328	321	673	- 911	885	
		D	2	2	122.6	- 145.0	133.8	N/Q	236	- 284	260	515	- 551	533	
	FD	D	3	1	159.2	- 159.2	159.2	N/Q	-			605	- 605	605	
		D	3	13	153.2	- 166.0	160.0	24	293	- 307	301	672	- 797	738	
		D	4	6	158.2	- 165.0	163.9	22	304	- 306	305	807	- 875	863	
540+		D	4	7	153.0	- 155.0	153.3	9	287	- 289	288	857	- 868	858	
					85	122.6	179.6	168.4		236	333	315	515	911	832
Manufacturing Steer															
0-540		C	2	1	160.0	- 160.0	160.0	N/Q	308	- 308	308	816	- 816	816	
	DA	C	2	1	160.0	- 160.0	160.0	N/Q	314	- 314	314	776	- 776	776	
					2	160.0	160.0	160.0		308	314	311	776	816	796
Cows															
0-400		D	1	4	90.0	- 90.0	90.0	33	192	- 192	192	333	- 333	333	
		E	1	1	70.2	- 70.2	70.2	N/Q	156	- 156	156	183	- 183	183	
	RS	E	1	5	87.8	- 87.8	87.8	N/Q	-			263	- 263	263	
400-520		C	2	2	136.0	- 136.0	136.0	N/Q	283	- 283	283	585	- 585	585	
		D	2	24	122.0	- 137.2	124.4	19	260	- 286	263	500	- 631	553	
		D	3	11	127.2	- 156.6	147.1	26	260	- 313	295	547	- 808	726	
		D	4	5	146.2	- 150.0	147.7	16	292	- 300	295	720	- 760	744	
		E	1	1	40.0	- 40.0	40.0	N/Q	89	- 89	89	168	- 168	168	
520+		C	2	1	144.2	- 144.2	144.2	N/Q	283	- 283	283	757	- 757	757	
		D	3	5	138.2	- 148.0	142.1	21	276	- 296	284	732	- 784	753	
		D	4	23	145.0	- 157.2	151.7	20	284	- 308	299	793	- 900	841	
		D	5	1	130.0	- 130.0	130.0	N/Q	260	- 260	260	754	- 754	754	
		D	6	5	120.0	- 120.0	120.0	N/Q	235	- 235	235	804	- 804	804	
					88	40.0	157.2	131.8		89	313	273	168	900	657
Bulls															
0-450		C	2	3	110.0	- 137.0	128.0	15	204	- 254	237	352	- 562	492	
	RS	C	2	2	127.0	- 127.0	127.0	N/Q	-			330	- 330	330	
450-600		C	2	1	140.0	- 140.0	140.0	N/Q	255	- 255	255	644	- 644	644	
		D	2	1	123.2	- 123.2	123.2	N/Q	233	- 233	233	567	- 567	567	
600+		B	2	22	145.0	- 173.2	158.5	12	259	- 304	284	1044	- 1712	1348	
		B	3	2	153.6	- 155.0	154.3	N/Q	277	- 279	278	1413	- 1488	1451	
		C	1	2	100.0	- 110.0	105.0	N/Q	189	- 208	198	680	- 682	681	
		C	2	7	122.0	- 155.0	139.6	14	226	- 282	255	781	- 1240	1068	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
		C	3	2	135.0	- 140.0	137.5	N/Q	246	-	255	250	1202	-	1330	1266
				42	100.0	173.2	146.6		189		304	267	330		1712	1125

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.