

Over the hooks report - cattle

Market information provided by MLA's National Livestock Reporting Service

Queensland

report date 27 Sep 2013

The majority of contributors left rates unchanged across all categories as reports suggest ample numbers are still available. Numbers from the north have reportedly stating to ease as temperatures increase across much of the state.

| Grade | Weight Range (cwt kg) | Dentition | Muscle Score | Fat Score | Low Price (c/kg cwt) | High Price (c/kg cwt) | Average (c/kg cwt) | Trend | |
|---------------------|-----------------------|-----------|--------------|-----------|----------------------|-----------------------|--------------------|-------|----|
| North | | | | | | | | | |
| Yearlings | | | | | | | | | |
| Steers | 180 - 220 | 0 - 2 | A-C | 2-3 | 275 | 285 | 280 | NC | |
| | 220 - 260 | 0 - 2 | A-C | 2-3 | 285 | 300 | 293 | NC | |
| | 260 - 280 | 0 - 2 | A-C | 2-3 | 285 | 310 | 298 | NC | |
| Heifers | 180 - 220 | 0 - 2 | A-C | 2-3 | 270 | 280 | 275 | NC | |
| | 220 - 260 | 0 - 2 | A-C | 2-3 | 280 | 295 | 288 | NC | |
| | 260 - 280 | 0 - 2 | A-C | 2-3 | 280 | 305 | 293 | NC | |
| Grown Steers | | | | | | | | | |
| Steers | < 260 | 0 - 2 | A-C | 3-4 | 285 | 295 | 290 | NC | |
| | | 2 - 4 | A-C | 3-4 | 280 | 290 | 285 | NC | |
| | | 5 - 6 | A-C | 3-4 | 290 | 300 | 295 | NC | |
| | 260 - 300 | 0 - 2 | A-C | 3-4 | 290 | 305 | 298 | NC | |
| | | 2 - 4 | A-C | 3-4 | 285 | 300 | 293 | NC | |
| | | 5 - 6 | A-C | 3-4 | 295 | 300 | 298 | NC | |
| | 300 - 420 | 8 | A-C | 3-4 | 275 | 280 | 278 | NC | |
| | | 0 - 2 | A-C | 3-4 | 305 | 310 | 308 | NC | |
| | | 2 - 4 | A-C | 3-4 | 295 | 305 | 300 | NC | |
| Manufacturing Steer | 250 - 400 | 5 - 6 | A-C | 3-4 | 290 | 305 | 298 | NC | |
| | | 8 | A-C | 3-4 | 280 | 290 | 285 | NC | |
| | | 0 - 8 | A-D | 2-4 | 240 | 255 | 248 | NC | |
| Cows | | | | | | | | | |
| | 160 - 200 | 8 | A-D | 2-4 | 145 | 230 | 188 | NC | |
| | | 8 | D-E | 1-4 | 150 | 230 | 190 | NC | |
| | 200 - 240 | 8 | A-D | 2-4 | 215 | 235 | 225 | NC | |
| | | 8 | D-E | 1-4 | 220 | 240 | 230 | NC | |
| | 240 - 280 | 8 | A-E | 2-4 | 240 | 255 | 248 | NC | |
| | | 8 | A-E | 5+ | 230 | 240 | 235 | NC | |
| | 280 - 320 | 8 | A-E | 2-4 | 255 | 265 | 260 | NC | |
| | | 8 | A-E | 5+ | 240 | 250 | 245 | NC | |
| | 320 + | 8 | A-E | 2-4 | 260 | 265 | 263 | NC | |
| | | 8 | A-E | 5+ | 245 | 255 | 250 | NC | |
| | Bulls | | | | | | | | |
| | | 200 - 300 | 0 - 8 | A-E | ALL | 215 | 265 | 240 | NC |
| 300 - 400 | | 0 - 8 | A-E | ALL | 215 | 275 | 245 | NC | |
| 400 + | | 0 - 8 | A-E | ALL | 220 | 275 | 248 | NC | |

| Grade | Weight Range (cwt kg) | Dentition | Muscle Score | Fat Score | Low Price (c/kg cwt) | High Price (c/kg cwt) | Average (c/kg cwt) | Trend |
|---------------------------|--------------------------|-----------|-----------------|--------------|-------------------------|--------------------------|-----------------------|-------|
| South Yearlings | | | | | | | | |
| Steers | 180 - 220 | 0 - 2 | A-C | 2-3 | 280 | 325 | 303 | NC |
| | 220 - 260 | 0 - 2 | A-C | 2-3 | 285 | 330 | 308 | NC |
| | 260 - 280 | 0 - 2 | A-C | 2-3 | 290 | 325 | 308 | NC |
| Heifers | 180 - 220 | 0 - 2 | A-C | 2-3 | 285 | 325 | 305 | NC |
| | 220 - 260 | 0 - 2 | A-C | 2-3 | 285 | 330 | 308 | NC |
| | 260 - 280 | 0 - 2 | A-C | 2-3 | 290 | 320 | 305 | NC |
| Grown Steers | | | | | | | | |
| Steers | < 260 | 0 - 2 | A-C | 3-4 | 305 | 310 | 308 | NC |
| | | 2 - 4 | A-C | 3-4 | 305 | 305 | 305 | NC |
| | | 5 - 6 | A-C | 3-4 | 305 | 315 | 310 | NC |
| | | 8 | A-C | 3-4 | 280 | 285 | 283 | NC |
| | 260 - 300 | 0 - 2 | A-C | 3-4 | 270 | 320 | 295 | NC |
| | | 2 - 4 | A-C | 3-4 | 275 | 315 | 295 | NC |
| | | 5 - 6 | A-C | 3-4 | 275 | 315 | 295 | NC |
| | | 8 | A-C | 3-4 | 270 | 295 | 283 | NC |
| | 300 - 420 | 0 - 2 | A-C | 3-4 | 285 | 325 | 305 | NC |
| | | 2 - 4 | A-C | 3-4 | 280 | 320 | 300 | NC |
| | | 5 - 6 | A-C | 3-4 | 275 | 320 | 298 | NC |
| | | 8 | A-C | 3-4 | 270 | 305 | 288 | NC |
| Manufacturing Steer | 250 - 400 | 0 - 8 | A-D | 2-4 | 235 | 265 | 250 | NC |
| Cows | | | | | | | | |
| | 160 - 200 | 8 | A-D | 2-4 | 215 | 245 | 230 | NC |
| | | 8 | D-E | 1-4 | 205 | 240 | 223 | NC |
| | 200 - 240 | 8 | A-D | 2-4 | 215 | 255 | 235 | NC |
| | | 8 | D-E | 1-4 | 205 | 250 | 228 | NC |
| | 240 - 280 | 8 | A-E | 2-4 | 220 | 270 | 245 | NC |
| | | 8 | A-E | 5+ | 210 | 250 | 230 | NC |
| | 280 - 320 | 8 | A-E | 2-4 | 230 | 280 | 255 | NC |
| | | 8 | A-E | 5+ | 220 | 260 | 240 | NC |
| | 320 + | 8 | A-E | 2-4 | 235 | 280 | 258 | NC |
| | | 8 | A-E | 5+ | 225 | 260 | 243 | NC |
| Bulls | | | | | | | | |
| | 200 - 300 | 0 - 8 | A-E | ALL | 255 | 280 | 268 | NC |
| | 300 - 400 | 0 - 8 | A-E | ALL | 280 | 290 | 285 | NC |
| | 400 + | 0 - 8 | A-E | ALL | 290 | 290 | 290 | NC |
| Grainfed Yearlings | | | | | | | | |
| Steers | 180 - 220 | 0 - 2 | A-C | 2-3 | 335 | 350 | 342 | NC |
| | 220 - 260 | 0 - 2 | A-C | 2-3 | 345 | 370 | 355 | NC |
| | 260 - 280 | 0 - 2 | A-C | 2-3 | 350 | 355 | 353 | NC |
| Heifers | 180 - 220 | 0 - 2 | A-C | 2-3 | 330 | 350 | 338 | NC |
| | 220 - 260 | 0 - 2 | A-C | 2-3 | 340 | 365 | 351 | NC |
| | 260 - 280 | 0 - 2 | A-C | 2-3 | 350 | 350 | 350 | NC |

| Grade | Weight Range (cwt kg) | Dentition | Muscle Score | Fat Score | Low Price (c/kg cwt) | High Price (c/kg cwt) | Average (c/kg cwt) | Trend | |
|--------------------------|--------------------------|-----------|-----------------|--------------|-------------------------|--------------------------|-----------------------|-------|----|
| Grainfed 100 Days | | | | | | | | | |
| Steers | 300 - 420 | 0 - 2 | A-C | 3-4 | 350 | 360 | 354 | NC | |
| | | 2 - 4 | A-C | 3-4 | 345 | 360 | 350 | NC | |
| | | 5 - 6 | A-C | 3-4 | 340 | 340 | 340 | NC | |
| MSA Yearlings | | | | | | | | | |
| Heifers | 180 - 220 | 0 - 2 | A-C | 3-4 | 300 | 340 | 320 | NC | |
| | | 220 - 260 | 0 - 2 | A-C | 3-4 | 315 | 360 | 342 | NC |
| | | 260 - 280 | 0 - 2 | A-C | 3-4 | 325 | 365 | 345 | NC |
| | 220 - 260 | 0 - 2 | A-C | 3-4 | 290 | 330 | 310 | NC | |
| | | 0 - 2 | A-C | 3-4 | 310 | 355 | 338 | NC | |
| | | 0 - 2 | A-C | 3-4 | 320 | 360 | 340 | NC | |

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.