

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Pakenham

report date 07 Oct 2013

Yarding Change $\frac{1193}{249}$

comparison date 30/09/2013

There were approximately 550 grown and 650 young cattle penned. The usual buying group was present and operating in a mixed quality market. The young cattle sold mostly a few cents easier with quality an issue in most categories although the yearling heifers recorded some good prices in places. A larger proportion of the young penning sold to feeders although this was due to larger numbers of suitable cattle on offer rather than strengthened demand as many of these cattle were purchased at cheaper prices week on week. The grown steers and bullocks were predominantly secondary types and sold to strong demand on most although the secondary heavy weights slipped a little.

A limited selection of good vealers to the trade sold from 204c to 220c with the secondary lines from 170c to 200c/kg. Yearling trade steers made between 172c and 230c slipping 3c to 4c/kg on most sales. The well finished yearling heifers sold between 165c and 221c gaining 7c on the medium weights and slipping 6c/kg on the heavy weights.

Grown steers made from 185c to 205c lifting 1c to 3c/kg. Bullocks sold from 185c to 205c lifting 3c on the better C muscle drafts and slipping 4c/kg on the secondary lines. A mixed selection of grown heifers made between 150c and 168c slipping 4c to 7c/kg. Heavy weight manufacturing steers sold between 151c and 191c selling firm to 3c/kg easier.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280		C	2	2	180.0	- 190.0	185.0	N/Q	327	- 346	336	456	- 504	480
		C	3	1	212.0	- 212.0	212.0	N/Q	386	- 386	386	594	- 594	594
	FD	D	2	1	146.2	- 146.2	146.2	N/Q	-	-	-	322	- 322	322
		D	2	1	160.0	- 160.0	160.0	N/Q	302	- 302	302	448	- 448	448
	RS	D	2	4	155.0	- 175.0	170.0	N/Q	-	-	-	372	- 490	461
280-330		C	2	2	170.6	- 192.0	181.3	N/Q	316	- 349	333	512	- 634	573
		C	3	2	215.0	- 215.6	215.3	N/Q	385	- 391	388	647	- 667	657
	FD	D	2	5	163.6	- 170.0	164.9	N/Q	-	-	-	491	- 544	501
		D	2	1	175.0	- 175.0	175.0	N/Q	324	- 324	324	525	- 525	525
330+	FD	C	2	5	170.0	- 176.2	175.0	-7	-	-	-	578	- 643	630
		C	2	10	176.2	- 195.6	186.1	-11	320	- 356	338	620	- 685	657
	RS	C	2	1	174.6	- 174.6	174.6	N/Q	-	-	-	637	- 637	637
		C	3	10	204.0	- 220.0	214.8	-3	371	- 400	388	714	- 802	755
	FD	D	2	1	152.6	- 152.6	152.6	N/Q	-	-	-	519	- 519	519
		D	2	1	153.6	- 153.6	153.6	N/Q	295	- 295	295	561	- 561	561
				47	146.2	220.0	185.7		295	400	356	322	802	610
Vealer Heifer														
0-200	FD	D	2	1	155.2	- 155.2	155.2	N/Q	-	-	-	310	- 310	310
		RS	D	2	5	165.6	- 165.6	165.6	N/Q	-	-	-	331	- 331
200-280		C	2	5	200.0	- 200.0	200.0	N/Q	364	- 364	364	540	- 560	556
		D	2	4	161.2	- 162.0	161.6	-14	299	- 312	305	355	- 437	396
280-330		C	2	5	185.0	- 185.0	185.0	-16	336	- 336	336	555	- 555	555
		C	3	2	215.0	- 215.0	215.0	N/C	391	- 391	391	645	- 645	645
	RS	D	2	8	160.0	- 160.0	160.0	N/Q	-	-	-	480	- 512	496
330+		C	2	20	172.0	- 188.0	184.8	-15	313	- 342	336	585	- 686	641

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	4	205.0	- 210.0	208.8	-9	373	- 382	380	718	- 735	731
		C	4	1	189.6	- 189.6	189.6	N/Q	345	- 345	345	739	- 739	739
			55		155.2	215.0	181.5		299	391	344	310	739	561
Yearling Steer														
0-330		C	2	1	170.0	- 170.0	170.0	N/Q	315	- 315	315	510	- 510	510
	FD	D	2	20	140.6	- 162.6	157.8	-57	-	-	-	309	- 518	425
	RS	D	2	18	140.6	- 190.0	176.3	N/Q	-	-	-	309	- 608	516
330-400	FD	C	2	1	166.2	- 166.2	166.2	N/Q	-	-	-	565	- 565	565
		C	3	21	190.0	- 230.0	211.4	-4	346	- 411	380	646	- 828	783
	FD	D	2	21	135.6	- 170.6	150.9	-6	-	-	-	495	- 625	558
	RS	D	2	22	160.6	- 169.6	164.7	N/Q	-	-	-	556	- 644	602
		D	2	5	147.6	- 175.0	156.2	-9	284	- 330	298	531	- 656	580
		D	3	3	172.0	- 182.2	178.8	-17	319	- 331	327	654	- 683	673
400+		B	3	6	224.2	- 224.2	224.2	N/Q	368	- 368	368	953	- 953	953
		C	3	8	197.6	- 212.0	200.6	-17	359	- 386	365	850	- 1010	908
		C	4	11	200.0	- 208.0	205.3	N/C	357	- 371	367	1080	- 1165	1142
	FD	D	2	2	145.0	- 154.2	149.6	N/Q	-	-	-	616	- 678	647
	RS	D	2	1	156.0	- 156.0	156.0	N/Q	-	-	-	655	- 655	655
		D	2	13	155.0	- 168.0	162.5	-6	298	- 317	309	659	- 771	723
		D	3	74	175.6	- 197.0	188.9	-3	325	- 365	347	786	- 978	896
			227		135.6	230.0	180.5		284	411	349	309	1165	742
Yearling Heifer														
0-330	FD	D	2	25	137.2	- 166.2	147.5	4	-	-	-	274	- 467	376
	RS	D	2	13	126.0	- 165.0	154.2	N/Q	-	-	-	302	- 494	447
		D	2	8	140.0	- 163.6	155.2	4	269	- 315	298	280	- 512	430
		D	3	1	174.6	- 174.6	174.6	N/Q	323	- 323	323	524	- 524	524
330-400		B	3	1	220.6	- 220.6	220.6	N/Q	380	- 380	380	816	- 816	816
		C	3	7	206.0	- 215.0	208.0	-1	375	- 384	377	742	- 834	785
	RS	D	1	3	135.6	- 135.6	135.6	N/Q	-	-	-	475	- 475	475
	FD	D	2	4	157.2	- 174.6	167.9	N/Q	-	-	-	534	- 663	614
	RS	D	2	34	145.0	- 156.6	151.7	2	-	-	-	493	- 566	537
		D	2	17	134.6	- 166.0	150.8	-1	259	- 319	290	511	- 664	586
		D	3	52	165.6	- 193.6	185.8	7	307	- 359	344	585	- 736	678
		D	4	1	162.2	- 162.2	162.2	N/Q	300	- 300	300	616	- 616	616
400+		C	3	2	200.0	- 200.0	200.0	N/Q	364	- 364	364	840	- 840	840
		D	2	32	138.6	- 164.0	152.7	3	272	- 315	294	589	- 722	665
		D	3	62	165.0	- 195.0	181.2	-6	306	- 356	334	722	- 936	824
		D	4	1	153.0	- 153.0	153.0	N/Q	283	- 283	283	673	- 673	673
			263		126.0	220.6	167.6		259	384	326	274	936	639
Grown Steer														
400-500		C	3	20	196.6	- 197.6	197.3	N/Q	358	- 359	359	983	- 988	986
		D	3	14	171.6	- 190.0	175.5	N/Q	318	- 346	324	815	- 950	844
500-600		C	3	12	195.0	- 205.0	199.8	1	355	- 366	360	1107	- 1188	1153
		C	4	1	195.0	- 195.0	195.0	N/Q	355	- 355	355	1121	- 1121	1121
		D	3	93	185.0	- 198.6	192.4	3	336	- 361	351	988	- 1166	1063

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
600-750		C	3	6	202.0	- 202.0	202.0	2	361	- 361	361	1263	- 1263	1263	
		C	4	26	200.0	- 204.6	200.2	3	357	- 365	358	1240	- 1300	1269	
		D	3	45	185.0	- 197.2	190.0	-4	336	- 359	346	1153	- 1295	1213	
		D	4	3	184.0	- 184.0	184.0	N/Q	335	- 335	335	1288	- 1288	1288	
				220	171.6	205.0	192.8		318	366	350	815	1300	1111	
Grown Heifer															
0-540	RS	D	1	1	132.6	- 132.6	132.6	N/Q	-	-	-	464	- 464	464	
	DA	D	2	4	151.6	- 151.6	151.6	N/Q	297	- 297	297	796	- 796	796	
		D	2	12	137.6	- 152.0	143.9	-1	275	- 304	290	633	- 790	705	
		D	3	20	150.0	- 163.2	155.3	-7	289	- 314	299	714	- 826	734	
540+		D	3	26	150.6	- 168.0	160.3	-4	290	- 323	306	873	- 960	936	
		D	4	1	163.6	- 163.6	163.6	N/Q	315	- 315	315	941	- 941	941	
				64	132.6	168.0	154.8		275	323	300	464	960	813	
Manufacturing Steer															
0-540	DA	D	1	16	145.0	- 153.6	150.9	N/Q	284	- 301	296	689	- 753	733	
		DA	D	2	8	158.0	- 158.2	158.0	N/Q	304	- 304	304	751	- 853	840
			D	2	31	145.0	- 182.0	163.1	1	279	- 343	312	616	- 961	829
		RS	D	2	4	158.0	- 162.0	160.0	N/Q	-	-	-	810	- 853	832
			D	3	1	172.0	- 172.0	172.0	N/Q	319	- 319	319	860	- 860	860
540+		D	2	24	150.6	- 172.0	165.3	N/C	290	- 325	314	873	- 1155	1024	
		DA	D	2	1	158.6	- 158.6	158.6	N/Q	305	- 305	305	952	- 952	952
			D	3	47	166.0	- 190.6	176.2	-3	307	- 353	326	973	- 1295	1110
			D	5	1	128.6	- 128.6	128.6	N/Q	234	- 234	234	1286	- 1286	1286
				133	128.6	190.6	166.0		234	353	314	616	1295	957	
Bulls															
0-450		C	2	2	137.6	- 137.6	137.6	N/Q	250	- 250	250	495	- 495	495	
			C	3	1	167.6	- 167.6	167.6	N/Q	305	- 305	305	754	- 754	754
450-600		C	3	2	162.0	- 167.6	164.8	N/Q	289	- 299	294	838	- 923	881	
600+		C	3	1	162.0	- 162.0	162.0	N/Q	284	- 284	284	1053	- 1053	1053	
				6	137.6	167.6	155.8		250	305	280	495	1053	760	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.