

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 17 Oct 2013

Yarding Change $\frac{7740}{2020}$

comparison date 10/10/2013

Numbers keep lifting, with yet another record of prime cattle yarded. Once again, it was a good quality yarding, with good numbers of prime cattle in all sections. There were also fair numbers of plainer conditioned lines, which are showing the effects of the dry conditions.

The very best of the trade cattle were firm, while most though were 7c to 9c/kg cheaper. Vealers sold to 208c, while the C3 yearling steers sold from 150c to 195c, with the heavier weights averaging 173c/kg. Prime heifer yearlings to slaughter sold from 135c to 193c/kg. Young feeder steers were 10c to 12c cheaper, with the better quality lines selling from 130c to 186c/kg.

Grown steers were 6c to 8c cheaper, with C3 and C4 medium and heavy weights selling from 150c to 193c, with the 4 scores averaging 185c/kg. Grown heifers were also cheaper selling to 168c/kg. Heavy weight feeder steers were up to 15c cheaper selling from 140c to 170c/kg. Cows were 4c to 7c cheaper, with 2 scores selling from 50c to 118c to the processors and 123c/kg to the restockers. The D3 and D4 medium and heavy weight cows sold from 111c to 148c, with the 4 score heavy weights averaging 136c/kg. The best bull made 170c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	2	1	100.0	- 100.0	100.0	N/Q	-	-	-	45	- 45	45
80+	RS	C	2	31	120.0	- 163.2	146.2	9	-	-	-	154	- 198	188
		C	2	5	120.0	- 120.0	120.0	-47	231	- 231	231	162	- 162	162
				37	100.0	163.2	141.4		231	231	231	45	198	181
Vealer Steer														
0-200	RS	C	2	5	130.0	- 130.0	130.0	N/Q	-	-	-	202	- 202	202
200-280	RS	C	2	4	173.0	- 173.0	173.0	6	-	-	-	424	- 424	424
		C	2	9	147.2	- 147.2	147.2	N/Q	273	- 273	273	375	- 375	375
280-330		C	2	4	150.0	- 150.0	150.0	N/Q	273	- 273	273	488	- 488	488
	RS	C	2	9	146.2	- 150.0	147.5	15	-	-	-	428	- 475	459
	FD	C	2	6	136.2	- 136.2	136.2	N/Q	-	-	-	443	- 443	443
	FD	D	3	10	108.2	- 108.2	108.2	N/Q	-	-	-	308	- 308	308
330+	FD	C	2	1	145.0	- 145.0	145.0	N/Q	-	-	-	529	- 529	529
	FD	C	3	6	180.2	- 180.2	180.2	20	-	-	-	640	- 640	640
		C	3	3	206.6	- 206.6	206.6	26	369	- 369	369	795	- 795	795
				57	108.2	206.6	146.3		273	369	291	202	795	433
Vealer Heifer														
200-280	FD	C	2	9	137.2	- 137.2	137.2	N/Q	-	-	-	377	- 377	377
	FD	C	3	1	100.0	- 100.0	100.0	N/Q	-	-	-	265	- 265	265
280-330		C	2	24	135.0	- 145.0	137.5	N/Q	250	- 269	255	398	- 413	402
	RS	C	2	21	136.0	- 136.0	136.0	N/Q	-	-	-	442	- 442	442
		C	3	23	135.0	- 150.0	144.3	4	250	- 283	271	428	- 488	439
330+		C	3	34	149.2	- 207.6	171.7	3	271	- 378	311	515	- 799	619
	RS	C	3	19	160.0	- 160.0	160.0	N/Q	-	-	-	568	- 568	568
				131	100.0	207.6	150.3		250	378	283	265	799	492
Yearling Steer														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
0-330		C	2	33	118.0	- 118.0	118.0	N/Q	223	- 223	223	336	- 336	336	
	FD	C	2	39	153.2	- 174.2	168.8	-2	-	-	-	498	- 566	549	
	RS	C	2	153	118.6	- 170.0	148.4	-22	-	-	-	314	- 502	409	
	RS	D	2	8	70.0	- 70.0	70.0	N/Q	-	-	-	179	- 179	179	
	FD	D	2	15	122.0	- 122.0	122.0	N/Q	-	-	-	311	- 311	311	
	FD	D	3	49	110.0	- 145.0	132.5	N/Q	-	-	-	314	- 471	417	
		D	3	20	113.2	- 113.2	113.2	N/Q	218	- 218	218	277	- 277	277	
	RS	D	3	45	124.2	- 124.2	124.2	9	-	-	-	354	- 354	354	
330-400	RS	C	2	103	127.2	- 155.0	143.7	-17	-	-	-	452	- 535	512	
	FD	C	2	253	130.0	- 177.2	154.3	-17	-	-	-	449	- 682	545	
	FD	C	3	49	164.2	- 174.2	170.4	1	-	-	-	625	- 671	641	
		C	3	71	155.0	- 194.2	169.2	-16	287	- 353	311	566	- 731	647	
	RS	C	3	4	157.2	- 157.2	157.2	-19	-	-	-	590	- 590	590	
	FD	D	3	6	128.2	- 128.2	128.2	-10	-	-	-	494	- 494	494	
400+		B	2	12	181.2	- 181.2	181.2	N/Q	318	- 318	318	861	- 861	861	
	FD	C	2	78	140.0	- 175.2	165.3	-5	-	-	-	595	- 727	693	
	FD	C	3	196	136.2	- 185.6	161.5	-16	-	-	-	579	- 920	731	
		C	3	143	150.2	- 195.2	173.6	-9	278	- 349	312	638	- 919	808	
		D	3	17	121.2	- 121.2	121.2	N/Q	229	- 229	229	515	- 515	515	
					1294	70.0	195.2	153.9		218	353	291	179	920	578
Yearling Heifer															
0-330		C	2	88	103.0	- 150.2	123.1	-30	194	- 278	230	270	- 430	342	
	FD	C	2	39	120.0	- 138.0	132.5	-6	-	-	-	318	- 407	380	
	RS	C	2	89	132.0	- 139.2	134.2	6	-	-	-	376	- 429	411	
		C	3	25	149.2	- 149.2	149.2	N/Q	276	- 276	276	395	- 395	395	
	RS	D	2	24	92.2	- 106.2	95.1	-34	-	-	-	235	- 271	243	
	FD	D	3	12	110.0	- 110.0	110.0	N/Q	-	-	-	314	- 314	314	
330-400		B	2	1	190.0	- 190.0	190.0	N/Q	339	- 339	339	751	- 751	751	
		C	2	72	120.0	- 138.2	127.2	-7	222	- 256	238	414	- 493	458	
	FD	C	2	10	130.0	- 138.2	134.9	-10	-	-	-	488	- 504	498	
	RS	C	2	33	113.2	- 129.2	121.0	N/Q	-	-	-	379	- 433	405	
	RS	C	3	5	145.0	- 145.0	145.0	N/Q	-	-	-	500	- 500	500	
	FD	C	3	58	123.2	- 140.0	136.4	-20	-	-	-	474	- 553	520	
		C	3	207	130.0	- 193.2	149.6	-8	236	- 358	274	462	- 763	568	
	FD	D	2	19	102.2	- 102.2	102.2	N/Q	-	-	-	363	- 363	363	
	FD	D	3	37	110.0	- 117.2	111.3	N/Q	-	-	-	380	- 449	391	
	RS	D	3	1	80.0	- 80.0	80.0	N/Q	-	-	-	284	- 284	284	
400+		D	3	39	116.2	- 116.2	116.2	-17	219	- 219	219	401	- 401	401	
		C	3	259	135.2	- 173.2	148.6	-8	250	- 309	273	568	- 850	671	
	FD	C	3	80	131.2	- 158.2	145.2	-9	-	-	-	538	- 704	627	
	FD	D	3	11	118.2	- 118.2	118.2	N/Q	-	-	-	502	- 502	502	
					1109	80.0	193.2	136.7		194	358	261	235	850	514
Grown Steer															
0-400	RS	C	2	60	124.2	- 150.0	131.8	N/Q	-	-	-	404	- 578	463	
	FD	D	2	14	121.2	- 121.2	121.2	N/Q	-	-	-	467	- 467	467	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400-500		D	3	4	110.2	- 110.2	110.2	N/Q	212	- 212	212	424	- 424	424	
		C	2	13	140.0	- 140.0	140.0	N/Q	264	- 264	264	609	- 609	609	
	FD	C	2	13	140.0	- 160.0	156.9	-4	-	-	-	595	- 680	667	
	FD	C	3	185	142.2	- 170.0	158.5	-16	-	-	-	630	- 808	727	
		C	3	150	137.2	- 178.0	170.8	12	254	- 330	318	679	- 866	802	
500-600		C	4	45	184.6	- 184.6	184.6	-2	342	- 342	342	895	- 895	895	
		D	3	10	110.2	- 122.2	111.4	-39	208	- 226	210	534	- 556	537	
	FD	D	3	34	125.0	- 125.0	125.0	N/Q	-	-	-	519	- 519	519	
	FD	C	3	40	140.0	- 174.6	170.9	N/Q	-	-	-	735	- 899	881	
		C	3	475	150.0	- 188.2	167.6	-8	278	- 336	305	788	- 1007	903	
600-750		C	4	515	170.2	- 192.6	185.1	-6	304	- 350	333	927	- 1120	1023	
		D	3	6	135.0	- 135.0	135.0	N/Q	255	- 255	255	709	- 709	709	
		C	3	12	168.0	- 175.0	168.6	19	300	- 318	302	1084	- 1094	1084	
750+		C	4	70	175.0	- 187.0	179.3	1	313	- 334	323	1094	- 1337	1191	
		C	4	6	170.0	- 186.2	183.5	16	309	- 339	334	1301	- 1406	1388	
					1652	110.2	192.6	170.0		208	350	318	404	1406	890
Grown Heifer															
0-540	FD	C	2	155	118.0	- 141.2	136.1	N/Q	-	-	-	466	- 574	531	
	FD	C	3	25	128.0	- 133.2	130.9	-13	-	-	-	595	- 646	624	
		C	3	176	130.0	- 158.0	146.5	-2	241	- 293	272	637	- 830	748	
		C	4	129	150.2	- 168.2	157.9	-10	282	- 300	291	735	- 883	803	
	RS	D	2	6	105.2	- 105.2	105.2	-3	-	-	-	447	- 447	447	
		D	2	26	95.0	- 119.2	106.2	N/Q	194	- 259	224	352	- 507	423	
	FD	D	3	14	118.2	- 118.2	118.2	-16	-	-	-	431	- 431	431	
540+		D	3	185	112.0	- 152.3	133.6	-9	223	- 282	254	502	- 739	621	
		C	4	63	154.2	- 165.2	158.4	-11	282	- 300	290	845	- 965	907	
						779	95.0	168.2	141.5		194	300	270	352	965
Manufacturing Steer															
540+		D	3	4	117.0	- 117.0	117.0	-27	217	- 217	217	883	- 883	883	
					4	117.0	117.0	117.0		217	217	217	883	883	883
Cows															
0-400	RS	D	2	16	50.0	- 77.2	68.7	N/Q	-	-	-	193	- 297	265	
		D	2	9	117.2	- 117.2	117.2	2	266	- 266	266	463	- 463	463	
400-520		D	2	142	98.2	- 118.2	112.5	-5	228	- 269	256	417	- 547	494	
	RS	D	2	71	90.0	- 123.2	104.8	-7	-	-	-	383	- 536	457	
	DA	D	2	16	80.0	- 80.0	80.0	-32	182	- 182	182	396	- 396	396	
520+	RS	D	3	10	110.0	- 112.2	111.8	N/Q	-	-	-	511	- 523	513	
		D	3	457	111.6	- 134.2	125.0	-8	237	- 286	267	476	- 659	591	
		D	4	41	133.6	- 135.0	134.6	-6	263	- 276	272	621	- 690	642	
		C	3	1	148.2	- 148.2	148.2	N/C	285	- 285	285	867	- 867	867	
	DA	D	3	4	122.0	- 122.0	122.0	N/Q	260	- 260	260	641	- 641	641	
	D	3	90	122.2	- 128.2	126.3	-4	255	- 273	268	642	- 687	668		
	D	4	736	128.0	- 148.2	136.0	-6	256	- 285	269	672	- 1088	783		
	D	5	53	125.0	- 138.0	136.7	9	245	- 282	274	790	- 856	802		

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				1646	50.0	148.2	127.6		182	286	267	193	1088	669
Bulls														
450-600		C	2	13	125.0	- 125.0	125.0	-11	236	- 236	236	569	- 569	569
		D	2	4	130.0	- 130.0	130.0	N/Q	250	- 250	250	722	- 722	722
600+		B	2	19	155.0	- 170.0	159.6	N/Q	272	- 300	283	1015	- 1700	1304
		C	2	4	153.2	- 158.2	155.2	-3	284	- 293	289	1157	- 1242	1188
		C	3	19	130.0	- 163.2	154.9	-8	228	- 291	279	1022	- 1616	1358
				59	125.0	170.0	148.2		228	300	269	569	1700	1112

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.