

Over the hooks report - cattle

Market information provided by MLA's National Livestock Reporting Service

Queensland

report date 21 Feb 2014

Contributors left rates unchanged through the south of the state although, the inclusion of an extra processor in the north saw no price trend realised. Numbers continue to flow as the dry weather persists, however the recent scattered showers in through north western regions and the forecast rain in the coming days could see numbers ease in the coming weeks.

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat Score	Average (c/kg cwt)	Trend	
North							
Yearlings							
Steers	180 - 220	0 - 2	A-C	2-3	295	NQ	
	220 - 260	0 - 2	A-C	2-3	320	NQ	
	260 - 280	0 - 2	A-C	2-3	325	NQ	
Heifers	180 - 220	0 - 2	A-C	2-3	290	NQ	
	220 - 260	0 - 2	A-C	2-3	315	NQ	
	260 - 280	0 - 2	A-C	2-3	320	NQ	
Grown Steers							
Steers	< 260	0 - 2	A-C	3-4	303	NQ	
		2 - 4	A-C	3-4	298	NQ	
		5 - 6	A-C	3-4	298	NQ	
	260 - 300	0 - 2	A-C	3-4	315	NQ	
		2 - 4	A-C	3-4	310	NQ	
		5 - 6	A-C	3-4	310	NQ	
	300 - 420	8	A-C	3-4	293	NQ	
		0 - 2	A-C	3-4	335	NQ	
		2 - 4	A-C	3-4	328	NQ	
	Manufacturing Steer	250 - 400	5 - 6	A-C	3-4	325	NQ
			8	A-C	3-4	310	NQ
			0 - 8	A-D	2-4	270	NQ
Cows							
	160 - 200	8	A-D	2-4	228	NQ	
		8	D-E	1-4	230	NQ	
	200 - 240	8	A-D	2-4	260	NQ	
		8	D-E	1-4	265	NQ	
	240 - 280	8	A-E	2-4	280	NQ	
		8	A-E	5+	270	NQ	
	280 - 320	8	A-E	2-4	293	NQ	
		8	A-E	5+	280	NQ	
	320 +	8	A-E	2-4	298	NQ	
		8	A-E	5+	285	NQ	
	Bulls						
		200 - 300	0 - 8	A-E	ALL	240	NQ
300 - 400		0 - 8	A-E	ALL	245	NQ	
400 +		0 - 8	A-E	ALL	248	NQ	

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat Score	Average (c/kg cwt)	Trend	
South Yearlings							
Steers	180 - 220	0 - 2	A-C	2-3	325	NC	
	220 - 260	0 - 2	A-C	2-3	335	NC	
	260 - 280	0 - 2	A-C	2-3	333	NC	
Heifers	180 - 220	0 - 2	A-C	2-3	315	NC	
	220 - 260	0 - 2	A-C	2-3	335	NC	
	260 - 280	0 - 2	A-C	2-3	330	NC	
Grown Steers							
Steers	< 260	0 - 2	A-C	3-4	310	NC	
		2 - 4	A-C	3-4	305	NC	
		5 - 6	A-C	3-4	313	NC	
		8	A-C	3-4	298	NC	
	260 - 300	0 - 2	A-C	3-4	308	NC	
		2 - 4	A-C	3-4	305	NC	
		5 - 6	A-C	3-4	305	NC	
		8	A-C	3-4	293	NC	
	300 - 420	0 - 2	A-C	3-4	315	NC	
		2 - 4	A-C	3-4	313	NC	
		5 - 6	A-C	3-4	313	NC	
		8	A-C	3-4	298	NC	
	Manufacturing Steer	250 - 400	0 - 8	A-D	2-4	278	NC
	Cows						
		160 - 200	8	A-D	2-4	250	NC
8			D-E	1-4	245	NC	
200 - 240		8	A-D	2-4	273	NC	
		8	D-E	1-4	265	NC	
240 - 280		8	A-E	2-4	283	NC	
		8	A-E	5+	268	NC	
280 - 320		8	A-E	2-4	293	NC	
		8	A-E	5+	278	NC	
320 +		8	A-E	2-4	295	NC	
		8	A-E	5+	280	NC	
Bulls							
	200 - 300	0 - 8	A-E	ALL	268	NC	
	300 - 400	0 - 8	A-E	ALL	285	NC	
	400 +	0 - 8	A-E	ALL	290	NC	
Grainfed Yearlings							
Steers	180 - 220	0 - 2	A-C	2-3	355	NC	
	220 - 260	0 - 2	A-C	2-3	368	NC	
	260 - 280	0 - 2	A-C	2-3	367	NC	
Heifers	180 - 220	0 - 2	A-C	2-3	352	NC	
	220 - 260	0 - 2	A-C	2-3	364	NC	
	260 - 280	0 - 2	A-C	2-3	363	NC	

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat Score	Average (c/kg cwt)	Trend
Grainfed 100 Days						
Steers	300 - 420	0 - 2	A-C	3-4	379	NC
		2 - 4	A-C	3-4	375	NC
		5 - 6	A-C	3-4	365	NC
MSA Yearlings						
Heifers	180 - 220	0 - 2	A-C	3-4	320	NC
	220 - 260	0 - 2	A-C	3-4	350	NC
	260 - 280	0 - 2	A-C	3-4	345	NC
	180 - 220	0 - 2	A-C	3-4	310	NC
	220 - 260	0 - 2	A-C	3-4	347	NC
	260 - 280	0 - 2	A-C	3-4	340	NC

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.