

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 02 Sep 2014

Yarding Change ³⁴⁷⁰
460

comparison date 26/08/2014

There was a slight increase in numbers and the quality remained good. Young cattle were well represented as were cows. Grown steers and bullocks were in reduced numbers. Not all the usual buyers attended but the market trend was firm to dearer.

Trade vealers were firm for the steers and cheaper for the heifers which were not to the same standard. Most vealers to the trade sold from 190c to 215c/kg and medium weight steers returning to the paddock reached 219c/kg. Yearling trade steers were firm from 180c to 214c/kg. Trade heifers lifted 1c to 2c, with medium and heavy weights between 184c and 213c/kg. Feeder steers and heifers gained 8c to 10c, with the steers ranging from 185c to 215c/kg.

Grown steers and bullocks were unchanged, with the majority selling between 185c and 209c/kg. Cows were firm on most with some of the very heavy cows slightly cheaper. The medium weight 2 score cows ranged from 125c to 158c/kg. The heavy 3 and 4 scores received from 155c to 176c/kg and C muscled cows reached 186c/kg. The best of the heavy bulls made 220c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
Vealer Steer															
0-200	RS	C	2	1	191.2	- 191.2	191.2	N/Q	-	-	-	325	- 325	325	
		E	1	1	70.0	- 70.0	70.0	N/Q	140	- 140	140	126	- 126	126	
200-280	FD	C	2	3	180.0	- 185.0	183.3	N/Q	-	-	-	468	- 481	477	
		RS	C	2	48	175.0	- 219.6	212.8	-1	-	-	-	473	- 593	565
		C	2	2	193.2	- 193.2	193.2	N/Q	365	- 365	365	522	- 522	522	
280-330	RS	D	2	5	183.0	- 190.0	188.6	27	-	-	-	375	- 399	394	
		D	2	4	164.2	- 164.2	164.2	N/Q	316	- 316	316	411	- 411	411	
		C	2	31	209.4	- 215.4	212.3	15	-	-	-	628	- 685	649	
330+	FD	C	2	4	191.0	- 191.0	191.0	N/Q	-	-	-	592	- 592	592	
		C	3	10	194.2	- 213.6	208.2	N/Q	360	- 403	389	553	- 684	660	
		C	2	2	200.0	- 200.0	200.0	N/Q	-	-	-	680	- 680	680	
		C	3	12	200.0	- 215.2	207.9	2	364	- 391	380	700	- 840	744	
				123	70.0	219.6			140	403		126	840		
Vealer Heifer															
200-280	RS	C	2	5	158.6	- 158.6	158.6	-5	-	-	-	365	- 365	365	
		C	2	14	155.0	- 185.0	173.1	-5	310	- 366	336	388	- 481	425	
	FD	D	2	2	173.2	- 173.2	173.2	N/Q	-	-	-	450	- 450	450	
		D	2	8	178.2	- 178.2	178.2	N/Q	356	- 356	356	428	- 446	430	
280-330	RS	D	2	25	158.2	- 170.0	168.2	43	-	-	-	391	- 427	404	
		C	2	6	168.2	- 168.2	168.2	3	-	-	-	521	- 521	521	
	FD	C	2	2	180.0	- 185.0	182.5	N/Q	333	- 349	341	540	- 592	566	
		C	3	11	185.0	- 185.0	185.0	N/C	-	-	-	592	- 592	592	
		C	3	8	185.2	- 198.2	190.0	N/Q	337	- 367	350	593	- 602	598	
	RS	D	2	7	176.0	- 176.0	176.0	N/Q	-	-	-	572	- 572	572	
		D	3	3	169.2	- 169.2	169.2	N/Q	-	-	-	525	- 525	525	
		D	3	3	180.4	- 180.4	180.4	N/Q	340	- 340	340	577	- 577	577	
330+		C	3	21	179.2	- 206.2	184.6	-12	332	- 382	342	611	- 701	651	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	C	3	2	179.6	- 179.6	179.6	N/Q	-			611	- 611	611
				117	155.0	206.2				310	382	365	701	
Yearling Steer														
0-330	FD	C	2	43	183.6	- 209.2	198.0	20	-			595	- 675	638
	RS	C	2	4	199.2	- 199.2	199.2	-9	-			657	- 657	657
	FD	D	2	1	170.0	- 170.0	170.0	N/Q	-			451	- 451	451
	RS	D	2	4	213.2	- 213.2	213.2	N/Q	-			554	- 554	554
330-400		C	2	37	173.6	- 194.0	185.2	35	334	- 366	352	625	- 737	689
	RS	C	2	21	213.2	- 215.2	214.2	N/Q	-			718	- 810	731
	FD	C	2	114	185.0	- 215.6	203.2	7	-			645	- 818	722
	FD	C	3	15	189.2	- 202.6	197.2	-12	-			634	- 780	722
		C	3	57	180.0	- 214.2	199.0	4	340	- 390	367	639	- 814	733
	RS	C	5	14	195.0	- 195.0	195.0	N/Q	-			675	- 675	675
		D	2	1	145.0	- 145.0	145.0	N/Q	284	- 284	284	486	- 486	486
400+		C	2	15	199.6	- 215.0	202.7	N/Q	370	- 391	374	1032	- 1038	1037
	FD	C	2	41	185.0	- 218.6	207.1	14	-			846	- 1006	927
	RS	C	2	19	217.8	- 217.8	217.8	N/Q	-			915	- 915	915
	FD	C	3	67	197.6	- 213.2	205.2	3	-			813	- 1043	970
		C	3	163	180.0	- 210.0	202.9	-1	333	- 385	373	750	- 1102	972
		C	4	6	206.0	- 206.0	206.0	N/Q	375	- 375	375	1154	- 1154	1154
				622	145.0	218.6			284	391	451	1154		
Yearling Heifer														
0-330		C	2	1	185.0	- 185.0	185.0	N/Q	356	- 356	356	611	- 611	611
	FD	C	2	4	178.6	- 178.6	178.6	14	-			572	- 572	572
	RS	C	2	11	168.2	- 175.0	171.6	N/Q	-			460	- 551	507
		C	3	4	186.9	- 186.9	186.9	N/Q	346	- 346	346	598	- 598	598
		D	2	10	119.2	- 170.0	139.6	-2	248	- 327	283	381	- 544	441
330-400	RS	C	2	1	157.6	- 157.6	157.6	N/Q	-			544	- 544	544
	FD	C	2	113	162.2	- 194.6	182.3	10	-			543	- 698	648
		C	2	16	160.0	- 173.6	167.7	3	320	- 334	328	560	- 582	572
	FD	C	3	46	186.6	- 194.2	190.7	N/Q	-			653	- 719	675
	RS	C	3	2	173.0	- 173.0	173.0	N/Q	-			657	- 657	657
		C	3	75	179.0	- 213.2	184.4	2	326	- 388	345	609	- 768	670
	RS	D	1	26	130.0	- 130.0	130.0	N/Q	-			442	- 442	442
	RS	D	2	11	161.0	- 167.6	167.0	N/Q	-			547	- 603	598
	FD	D	2	3	160.0	- 160.0	160.0	N/Q	-			544	- 544	544
		D	3	1	176.2	- 176.2	176.2	N/Q	333	- 333	333	670	- 670	670
400+		C	3	142	175.0	- 198.0	186.0	1	324	- 360	345	764	- 969	874
	FD	C	3	24	184.0	- 193.6	191.6	30	-			813	- 957	838
		C	4	9	170.0	- 186.4	183.3	N/Q	315	- 345	340	816	- 1085	965
		D	3	36	158.2	- 182.2	177.4	N/Q	304	- 337	331	672	- 820	789
	FD	D	3	15	180.2	- 180.2	180.2	N/Q	-			757	- 757	757
				550	119.2	213.2			248	388	381	1085		
Grown Steer														
400-500		C	2	6	135.0	- 165.6	160.4	N/Q	260	- 319	308	567	- 712	682

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
500-600	FD	C	2	13	175.0	- 200.2	185.0	-12	-			840	- 907	862
		C	3	12	185.0	- 205.0	202.2	12	349	- 380	375	851	- 964	952
		C	3	216	188.0	- 209.0	199.5	-1	348	- 387	368	1007	- 1174	1100
		C	4	1	194.6	- 194.6	194.6	N/Q	360	- 360	360	1148	- 1148	1148
		D	3	10	182.0	- 182.0	182.0	N/Q	343	- 343	343	1056	- 1056	1056
600-750		C	3	38	182.0	- 200.0	192.9	-2	337	- 368	355	1128	- 1260	1204
		C	4	19	185.0	- 198.0	195.2	-10	343	- 367	359	1239	- 1346	1291
				315	135.0	209.0			260	387		567	1346	
Grown Heifer														
0-540		C	3	38	162.0	- 187.2	176.8	-1	306	- 349	333	786	- 973	862
		D	2	33	150.0	- 156.0	153.2	5	319	- 332	326	589	- 655	642
	RS	D	2	1	159.2	- 159.2	159.2	N/Q	-			573	- 573	573
	RS	D	3	2	165.2	- 165.2	165.2	N/Q	-			694	- 694	694
		D	3	8	158.2	- 170.0	166.0	32	304	- 327	318	743	- 893	803
		D	4	15	156.0	- 178.0	173.1	N/Q	294	- 342	331	811	- 961	922
540+		C	3	10	168.0	- 185.0	172.0	-16	317	- 349	325	941	- 1036	967
		C	4	5	187.2	- 187.2	187.2	15	347	- 347	347	1048	- 1048	1048
		D	3	1	175.0	- 175.0	175.0	N/Q	337	- 337	337	998	- 998	998
		D	4	14	160.0	- 185.0	170.4	N/Q	308	- 349	324	928	- 1258	1103
				127	150.0	187.2			294	349		573	1258	
Manufacturing Steer														
0-540		C	2	1	172.0	- 172.0	172.0	N/Q	331	- 331	331	791	- 791	791
		C	3	3	168.0	- 182.0	177.3	N/Q	311	- 343	333	890	- 946	928
		D	2	7	154.2	- 158.2	157.6	-2	297	- 337	331	709	- 759	752
	DA	D	2	2	158.0	- 158.0	158.0	N/Q	329	- 329	329	837	- 837	837
540+		C	2	1	179.0	- 179.0	179.0	N/Q	344	- 344	344	1002	- 1002	1002
		C	3	2	168.0	- 172.0	170.0	N/Q	317	- 319	318	980	- 1142	1061
		C	4	2	154.0	- 154.0	154.0	N/Q	285	- 285	285	1047	- 1047	1047
		D	5	1	100.0	- 100.0	100.0	N/Q	192	- 192	192	850	- 850	850
				19	100.0	182.0			192	344		709	1142	
Cows														
0-400		D	1	3	72.2	- 72.2	72.2	-49	160	- 160	160	274	- 274	274
		D	2	1	140.0	- 140.0	140.0	N/Q	280	- 280	280	504	- 504	504
400-520		D	1	16	110.0	- 129.2	124.4	N/Q	239	- 281	271	462	- 530	513
		DA	D	1	1	145.0	- 145.0	N/Q	309	- 309	309	609	- 609	609
		D	2	68	125.0	- 156.8	142.8	-7	266	- 330	300	538	- 788	649
		D	3	192	145.0	- 186.6	160.9	1	300	- 373	323	667	- 970	794
520+		C	3	3	172.0	- 173.2	172.8	-7	325	- 333	330	1108	- 1238	1152
		C	4	1	165.0	- 165.0	165.0	N/Q	317	- 317	317	1073	- 1073	1073
		D	2	2	172.0	- 172.0	172.0	N/Q	337	- 337	337	1118	- 1118	1118
		D	3	173	155.0	- 173.2	167.9	N/C	310	- 340	330	827	- 935	898
		D	4	236	155.0	- 176.0	168.0	-3	298	- 343	327	864	- 1253	1060
		D	5	6	135.0	- 160.0	150.8	-14	265	- 314	296	943	- 1152	1084
				702	72.2	186.6			160	373		274	1253	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
Bulls																
0-450		C	2	4	145.0	- 182.0	168.5	11	259	-	325	304	561	-	692	631
450-600		C	2	16	155.0	- 203.2	184.1	17	287	-	357	328	806	-	1195	972
		D	2	5	125.0	- 146.6	138.6	N/Q	232	-	269	246	631	-	783	694
600+		B	2	54	192.0	- 220.0	205.3	3	300	-	355	332	1190	-	2420	1689
		C	2	17	165.0	- 198.0	185.3	9	290	-	361	323	1128	-	1901	1414
		D	2	2	155.0	- 175.0	165.0	N/Q	277	-	324	300	1008	-	1138	1073
				98	125.0	220.0			232	361		561	2420			

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.