

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 04 Sep 2014

Yarding Change $\frac{8100}{1000}$

comparison date 28/08/2014

Numbers lifted and quality remains good. All categories were well represented. Around 4,000 young cattle were offered and just over 200 cows. All the regular buyers were operating in the market.

Heavy trade vealers lifted 9c to 10c ranging from 194c to 229c/kg. Trade steers and heifers were mostly firm with the steers selling between 182c and 212c/kg. Heifers sold from 164c to 200c/kg. Medium weight feeder steers were firm but heavy weights were back 10c to 15c/kg on average. Steers going onto feed ranged from 170c to 207c/kg.

Grown steers were unchanged and heavy bullocks slipped 5c/kg on quality. Most ranged between 190c and 208c/kg. Lighter leaner cows lifted 8c to 10c with the medium weight 2 scores ranging between 130c and 159c/kg. The heavier 3 and 4 scores were 2c to 4c stronger selling mostly from 160c to 186c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	2	7	210.0	- 210.0	210.0	N/Q	420	- 420	420	158	- 158	158
	RS	D	1	2	130.0	- 130.0	130.0	N/Q	-	-	-	104	- 104	104
80+		C	1	4	178.2	- 178.2	178.2	-42	356	- 356	356	151	- 151	151
		C	2	6	200.0	- 200.0	200.0	N/Q	400	- 400	400	200	- 200	200
	RS	C	2	2	200.0	- 200.0	200.0	N/Q	-	-	-	320	- 320	320
		D	2	13	203.3	- 203.3	203.3	N/Q	391	- 391	391	264	- 264	264
				34	130.0	210.0			356	420		104	320	
Vealer Steer														
0-200	RS	C	2	28	180.0	- 222.2	210.4	N/Q	-	-	-	324	- 359	348
200-280	RS	C	2	15	202.0	- 206.2	204.5	14	-	-	-	433	- 525	470
		C	2	14	170.2	- 206.0	186.3	22	321	- 382	350	426	- 556	476
	FD	C	2	1	182.2	- 182.2	182.2	N/Q	-	-	-	474	- 474	474
	RS	D	2	2	160.2	- 160.2	160.2	N/Q	-	-	-	368	- 368	368
280-330	FD	C	2	23	210.2	- 210.2	210.2	N/Q	-	-	-	631	- 631	631
	RS	C	2	3	190.6	- 190.6	190.6	-9	-	-	-	610	- 610	610
	RS	C	3	12	203.0	- 203.0	203.0	N/Q	-	-	-	650	- 650	650
		C	3	11	198.2	- 211.2	208.3	-7	367	- 391	386	630	- 676	647
330+	B	2	2	2	223.6	- 229.6	226.6	N/Q	407	- 418	412	760	- 781	770
		C	2	4	198.2	- 198.2	198.2	N/Q	367	- 367	367	674	- 674	674
		C	3	12	206.0	- 225.2	208.4	8	375	- 402	379	701	- 925	786
				127	160.2	229.6			321	418		324	925	
Vealer Heifer														
0-200		C	2	2	194.2	- 194.2	194.2	N/Q	360	- 360	360	330	- 330	330
		D	1	1	113.2	- 113.2	113.2	N/Q	226	- 226	226	204	- 204	204
	RS	D	1	36	155.2	- 155.2	155.2	N/Q	-	-	-	256	- 256	256
200-280	RS	C	2	10	175.2	- 194.0	182.7	N/Q	-	-	-	456	- 475	463
		C	2	69	177.0	- 188.2	178.8	11	330	- 349	341	410	- 481	443
		C	3	2	187.2	- 187.2	187.2	N/Q	360	- 360	360	524	- 524	524

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	2	11	145.0	- 179.0	155.8	N/Q	290	- 338	306	334	- 430	365
	RS	D	2	31	140.2	- 178.6	168.7	19		-		336	- 464	431
280-330		C	2	13	160.0	- 188.6	181.7	N/Q	302	- 349	340	480	- 566	545
		C	3	2	175.6	- 175.6	175.6	N/Q	325	- 325	325	527	- 527	527
330+		C	2	3	170.0	- 170.0	170.0	N/Q	315	- 315	315	578	- 578	578
		C	3	10	194.0	- 206.6	199.0	22	359	- 376	366	660	- 785	710
				190	113.2	206.6			226	376		204	785	
Yearling Steer														
0-330	FD	C	2	44	160.0	- 198.2	191.0	-6		-		512	- 634	611
	RS	C	2	58	185.0	- 205.2	200.3	12		-		481	- 637	584
		C	3	1	204.2	- 204.2	204.2	N/Q	378	- 378	378	653	- 653	653
	FD	D	2	21	175.6	- 178.0	177.5	N/Q		-		474	- 570	551
	RS	D	2	119	120.0	- 198.6	186.8	N/Q		-		324	- 574	531
		D	2	13	160.2	- 160.2	160.2	N/Q	314	- 314	314	417	- 417	417
330-400	RS	C	2	162	187.0	- 206.7	197.2	1		-		636	- 767	699
		C	2	2	175.0	- 175.0	175.0	N/Q	330	- 330	330	595	- 595	595
	FD	C	2	226	170.0	- 206.2	194.9	1		-		618	- 784	705
	FD	C	3	25	206.2	- 206.2	206.2	9		-		825	- 825	825
		C	3	71	175.0	- 212.0	198.8	-3	324	- 393	366	665	- 799	730
	RS	C	3	1	196.0	- 196.0	196.0	N/Q		-		686	- 686	686
	RS	D	2	29	180.0	- 180.0	180.0	N/Q		-		657	- 657	657
	DA	D	2	4	120.0	- 120.0	120.0	N/Q	255	- 255	255	432	- 432	432
	FD	D	2	26	150.0	- 180.0	178.8	N/Q		-		510	- 612	608
		D	3	2	152.0	- 152.0	152.0	N/Q	287	- 287	287	532	- 532	532
400+		B	3	15	213.0	- 213.0	213.0	N/Q	394	- 394	394	895	- 895	895
		C	2	34	166.2	- 197.2	190.0	-3	320	- 379	353	706	- 1138	968
	FD	C	2	243	170.0	- 207.6	192.9	-17		-		765	- 936	832
	RS	C	2	93	177.6	- 209.2	196.0	N/C		-		746	- 979	874
	FD	C	3	149	180.2	- 212.0	199.7	-2		-		757	- 966	880
		C	3	207	170.0	- 212.0	198.0	-1	315	- 393	367	765	- 1109	943
		C	4	15	204.2	- 204.2	204.2	N/Q	378	- 378	378	1103	- 1103	1103
	FD	D	2	2	170.0	- 170.0	170.0	N/Q		-		731	- 731	731
	RS	D	2	5	185.0	- 185.0	185.0	N/Q		-		796	- 796	796
				1567	120.0	213.0			255	394		324	1138	
Yearling Heifer														
0-330	FD	C	2	35	168.0	- 182.0	172.5	2		-		454	- 582	506
	RS	C	2	22	178.2	- 178.2	178.2	8		-		570	- 579	573
		C	2	14	150.0	- 170.0	161.3	-5	300	- 327	314	480	- 561	517
		C	3	12	160.0	- 177.0	174.0	-6	296	- 337	323	512	- 566	557
		D	1	1	120.2	- 120.2	120.2	N/Q	250	- 250	250	385	- 385	385
		D	2	57	149.2	- 166.2	157.2	N/Q	308	- 347	329	302	- 502	389
	FD	D	2	17	160.0	- 163.2	162.8	N/Q		-		440	- 522	513
	RS	D	2	157	146.2	- 170.0	160.4	18		-		387	- 488	439
		D	3	4	171.2	- 171.2	171.2	N/Q	323	- 323	323	514	- 514	514
330-400		C	2	70	160.0	- 181.2	176.2	N/Q	308	- 351	341	543	- 672	641

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	C	2	160	166.0	- 189.2	176.8	5	-			589	- 706	647
	RS	C	2	45	168.2	- 177.2	173.8	11	-			563	- 656	615
		C	3	191	168.0	- 198.6	179.2	3	315	- 368	334	587	- 712	656
	FD	D	2	74	150.0	- 174.2	166.1	N/Q	-			503	- 692	615
		D	2	5	149.0	- 162.0	156.8	N/Q	287	- 318	305	507	- 554	535
	RS	D	2	27	148.2	- 155.0	150.2	1	-			503	- 558	519
		D	3	42	157.0	- 173.2	169.6	N/Q	302	- 333	324	578	- 650	625
		D	4	10	179.2	- 179.2	179.2	N/Q	345	- 345	345	636	- 636	636
		B	3	2	200.2	- 200.2	200.2	N/Q	364	- 364	364	831	- 831	831
		C	2	50	176.0	- 176.0	176.0	N/Q	339	- 339	339	739	- 739	739
	FD	C	2	118	170.0	- 184.2	180.1	N/Q	-			731	- 810	761
	RS	C	2	56	172.2	- 178.2	176.5	N/Q	-			727	- 749	747
		C	3	255	164.6	- 195.0	183.0	-3	299	- 361	341	691	- 955	814
		C	4	57	180.2	- 188.0	183.6	-1	334	- 348	340	780	- 955	842
	FD	D	2	12	169.2	- 169.2	169.2	N/Q	-			702	- 702	702
	DA	D	2	11	149.6	- 149.6	149.6	N/Q	318	- 318	318	628	- 628	628
	RS	D	2	16	173.2	- 173.2	173.2	N/Q	-			745	- 745	745
	D	3	80	155.0	- 187.6	172.0	N/Q	293	- 354	324	681	- 979	830	
				1600	120.2	200.2					250	368	302	979
Grown Steer														
0-400		C	2	3	167.0	- 167.0	167.0	N/Q	321	- 321	321	635	- 635	635
	RS	C	2	5	172.0	- 172.0	172.0	2	-			645	- 645	645
		D	2	13	110.0	- 203.6	191.5	N/Q	220	- 399	376	396	- 652	623
400-500	RS	C	2	9	163.0	- 185.0	177.7	-14	-			685	- 777	746
	FD	C	2	74	182.2	- 197.6	193.2	4	-			813	- 879	847
		C	2	42	175.0	- 190.0	188.5	14	330	- 365	362	866	- 912	907
		C	3	48	182.6	- 192.2	183.4	-3	338	- 356	340	837	- 923	850
500-600		C	2	1	156.0	- 156.0	156.0	N/Q	306	- 306	306	811	- 811	811
	FD	C	3	7	205.0	- 205.0	205.0	N/Q	-			1117	- 1117	1117
		C	3	326	170.0	- 207.6	200.5	1	315	- 384	371	910	- 1163	1087
		C	4	34	200.0	- 210.0	204.1	2	370	- 389	374	1180	- 1239	1207
600-750		C	3	23	185.0	- 203.2	195.5	3	349	- 376	363	1147	- 1260	1212
		C	4	55	188.0	- 199.2	194.4	-11	348	- 369	360	1235	- 1340	1265
		D	2	1	197.0	- 197.0	197.0	N/Q	365	- 365	365	1261	- 1261	1261
				641	110.0	210.0					220	399	396	1340
Grown Heifer														
0-540		C	2	33	170.2	- 175.6	173.5	N/Q	327	- 331	330	715	- 773	750
		C	3	36	170.2	- 175.0	171.9	-9	315	- 324	318	620	- 934	819
		C	4	15	180.0	- 196.6	187.7	10	333	- 364	348	828	- 1022	955
		D	2	36	135.0	- 169.0	149.5	N/Q	270	- 360	316	555	- 710	589
	FD	D	2	13	150.6	- 150.6	150.6	N/Q	-			633	- 633	633
	RS	D	2	4	144.2	- 144.2	144.2	34	-			525	- 525	525
		D	3	150	153.2	- 180.2	172.0	N/C	294	- 340	322	670	- 948	833
		D	4	6	173.0	- 173.0	173.0	N/Q	326	- 326	326	900	- 900	900

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
540+		C	3	7	155.0	- 188.2	159.7	-28	287	- 355	297	868	- 1092	900	
		C	4	13	180.0	- 184.2	183.0	-5	339	- 348	340	1026	- 1171	1141	
		D	3	25	160.0	- 185.2	175.2	N/Q	302	- 349	333	964	- 1037	994	
		D	4	23	175.0	- 188.0	185.0	N/Q	330	- 356	349	1147	- 1201	1178	
				361	135.0	196.6		270	364		525	1201			
Manufacturing Steer															
0-540		C	2	1	178.0	- 178.0	178.0	N/Q	342	- 342	342	863	- 863	863	
		C	3	1	185.0	- 185.0	185.0	N/Q	349	- 349	349	962	- 962	962	
		DA	D	1	4	126.0	- 126.0	126.0	N/Q	263	- 263	263	655	- 655	655
		DA	D	2	28	143.2	- 143.2	143.2	N/Q	298	- 298	298	573	- 573	573
			D	2	11	122.0	- 159.0	140.7	N/Q	235	- 306	279	523	- 835	631
			D	3	6	170.0	- 170.0	170.0	N/Q	327	- 327	327	901	- 901	901
540+		C	2	1	176.0	- 176.0	176.0	N/Q	332	- 332	332	1021	- 1021	1021	
		D	3	5	150.0	- 165.0	162.0	N/Q	289	- 311	307	975	- 1056	1040	
				57	122.0	185.0		235	349		523	1056			
Cows															
0-400	RS	D	1	68	115.0	- 126.0	117.3	6	-	-	-	437	- 479	453	
		D	1	5	101.0	- 122.0	117.8	-5	224	- 260	253	384	- 464	448	
		D	2	13	129.2	- 130.0	129.7	N/Q	269	- 277	274	468	- 491	477	
		RS	D	2	7	166.0	- 166.0	166.0	N/Q	-	-	-	576	- 576	576
400-520	FD	C	3	2	186.0	- 186.0	186.0	N/Q	-	-	-	837	- 837	837	
		RS	D	1	26	110.0	- 130.0	123.3	N/Q	-	-	-	471	- 559	534
			D	1	46	90.0	- 137.2	133.9	26	200	- 298	290	378	- 631	602
		RS	D	2	4	130.2	- 132.0	131.1	-3	-	-	-	586	- 607	597
			D	2	370	120.0	- 159.2	146.8	9	250	- 332	309	504	- 748	667
			D	3	608	132.0	- 168.0	160.6	7	264	- 338	323	607	- 863	797
520+		D	5	2	120.0	- 130.0	125.0	N/Q	240	- 260	250	576	- 676	626	
		B	2	2	208.2	- 208.2	208.2	N/Q	347	- 416	382	1562	- 1770	1666	
		DA	D	1	9	125.0	- 125.0	125.0	N/Q	266	- 266	266	663	- 663	663
		DA	D	2	46	136.0	- 143.6	140.0	N/Q	283	- 293	288	789	- 833	812
			D	2	16	138.0	- 138.0	138.0	N/Q	276	- 276	276	731	- 731	731
			D	3	436	150.0	- 178.0	166.3	1	300	- 356	332	815	- 1104	915
			D	4	493	157.2	- 186.0	173.9	2	308	- 371	342	864	- 1282	1042
			D	5	1	120.0	- 120.0	120.0	N/Q	240	- 240	240	912	- 912	912
				2154	90.0	208.2		200	416		378	1770			
Bulls															
0-450		B	2	1	218.2	- 218.2	218.2	N/Q	341	- 341	341	218	- 218	218	
		RS	C	2	4	174.2	- 174.2	174.2	N/Q	-	-	-	418	- 418	418
			C	2	19	150.0	- 174.2	153.8	-22	278	- 323	285	488	- 662	535
			D	2	87	100.0	- 121.2	100.2	N/Q	192	- 233	193	420	- 545	421
450-600		C	2	2	156.2	- 156.2	156.2	N/Q	284	- 284	284	875	- 875	875	
600+		B	2	40	195.0	- 228.2	208.7	10	313	- 356	338	1753	- 2409	2085	
			C	2	33	164.2	- 196.2	181.5	1	304	- 349	323	1067	- 1663	1408
		DA	C	2	1	170.0	- 170.0	170.0	N/Q	315	- 315	315	1105	- 1105	1105
		D	2	1	196.0	- 196.0	196.0	N/Q	356	- 356	356	1529	- 1529	1529	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				188	100.0	228.2			192	356		218	2409	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.