

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Naracoorte

report date 23 Sep 2014

Yarding Change ²⁰¹¹
-1102

comparison date 16/09/2014

There was an increase in young cattle numbers with 2,011 yarded, including 225 open auction young cattle, in the first of the split sales. Quality was average with the usual buying group operating in a generally cheaper market over all grades being to 10c/kg easier and more in places. The plainer cattle lacking finish were the most affected.

Vealer steers sold from 140c to 188c to restockers, and to 219c/kg for C3 steers to the trade. Heavier B muscle steers sold to 200c and C muscle steers made from 175c to 200c/kg to the trade. Heifers sold mainly from 150c to 195c, with odd sales to 220c/kg. Yearling steers sold from 142c to 194c to feeders and restockers, and from 152c to 198c to the trade, with odd sales to 207c/kg cwt. The C3 yearling heifers sold mostly from 142c to 188c to the trade to be mostly firm, and from 148c to 169c/kg to feeders and restockers.

Grown steers sold from 162c to 190c for medium weights and from 172c to 188c/kg for heavier weights. The grown heifers sold mostly from 152c to 174c/kg for the C3 and C4 grades.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280		C	3	1	174.0	- 174.0	174.0	N/Q	335	- 335	335	487	- 487	487
	RS	D	2	10	140.0	- 145.0	144.0	N/Q	-	-	-	336	- 363	357
		D	2	8	152.0	- 165.0	163.1	N/Q	292	- 328	317	413	- 459	426
		D	3	10	170.0	- 185.0	177.0	N/Q	327	- 349	341	459	- 500	483
280-330		C	2	2	175.0	- 175.0	175.0	N/Q	350	- 350	350	499	- 499	499
		C	3	2	219.0	- 219.0	219.0	N/Q	413	- 413	413	723	- 723	723
	RS	D	2	2	160.0	- 160.0	160.0	N/Q	-	-	-	464	- 464	464
		D	2	2	170.0	- 170.0	170.0	N/Q	327	- 327	327	493	- 493	493
		D	3	3	174.0	- 175.0	174.7	N/Q	335	- 337	336	505	- 508	507
330+	RS	B	3	4	188.0	- 188.0	188.0	N/Q	-	-	-	677	- 677	677
		B	4	2	200.0	- 200.0	200.0	N/Q	370	- 370	370	780	- 780	780
		C	2	1	155.0	- 155.0	155.0	N/Q	304	- 304	304	543	- 543	543
		C	3	10	175.0	- 181.0	176.8	-16	337	- 342	338	688	- 788	758
		C	4	2	180.0	- 200.0	190.0	N/Q	333	- 370	352	675	- 800	738
		D	3	11	170.0	- 170.0	170.0	N/Q	327	- 327	327	731	- 731	731
				70	140.0	219.0			292	413		336	800	
Vealer Heifer														
200-280		C	2	5	130.0	- 130.0	130.0	N/Q	260	- 260	260	358	- 358	358
		C	3	40	165.0	- 195.0	181.2	N/Q	311	- 368	343	446	- 527	496
		D	1	2	130.0	- 130.0	130.0	N/Q	260	- 260	260	325	- 325	325
		D	2	13	122.0	- 178.0	168.0	N/Q	249	- 336	321	342	- 463	441
280-330		C	2	5	148.0	- 170.0	152.8	-19	285	- 333	299	429	- 495	467
		C	3	52	150.0	- 190.0	176.7	-18	289	- 365	339	465	- 627	548
		C	4	1	220.0	- 220.0	220.0	N/Q	407	- 407	407	638	- 638	638
		D	2	2	142.0	- 142.0	142.0	N/Q	284	- 284	284	412	- 412	412
330+		C	2	8	146.0	- 163.0	149.5	N/Q	286	- 314	292	550	- 628	611

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	33	165.0	- 182.0	169.9	-17	311	- 343	323	578	- 673	603
				161	122.0	220.0			249	407		325	673	
Yearling Steer														
0-330	RS	C	1	17	139.0	- 144.0	142.2	N/Q	-			403	- 445	418
	RS	D	1	2	122.0	- 122.0	122.0	N/Q	-			354	- 354	354
	RS	D	2	15	120.0	- 130.0	122.0	-25	-			371	- 372	372
		D	2	2	159.0	- 159.0	159.0	N/Q	325	- 325	325	461	- 461	461
330-400		C	2	19	156.0	- 160.0	157.3	-39	306	- 320	310	576	- 608	598
	RS	C	2	23	142.0	- 185.0	175.0	-11	-			497	- 740	646
	FD	C	2	25	194.0	- 194.0	194.0	9	-			718	- 718	718
	FD	C	3	8	187.0	- 187.0	187.0	N/Q	-			748	- 748	748
		C	3	7	176.0	- 185.0	183.7	8	339	- 356	353	666	- 669	666
		D	2	27	125.0	- 158.0	138.3	-14	260	- 304	278	463	- 632	499
	FD	D	2	3	138.0	- 138.0	138.0	-17	-			511	- 511	511
	RS	D	2	4	147.0	- 147.0	147.0	5	-			573	- 573	573
		D	3	7	190.0	- 190.0	190.0	N/Q	359	- 359	359	741	- 741	741
400+		B	3	41	170.0	- 188.0	177.8	-22	321	- 355	332	748	- 887	833
		C	2	2	152.0	- 152.0	152.0	N/Q	292	- 292	292	669	- 669	669
	RS	C	2	29	154.0	- 182.0	164.6	-27	-			724	- 764	739
		C	3	81	160.0	- 207.0	181.3	-17	308	- 391	343	688	- 926	854
	FD	C	3	10	165.0	- 188.0	185.7	-6	-			693	- 771	763
		C	4	40	182.0	- 198.0	194.0	6	350	- 367	363	892	- 1037	1009
		D	2	17	145.0	- 175.0	161.6	-4	284	- 337	314	609	- 753	698
	RS	D	2	15	170.0	- 170.0	170.0	N/Q	-			765	- 765	765
		D	3	20	167.0	- 185.0	170.9	8	321	- 356	327	759	- 835	787
				414	120.0	207.0			260	391		354	1037	
Yearling Heifer														
0-330		C	2	1	155.0	- 155.0	155.0	N/Q	310	- 310	310	496	- 496	496
	RS	D	1	1	90.0	- 90.0	90.0	N/Q	-			252	- 252	252
		D	1	24	90.0	- 117.0	107.8	6	196	- 254	234	238	- 352	297
		D	2	23	105.0	- 125.0	117.2	N/Q	210	- 260	243	264	- 390	362
	RS	D	2	11	105.0	- 125.0	121.4	-9	-			315	- 375	364
	FD	D	2	10	132.0	- 132.0	132.0	-11	-			436	- 436	436
330-400		C	2	116	115.0	- 166.0	154.3	-13	230	- 330	303	437	- 632	584
	RS	C	2	15	148.0	- 169.0	163.4	-7	-			562	- 608	596
	RS	C	3	14	158.0	- 158.0	158.0	N/Q	-			616	- 616	616
		C	3	144	142.0	- 180.0	167.7	-11	273	- 340	323	554	- 708	641
		C	4	5	175.0	- 175.0	175.0	N/Q	330	- 330	330	683	- 683	683
	FD	D	2	3	155.0	- 155.0	155.0	6	-			543	- 543	543
		D	2	29	125.0	- 165.0	139.2	-9	250	- 330	282	435	- 644	487
400+		C	2	10	135.0	- 155.0	144.0	-31	270	- 304	287	567	- 667	620
		C	3	200	152.0	- 188.0	176.4	-1	292	- 362	338	654	- 833	756
		C	4	7	172.0	- 185.0	179.4	N/Q	325	- 349	339	722	- 814	775
				613	90.0	188.0			196	362		238	833	
Grown Steer														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
500-600		C	3	84	162.0	- 190.0	182.0	-8	317	- 359	344	891	- 1090	1017
		C	4	9	184.0	- 184.0	184.0	-3	341	- 341	341	1104	- 1104	1104
		D	3	1	175.0	- 175.0	175.0	N/Q	330	- 330	330	1015	- 1015	1015
600-750		B	4	1	185.0	- 185.0	185.0	N/Q	343	- 343	343	1166	- 1166	1166
		C	3	27	178.0	- 184.0	179.3	-14	330	- 347	338	1116	- 1139	1128
		C	4	72	174.0	- 188.0	183.2	-16	322	- 349	341	1139	- 1274	1200
		D	3	4	172.0	- 173.0	172.8	N/Q	325	- 326	326	1073	- 1118	1084
		D	4	7	172.0	- 185.0	178.3	N/Q	325	- 349	336	1170	- 1258	1205
				205	162.0	190.0		317	359		891	1274		
Grown Heifer														
0-540		C	2	5	140.0	- 142.0	140.8	N/Q	278	- 280	279	672	- 724	693
		C	3	13	152.0	- 172.0	161.7	N/Q	292	- 331	310	684	- 929	810
		C	4	2	174.0	- 174.0	174.0	N/Q	328	- 328	328	905	- 905	905
		D	2	6	120.0	- 120.0	120.0	-26	240	- 240	240	432	- 432	432
		D	3	55	140.0	- 174.0	164.4	-4	269	- 328	313	728	- 922	861
540+		C	4	2	148.0	- 158.0	153.0	N/Q	285	- 298	291	885	- 903	894
				83	120.0	174.0		240	331		432	929		
Manufacturing Steer														
0-540	RS	D	1	5	117.0	- 117.0	117.0	N/Q	-	-	-	527	- 527	527
	DA	D	2	9	130.0	- 132.0	131.6	N/Q	260	- 264	263	585	- 634	623
		D	2	4	140.0	- 140.0	140.0	-32	280	- 280	280	672	- 672	672
				18	117.0	140.0		260	280		527	672		
Cows														
0-400		D	1	5	80.0	- 80.0	80.0	N/Q	178	- 178	178	280	- 288	286
		D	2	4	110.0	- 110.0	110.0	N/Q	234	- 234	234	418	- 418	418
520+		C	3	8	138.0	- 138.0	138.0	-30	276	- 276	276	800	- 800	800
		D	3	14	125.0	- 146.0	136.5	-28	240	- 304	276	725	- 788	757
				31	80.0	146.0		178	304		280	800		
Bulls														
0-450		D	2	1	112.0	- 112.0	112.0	N/Q	224	- 224	224	448	- 448	448
	DA	E	1	1	90.0	- 90.0	90.0	N/Q	196	- 196	196	338	- 338	338
450-600		C	2	6	158.0	- 162.0	159.3	-5	293	- 300	295	842	- 885	871
		C	3	3	122.0	- 122.0	122.0	N/Q	235	- 235	235	610	- 610	610
		D	2	1	120.0	- 120.0	120.0	N/Q	235	- 235	235	696	- 696	696
600+		B	3	1	160.0	- 160.0	160.0	N/Q	296	- 296	296	1520	- 1520	1520
		C	2	10	149.0	- 168.0	158.9	-1	287	- 311	300	1013	- 1200	1102
		C	3	1	150.0	- 150.0	150.0	N/Q	278	- 278	278	1350	- 1350	1350
				24	90.0	168.0		196	311		338	1520		

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.