

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 16 Oct 2014

Yarding Change 7600
-400

comparison date 09/10/2014

There was another large yarding at Dubbo today and quality was again good. There were some good numbers of prime conditioned cattle in all sections. There were also a couple of consignments lacking condition in from the far west. Not all the regular buyers were operating with the absence of both some feeder and processor orders.

Trade cattle to the processors were 8c to 13c/kg cheaper. Prime conditioned yearling steers to slaughter sold from 181c to 201c, while the heifer yearlings sold from 150c to 188c/kg. Lightweight feeder steers were 5c to 7c cheaper, while the heavier weights were firm. The better quality feeder steers sold from 178c to 214c/kg. Feeder heifers were up to 11c cheaper selling from 146c to 188c/kg.

Grown steers were 13c cheaper with the prime conditioned medium and heavy weights selling from 175c to 198c/kg. Grown heifers were up to 15c cheaper selling to 185c/kg. Cows were 7c to 9c cheaper with 2 scores selling from 100c to 135c to the processors and 150c/kg to the restockers. The 3 and 4 score cows sold from 130c to 176c, with the 4 score heavy weights averaging 162c/kg. Bulls were firm selling to 225c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	2	6	170.0	- 170.0	170.0	-9	-	-	-	111	- 111	111
80+	RS	C	2	55	155.0	- 210.0	201.5	9	-	-	-	132	- 305	205
		C	2	7	187.0	- 187.0	187.0	8	360	- 360	360	234	- 234	234
				68	155.0	210.0			360	360		111	305	
Vealer Steer														
0-200	RS	C	2	4	215.0	- 215.0	215.0	N/Q	-	-	-	333	- 333	333
	RS	D	2	6	180.0	- 180.0	180.0	N/Q	-	-	-	261	- 261	261
200-280	RS	C	2	27	180.0	- 214.0	201.6	-11	-	-	-	441	- 524	494
		D	3	31	153.0	- 153.0	153.0	N/Q	294	- 294	294	421	- 421	421
280-330	RS	C	2	6	185.0	- 185.0	185.0	-11	-	-	-	527	- 527	527
		C	3	8	189.0	- 189.0	189.0	N/Q	357	- 357	357	558	- 558	558
	RS	C	3	12	171.0	- 171.0	171.0	N/Q	-	-	-	487	- 487	487
330+	RS	C	2	1	180.0	- 180.0	180.0	N/Q	-	-	-	639	- 639	639
		C	3	6	197.0	- 197.0	197.0	9	365	- 365	365	758	- 758	758
	FD	C	3	7	182.0	- 193.0	184.7	-13	-	-	-	735	- 828	789
				108	153.0	215.0			294	365		261	828	
Vealer Heifer														
0-200		C	2	9	167.0	- 167.0	167.0	N/Q	315	- 315	315	292	- 292	292
	RS	D	2	13	150.0	- 150.0	150.0	N/Q	-	-	-	263	- 263	263
200-280		C	3	16	190.0	- 190.0	190.0	10	359	- 359	359	485	- 485	485
280-330	RS	C	2	15	150.0	- 150.0	150.0	N/Q	-	-	-	473	- 473	473
		C	2	17	170.0	- 170.0	170.0	N/Q	321	- 321	321	485	- 485	485
		C	3	3	170.0	- 170.0	170.0	-20	321	- 321	321	485	- 485	485
330+		C	2	8	166.0	- 166.0	166.0	N/Q	319	- 319	319	573	- 573	573
		C	3	4	160.0	- 190.0	180.0	-7	296	- 359	338	616	- 759	721
				85	150.0	190.0			296	359		263	759	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Steer														
0-330	FD	C	2	140	178.0	- 205.0	194.2	9	-			490	- 660	617
	RS	C	2	72	165.0	- 190.0	184.7	16	-			428	- 536	459
	FD	C	3	9	190.0	- 190.0	190.0	-7	-			608	- 608	608
	RS	D	2	28	180.0	- 180.0	180.0	32	-			333	- 333	333
	RS	D	3	13	140.0	- 140.0	140.0	-34	-			399	- 399	399
	FD	D	3	1	165.0	- 165.0	165.0	N/Q	-			536	- 536	536
330-400		C	2	1	150.0	- 150.0	150.0	N/Q	289	- 289	289	533	- 533	533
	FD	C	2	387	182.0	- 210.0	197.7	-5	-			628	- 810	732
	RS	C	2	5	200.0	- 200.0	200.0	24	-			730	- 730	730
	RS	C	3	27	204.0	- 204.0	204.0	16	-			704	- 704	704
		C	3	28	187.0	- 200.0	195.0	-7	353	- 377	366	704	- 782	746
	FD	C	3	228	180.0	- 214.0	195.9	-7	-			645	- 812	747
	FD	D	2	4	148.0	- 148.0	148.0	N/Q	-			511	- 511	511
400+	FD	C	2	82	199.0	- 214.0	203.9	8	-			851	- 910	899
		C	3	56	181.0	- 201.0	189.2	-8	337	- 379	355	769	- 915	824
	FD	C	3	656	182.0	- 210.0	201.3	1	-			749	- 1030	890
	FD	C	4	13	210.0	- 210.0	210.0	N/Q	-			1019	- 1019	1019
				1750	140.0	214.0			289	379		333	1030	
Yearling Heifer														
0-330	FD	C	2	55	150.0	- 165.0	164.2	-10	-			470	- 536	519
	RS	C	2	48	155.0	- 169.0	167.5	N/C	-			409	- 549	505
		C	2	18	179.0	- 179.0	179.0	N/Q	338	- 338	338	528	- 528	528
		C	3	15	183.0	- 183.0	183.0	7	345	- 345	345	595	- 595	595
	RS	D	2	89	149.0	- 155.0	152.1	-1	-			287	- 380	332
	RS	D	3	9	125.0	- 127.0	126.8	-13	-			406	- 413	412
	FD	D	3	17	159.0	- 159.0	159.0	9	-			517	- 517	517
		D	3	26	152.0	- 152.0	152.0	N/Q	292	- 292	292	494	- 494	494
330-400	FD	C	2	63	154.0	- 172.0	160.4	-26	-			593	- 636	620
	RS	C	2	5	166.0	- 166.0	166.0	N/Q	-			573	- 573	573
		C	3	162	150.0	- 188.0	168.1	-11	283	- 355	317	548	- 724	629
	FD	C	3	425	146.0	- 188.0	175.3	-5	-			533	- 743	663
	FD	D	3	12	155.0	- 155.0	155.0	-21	-			597	- 597	597
		D	3	6	130.0	- 135.0	132.5	-36	250	- 255	252	449	- 520	484
	RS	D	3	13	135.0	- 135.0	135.0	N/Q	-			493	- 493	493
400+	FD	C	3	340	150.0	- 188.0	172.9	-11	-			608	- 799	737
		C	3	187	158.0	- 178.0	166.3	-14	298	- 336	312	648	- 832	742
	FD	C	4	23	172.0	- 172.0	172.0	N/Q	-			731	- 731	731
	FD	D	3	6	140.0	- 140.0	140.0	-25	-			574	- 574	574
		D	3	38	135.0	- 145.0	142.1	-23	255	- 279	272	554	- 616	598
				1557	125.0	188.0			250	355		287	832	
Grown Steer														
0-400	RS	D	2	16	149.0	- 149.0	149.0	N/Q	-			589	- 589	589
	RS	D	3	11	126.0	- 126.0	126.0	N/Q	-			498	- 498	498
400-500	FD	C	2	38	197.0	- 200.0	198.5	-2	-			850	- 975	913

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
500-600	FD	C	3	292	165.0	- 209.0	196.0	-8	-	-	-	701	- 930	887	
		C	3	33	160.0	- 193.0	184.1	-6	296	- 364	347	774	- 897	862	
		C	4	96	190.0	- 196.0	195.3	-4	357	- 377	372	808	- 970	963	
		FD	C	4	40	182.0	- 209.0	207.7	2	-	-	-	901	- 1035	1028
		FD	C	3	18	195.0	- 206.0	195.6	N/Q	-	-	-	1024	- 1061	1026
			C	3	11	175.0	- 187.0	179.3	-2	330	- 349	337	919	- 971	936
600-750		C	4	357	177.0	- 198.0	191.6	-13	334	- 367	355	938	- 1158	1024	
		FD	C	4	13	180.0	- 180.0	180.0	-21	-	-	-	981	- 981	981
			C	4	14	187.0	- 195.0	191.9	-6	346	- 361	358	1194	- 1238	1220
					939	126.0	209.0			296	377		498	1238	
Grown Heifer															
0-540		C	2	7	148.0	- 148.0	148.0	N/Q	279	- 279	279	614	- 614	614	
		C	3	87	160.0	- 168.0	163.5	-13	302	- 317	307	718	- 851	754	
		FD	C	3	73	150.0	- 177.0	165.3	-16	-	-	-	638	- 815	754
			C	4	32	172.0	- 181.0	178.2	-8	324	- 335	331	919	- 950	938
		RS	D	2	14	124.0	- 124.0	124.0	N/Q	-	-	-	403	- 403	403
		RS	D	3	67	134.0	- 154.0	147.1	N/Q	-	-	-	516	- 655	607
		FD	D	3	19	149.0	- 149.0	149.0	-25	-	-	-	559	- 559	559
			D	3	3	150.0	- 150.0	150.0	-17	283	- 283	283	788	- 788	788
540+		C	4	29	155.0	- 185.0	160.7	-26	287	- 343	299	845	- 1082	897	
		D	3	8	155.0	- 155.0	155.0	N/Q	287	- 287	287	876	- 876	876	
				339	124.0	185.0			279	343		403	1082		
Manufacturing Steer															
0-540		D	3	12	140.0	- 140.0	140.0	N/Q	275	- 275	275	721	- 721	721	
				12	140.0	140.0			275	275		721	721		
Cows															
0-400	RS	D	2	65	130.0	- 150.0	140.7	N/Q	-	-	-	345	- 518	463	
		D	2	15	100.0	- 135.0	118.7	-5	227	- 307	270	385	- 520	457	
		D	3	11	130.0	- 147.0	139.3	N/Q	277	- 320	300	501	- 581	544	
400-520		D	2	8	125.0	- 129.0	126.0	-10	284	- 293	286	531	- 594	553	
	RS	D	2	21	110.0	- 134.0	131.7	N/Q	-	-	-	457	- 570	559	
520+		D	3	225	132.0	- 158.0	149.6	-7	287	- 341	320	601	- 803	730	
		D	3	25	155.0	- 155.0	155.0	5	330	- 330	330	845	- 845	845	
		D	4	626	155.0	- 176.0	161.5	-9	298	- 353	319	829	- 1118	946	
		D	5	75	135.0	- 154.0	152.6	N/Q	260	- 296	293	884	- 1009	990	
				1071	100.0	176.0			227	353		345	1118		
Bulls															
0-450	RS	D	2	99	130.0	- 150.0	147.9	N/Q	-	-	-	331	- 593	505	
450-600		C	2	6	188.0	- 188.0	188.0	N/Q	355	- 355	355	1025	- 1025	1025	
	FD	C	2	4	155.0	- 155.0	155.0	N/Q	-	-	-	752	- 752	752	
600+		D	3	3	152.0	- 152.0	152.0	N/Q	323	- 323	323	737	- 737	737	
		B	2	26	121.0	- 225.0	200.8	-11	228	- 406	359	793	- 2580	1898	
		C	2	3	160.0	- 211.0	193.0	-2	302	- 391	359	1256	- 1778	1550	
				141	121.0	225.0			228	406		331	2580		

Abbreviations

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.