

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 19 May 2015

Yarding Change 4210
40

comparison date 12/05/2015

Numbers remained similar and the quality varied throughout the sale. There were a good number of well finished cattle. Yearlings and cows were well supplied while heavy grown steers and bullocks were limited. All the usual buyers operated in a dearer market.

Vealers lifted 15c to 25c, with the steer portion selling from 269c to 307c/kg. Yearling steers to feed were firm on the medium weights but 15c/kg dearer on the heavy weights. Prices averaged from 280c to 295c/kg. Trade steers lifted 10c, receiving 278c to 303c and the heifers gained 6c to range from 255c to 304c/kg.

Grown steers and bullocks sold between 250c and 302c/kg. Most of the cows lifted 5c to 10c/kg on the heavier weights and more on lighter weights. The medium weight 2 score cows sold from 150c to 190c and the heavy 3 and 4 scores 192c to 216c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
Calves																
0-80		C	2	6	240.0	- 240.0	240.0	N/Q	480	- 480	480	168	- 168	168		
				6	240.0	240.0			480	480		168	168			
Vealer Steer																
0-200		C	2	2	220.0	- 226.0	223.0	N/Q	419	- 423	421	374	- 407	390		
		RS	C	2	7	270.6	- 270.6	270.6	26	-	-	474	- 474	474		
200-280		RS	C	2	74	240.0	- 284.2	276.0	11	-	-	528	- 765	716		
		FD	C	2	5	264.2	- 264.2	264.2	9	-	-	594	- 594	594		
			C	2	1	270.0	- 270.0	270.0	N/Q	519	- 519	519	756	- 756	756	
			C	3	4	293.2	- 293.2	293.2	N/Q	543	- 543	543	792	- 792	792	
		RS	D	2	13	160.0	- 255.0	247.7	N/Q	-	-	352	- 561	545		
280-330		RS	C	2	27	282.6	- 282.6	282.6	21	-	-	848	- 848	848		
			C	2	6	270.0	- 287.2	284.3	26	509	- 532	528	864	- 919	910	
			C	3	23	295.2	- 295.2	295.2	15	547	- 547	547	856	- 856	856	
330+			C	2	8	287.2	- 289.2	288.2	N/Q	532	- 536	534	976	- 1113	1045	
			C	3	12	304.2	- 307.6	305.4	21	559	- 565	562	1019	- 1098	1035	
				182	160.0	307.6			419	565		352	1113			
Vealer Heifer																
0-200			C	2	1	210.0	- 210.0	210.0	N/Q	404	- 404	404	378	- 378	378	
			RS	D	1	1	140.0	- 140.0	140.0	N/Q	-	-	196	- 196	196	
			RS	D	2	19	181.2	- 204.6	197.2	N/Q	-	-	326	- 368	355	
				D	2	2	160.0	- 160.0	160.0	N/Q	308	- 308	308	288	- 288	288
200-280			C	2	53	200.0	- 274.2	245.1	8	370	- 517	464	460	- 713	614	
			RS	C	2	9	195.6	- 195.6	195.6	-30	-	-	430	- 430	430	
				C	3	1	280.0	- 280.0	280.0	N/Q	528	- 528	528	728	- 728	728
				D	2	37	188.0	- 230.0	222.7	N/Q	362	- 460	442	442	- 506	494
			RS	D	2	42	195.2	- 231.2	221.8	N/Q	-	-	429	- 624	573	
280-330			FD	C	2	35	220.0	- 232.0	230.6	-5	-	-	652	- 682	655	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	2	45	230.0	- 248.2	245.2	N/Q	434	- 477	471	661	- 736	708
		C	3	13	255.0	- 277.2	264.3	29	472	- 513	490	791	- 887	828
330+		C	2	1	251.2	- 251.2	251.2	N/Q	465	- 465	465	854	- 854	854
		C	3	28	265.0	- 294.2	287.5	17	491	- 545	530	914	- 1121	1033
		D	3	3	220.0	- 220.0	220.0	N/Q	407	- 407	407	748	- 748	748
				290	140.0	294.2			308	545		196	1121	
Yearling Steer														
200-280	FD	C	2	56	281.2	- 283.2	282.7	N/Q	-	-	-	731	- 792	754
	RS	C	2	1	210.0	- 210.0	210.0	N/Q	-	-	-	473	- 473	473
	RS	D	1	9	150.0	- 150.0	150.0	N/Q	-	-	-	390	- 390	390
280-330	RS	C	2	39	260.0	- 272.6	267.9	23	-	-	-	780	- 886	854
	FD	C	2	49	259.2	- 294.4	283.7	6	-	-	-	806	- 942	905
330-400	FD	C	2	218	230.0	- 295.6	281.8	1	-	-	-	782	- 1123	995
		C	2	5	255.0	- 255.0	255.0	6	490	- 490	490	893	- 893	893
	RS	C	2	33	240.0	- 269.2	254.4	N/Q	-	-	-	825	- 983	883
		C	3	43	255.0	- 300.0	287.9	3	472	- 556	533	918	- 1140	1075
	FD	C	3	17	280.0	- 290.2	287.5	N/C	-	-	-	994	- 1123	1112
	RS	C	3	1	275.0	- 275.0	275.0	N/Q	-	-	-	990	- 990	990
	FD	D	2	3	180.0	- 195.2	190.1	N/Q	-	-	-	648	- 742	711
		D	2	4	171.6	- 175.2	172.5	N/Q	343	- 350	345	575	- 666	598
	RS	D	2	1	175.0	- 175.0	175.0	N/Q	-	-	-	630	- 630	630
400+		C	2	2	230.0	- 250.0	240.0	N/Q	442	- 481	462	1012	- 1100	1056
	FD	C	2	106	240.0	- 298.2	289.0	20	-	-	-	1032	- 1352	1251
	FD	C	3	170	280.0	- 300.2	295.9	10	-	-	-	1177	- 1530	1341
		C	3	113	276.0	- 300.0	293.6	10	511	- 556	544	1187	- 1652	1392
		C	4	10	285.0	- 303.2	301.0	N/Q	528	- 562	557	1362	- 1577	1407
	FD	D	2	1	187.2	- 187.2	187.2	N/Q	-	-	-	842	- 842	842
				881	150.0	303.2			343	562		390	1652	
Yearling Heifer														
0-200		D	1	1	68.0	- 68.0	68.0	N/Q	145	- 145	145	136	- 136	136
200-280	RS	C	2	5	200.0	- 200.0	200.0	N/Q	-	-	-	520	- 520	520
	RS	D	2	9	193.0	- 193.0	193.0	N/Q	-	-	-	511	- 511	511
		D	2	8	140.0	- 170.0	163.8	N/Q	280	- 354	338	378	- 420	406
		D	3	2	230.0	- 230.0	230.0	N/Q	460	- 460	460	552	- 552	552
280-330		C	2	26	230.0	- 246.2	239.9	15	442	- 474	461	736	- 800	774
	FD	C	2	65	210.0	- 250.0	240.5	-4	-	-	-	630	- 800	754
	RS	C	2	88	225.0	- 238.8	232.5	N/Q	-	-	-	716	- 723	719
		C	3	5	260.0	- 268.2	261.6	N/Q	482	- 506	486	731	- 805	745
		D	2	5	200.0	- 200.0	200.0	N/Q	400	- 400	400	640	- 640	640
	RS	D	2	1	228.6	- 228.6	228.6	N/Q	-	-	-	686	- 686	686
330-400	FD	C	2	101	230.6	- 265.0	244.8	-2	-	-	-	773	- 954	883
		C	2	33	230.0	- 263.2	261.2	N/Q	442	- 506	502	771	- 1000	986
		C	3	84	259.2	- 291.2	276.5	2	480	- 539	512	949	- 1107	1055
		D	2	1	200.0	- 200.0	200.0	N/Q	385	- 385	385	720	- 720	720
	FD	D	2	5	220.0	- 255.2	248.2	N/Q	-	-	-	836	- 919	902

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400+	RS	D	2	26	181.2	- 215.2	199.5	N/Q	-			692	- 725	721	
		D	3	4	230.0	- 230.0	230.0	N/Q	460	- 460	460	920	- 920	920	
		C	2	8	240.2	- 290.0	277.6	58	462	- 558	534	1057	- 1247	1199	
		FD	C	2	17	242.2	- 242.2	242.2	-16	-		1017	- 1017	1017	
		RS	C	2	21	232.0	- 232.0	232.0	N/Q	-		951	- 951	951	
		FD	C	3	29	248.2	- 295.0	272.2	6	-		1042	- 1534	1174	
		RS	C	3	49	265.2	- 265.2	265.2	N/Q	-		1140	- 1140	1140	
			C	3	172	255.0	- 304.6	280.4	6	472	- 564	519	1087	- 1516	1248
			D	2	1	190.0	- 190.0	190.0	N/Q	365	- 365	365	836	- 836	836
		D	3	20	205.0	- 245.0	235.7	N/Q	394	- 462	444	912	- 1299	1079	
				786	68.0	304.6			145	564		136	1534		
Grown Steer															
0-400	FD	C	2	2	270.0	- 270.0	270.0	N/Q	-			1026	- 1026	1026	
400-500	FD	C	2	22	220.0	- 288.2	282.4	N/Q	-			902	- 1383	1333	
		RS	C	2	12	260.0	- 279.6	276.3	N/Q	-		1170	- 1286	1267	
			C	2	2	220.0	- 240.0	230.0	N/Q	423	- 462	442	935	- 1152	1044
500-600		C	3	14	220.0	- 272.6	265.2	N/Q	407	- 505	491	1012	- 1281	1235	
		C	2	2	227.2	- 227.2	227.2	N/Q	437	- 437	437	1181	- 1181	1181	
		FD	C	2	1	240.0	- 240.0	240.0	N/Q	-		1224	- 1224	1224	
		RS	C	3	8	260.0	- 260.0	260.0	N/Q	-		1352	- 1352	1352	
		FD	C	3	6	276.6	- 280.6	278.6	N/Q	-		1438	- 1515	1477	
600-750		C	3	76	250.0	- 302.0	284.3	26	463	- 556	525	1275	- 1752	1550	
		C	4	15	230.0	- 296.2	284.4	N/C	426	- 592	542	1219	- 1718	1646	
		C	3	16	287.2	- 289.0	288.8	N/Q	532	- 535	535	1781	- 1792	1790	
		C	4	29	250.0	- 300.0	283.7	4	455	- 556	525	1612	- 1860	1778	
				205	220.0	302.0			407	592		902	1860		
Grown Heifer															
0-540		C	2	2	225.0	- 225.0	225.0	N/Q	433	- 433	433	1035	- 1035	1035	
		C	3	21	225.0	- 290.0	276.3	37	425	- 537	512	1045	- 1392	1311	
		FD	C	3	6	265.0	- 265.0	265.0	13	-		1113	- 1113	1113	
			D	1	7	140.0	- 152.0	150.3	N/Q	298	- 323	320	602	- 623	620
			D	2	19	173.2	- 255.0	201.3	N/Q	358	- 490	399	627	- 1097	868
		FD	D	2	24	180.0	- 180.6	180.5	N/Q	-		648	- 650	650	
		RS	D	2	1	210.0	- 210.0	210.0	N/Q	-		882	- 882	882	
540+			D	3	51	200.0	- 260.0	237.3	57	377	- 491	453	946	- 1322	1138
			D	3	13	220.0	- 263.2	236.0	N/Q	423	- 487	438	1232	- 1632	1304
			D	4	17	240.0	- 260.0	258.1	36	444	- 482	478	1536	- 1690	1608
			161	140.0	290.0			298	537		602	1690			
Manufacturing Steer															
0-540		D	2	1	192.2	- 192.2	192.2	N/Q	400	- 400	400	788	- 788	788	
540+	DA	C	2	46	211.6	- 211.6	211.6	N/Q	399	- 399	399	1524	- 1524	1524	
		C	3	3	220.0	- 220.0	220.0	N/Q	415	- 415	415	1364	- 1364	1364	
		DA	D	2	1	190.0	- 190.0	190.0	N/Q	380	- 380	380	1064	- 1064	1064
			51	190.0	220.0			380	415		788	1524			

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Cows														
0-400		D	1	1	177.2	- 177.2	177.2	N/Q	377	- 377	377	673	- 673	673
	RS	D	2	10	158.2	- 178.6	176.6	N/Q		-		601	- 679	671
400-520		C	2	2	205.0	- 205.0	205.0	N/Q	410	- 410	410	984	- 984	984
		D	1	24	140.0	- 170.2	146.7	N/Q	292	- 355	306	581	- 808	610
		D	2	125	150.0	- 190.0	183.1	24	319	- 395	380	675	- 969	801
		D	3	142	185.0	- 212.0	199.3	10	370	- 424	399	884	- 1060	983
520+		D	4	14	170.0	- 209.0	206.2	5	340	- 418	412	825	- 1045	1029
		D	2	1	189.2	- 189.2	189.2	N/Q	394	- 394	394	1003	- 1003	1003
		D	3	83	195.0	- 208.0	205.5	13	390	- 416	411	1064	- 1154	1099
		D	4	546	192.0	- 216.0	207.6	4	377	- 424	408	1027	- 1623	1220
		D	5	11	181.0	- 198.0	191.8	-1	355	- 388	376	1231	- 1346	1304
				959	140.0	216.0		292	424		581	1623		
Bulls														
0-450		C	2	13	185.0	- 229.0	221.1	N/Q	343	- 424	405	777	- 962	892
		D	1	3	185.0	- 185.0	185.0	N/Q	356	- 356	356	703	- 703	703
		D	2	2	160.0	- 160.0	160.0	N/Q	308	- 308	308	512	- 512	512
450-600		B	2	2	222.0	- 222.0	222.0	N/Q	396	- 396	396	1288	- 1288	1288
		C	2	10	180.0	- 240.2	220.6	5	321	- 451	398	1044	- 1341	1164
		D	1	3	120.0	- 180.0	140.0	N/Q	231	- 340	267	576	- 1008	736
		D	2	7	120.0	- 180.0	158.6	N/Q	222	- 333	295	576	- 918	780
600+		B	2	13	225.0	- 252.0	236.5	-4	395	- 435	411	1530	- 2390	1934
		C	2	13	210.0	- 235.0	224.3	10	382	- 427	402	1534	- 1913	1710
		D	2	1	180.0	- 180.0	180.0	N/Q	333	- 333	333	1116	- 1116	1116
				67	120.0	252.0		222	451		512	2390		

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.