

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 04 Jun 2015

Yarding Change 2530
-1120

comparison date 28/05/2015

It was a mixed yarding with limited numbers of prime young cattle and grown steers. There was a large percentage of plainer quality cattle in from the far west along with good numbers of cows.

Young cattle to the trade were 6c to 9c dearer with vealers selling to 305c/kg. Prime steer yearlings sold from 271c to 317c, while the prime heifer yearlings sold from 255c to 296c/kg. Lightweight feeder steers were 1c to 3c cheaper, while the heavier weights were 8c dearer with the feeder steers selling from 243c to 320c/kg. Feeder heifers sold from 218c to 295c/kg.

Grown steers were firm with the prime medium and heavy weights selling from 275c to 303c/kg. Grown heifers sold to 290c/kg. Plainer condition cows were firm while the properly finished cows were 10c/kg cheaper. The 2 score cows sold from 140c to 178c, while the better 3 and 4 scores sold from 165c to 225c/kg for a C muscle cow. The 4 score heavy weight cows averaged 195c and bulls sold to 266c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	12	256.0	- 256.0	256.0	-1	492	- 492	492	218	- 218	218
				12	256.0	256.0			492	492		218	218	
Vealer Steer														
0-200		C	2	15	230.0	- 230.0	230.0	N/Q	442	- 442	442	380	- 380	380
200-280	FD	C	2	22	233.0	- 296.0	288.6	N/Q	-	-	-	524	- 784	754
	RS	C	2	52	214.0	- 299.0	275.7	19	-	-	-	589	- 762	701
280-330	RS	C	2	6	273.0	- 273.0	273.0	23	-	-	-	778	- 778	778
	FD	C	2	17	295.0	- 295.0	295.0	13	-	-	-	959	- 959	959
		C	3	1	270.0	- 270.0	270.0	N/Q	519	- 519	519	770	- 770	770
330+	FD	C	2	15	285.0	- 285.0	285.0	N/Q	-	-	-	983	- 983	983
		C	3	6	302.0	- 305.0	303.5	N/Q	565	- 570	567	1042	- 1251	1146
				134	214.0	305.0			442	570		380	1251	
Vealer Heifer														
0-200		C	2	16	215.0	- 225.0	220.0	N/Q	414	- 433	423	326	- 419	373
	RS	C	2	15	190.0	- 190.0	190.0	-38	-	-	-	314	- 314	314
200-280	RS	C	2	57	233.0	- 253.0	242.1	18	-	-	-	545	- 641	603
		C	3	1	247.0	- 247.0	247.0	N/Q	475	- 475	475	679	- 679	679
280-330	FD	C	2	15	248.0	- 248.0	248.0	N/Q	-	-	-	707	- 707	707
		C	3	35	260.0	- 279.0	271.7	N/Q	491	- 537	518	741	- 861	826
330+		C	3	2	296.0	- 296.0	296.0	N/Q	559	- 559	559	1169	- 1169	1169
				141	190.0	296.0			414	559		314	1169	
Yearling Steer														
280-330		C	2	1	230.0	- 230.0	230.0	N/Q	442	- 442	442	748	- 748	748
	FD	C	2	19	243.0	- 293.0	268.0	1	-	-	-	790	- 952	871
330-400	FD	C	2	65	255.0	- 298.0	281.3	-1	-	-	-	868	- 1117	1019
		C	2	1	260.0	- 260.0	260.0	N/Q	500	- 500	500	1001	- 1001	1001

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	C	3	4	280.0	- 280.0	280.0	-15	-	-	-	1078	- 1078	1078
		C	3	9	274.0	- 285.0	281.3	4	507	- 538	523	1055	- 1126	1102
	RS	D	2	3	214.0	- 214.0	214.0	N/Q	-	-	-	738	- 738	738
	FD	C	2	16	253.0	- 279.0	269.6	-19	-	-	-	1135	- 1186	1160
	FD	C	3	36	280.0	- 320.0	296.6	10	-	-	-	1262	- 1483	1356
		C	3	65	271.0	- 317.0	296.0	8	509	- 587	546	1179	- 1664	1391
				219	214.0	320.0		442	587		738	1664		
Yearling Heifer														
200-280		C	2	12	220.0	- 220.0	220.0	N/Q	423	- 423	423	539	- 605	572
	FD	C	2	55	218.0	- 264.0	239.4	19	-	-	-	491	- 663	587
280-330	FD	C	2	47	224.0	- 280.0	245.0	14	-	-	-	638	- 910	736
		C	2	5	248.0	- 248.0	248.0	13	477	- 477	477	707	- 707	707
	RS	C	2	8	250.0	- 250.0	250.0	24	-	-	-	813	- 813	813
330-400		C	2	3	250.0	- 250.0	250.0	5	481	- 481	481	913	- 913	913
	FD	C	2	29	225.0	- 263.0	244.7	1	-	-	-	821	- 907	866
		C	3	55	245.0	- 295.0	267.7	4	454	- 546	504	894	- 1136	968
	FD	C	3	4	234.0	- 247.0	240.5	-23	-	-	-	901	- 902	901
	RS	D	3	16	193.0	- 201.0	200.5	N/Q	-	-	-	676	- 693	692
400+	FD	C	2	23	200.0	- 240.0	208.7	-43	-	-	-	850	- 984	879
		C	3	70	255.0	- 296.0	275.9	10	481	- 551	514	1109	- 1523	1236
	FD	C	3	56	292.0	- 295.0	294.4	62	-	-	-	1224	- 1299	1240
	FD	D	3	8	203.0	- 258.0	244.3	N/Q	-	-	-	863	- 1097	1038
				391	193.0	296.0		423	551		491	1523		
Grown Steer														
0-400	RS	D	2	14	223.0	- 223.0	223.0	N/Q	-	-	-	792	- 792	792
400-500	FD	C	2	19	267.0	- 273.0	270.8	-20	-	-	-	1135	- 1188	1168
	FD	C	3	53	208.0	- 285.0	256.1	-24	-	-	-	1009	- 1211	1117
		C	3	40	220.0	- 282.0	275.6	-16	415	- 528	515	1067	- 1368	1331
		C	4	6	275.0	- 280.0	276.7	N/C	509	- 519	512	1330	- 1334	1333
	FD	D	3	3	270.0	- 270.0	270.0	N/Q	-	-	-	1202	- 1202	1202
	RS	D	3	15	178.0	- 208.0	194.0	N/Q	-	-	-	757	- 926	847
500-600		C	3	5	220.0	- 220.0	220.0	N/Q	415	- 415	415	1155	- 1155	1155
		C	4	38	283.0	- 303.0	288.5	N/C	518	- 561	532	1486	- 1610	1536
				193	178.0	303.0		415	561		757	1610		
Grown Heifer														
0-540	RS	C	2	17	245.0	- 245.0	245.0	N/Q	-	-	-	1066	- 1066	1066
		C	2	2	226.0	- 226.0	226.0	N/Q	435	- 435	435	961	- 961	961
	FD	C	3	45	239.0	- 251.0	247.3	-13	-	-	-	1016	- 1092	1054
		C	3	51	212.0	- 275.0	250.4	14	400	- 509	471	1007	- 1313	1154
		C	4	45	220.0	- 290.0	262.0	-10	415	- 527	489	1148	- 1523	1275
	RS	D	2	12	172.0	- 172.0	172.0	N/Q	-	-	-	421	- 421	421
	RS	D	3	6	170.0	- 170.0	170.0	-10	-	-	-	740	- 740	740
	FD	D	3	13	192.0	- 228.0	197.5	-6	-	-	-	739	- 969	775
		D	3	13	185.0	- 200.0	190.4	-5	352	- 392	363	712	- 903	817
540+		C	3	4	242.0	- 260.0	255.5	N/Q	448	- 482	473	1319	- 1417	1392

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	4	12	241.0	- 241.0	241.0	-15	446	- 446	446	1313	- 1313	1313
				220	170.0	290.0			352	527		421	1523	
Cows														
400-520	RS	D	2	11	165.0	- 178.0	173.4	18	-			685	- 783	742
		D	2	19	140.0	- 173.0	164.7	-1	318	- 393	371	674	- 798	739
	RS	D	3	8	182.0	- 182.0	182.0	N/Q	-			883	- 883	883
		D	3	80	165.0	- 190.0	180.7	1	357	- 407	388	701	- 979	877
		D	4	17	196.0	- 196.0	196.0	N/Q	392	- 400	394	1009	- 1009	1009
520+		B	4	6	203.0	- 203.0	203.0	N/Q	398	- 398	398	1147	- 1147	1147
		C	3	1	225.0	- 225.0	225.0	N/Q	433	- 433	433	1204	- 1204	1204
		D	3	84	178.0	- 191.0	185.1	-2	379	- 406	394	935	- 1125	987
		D	4	335	190.0	- 205.0	194.8	-10	365	- 418	381	998	- 1465	1110
				561	140.0	225.0			318	433		674	1465	
Bulls														
0-450	FD	C	2	8	210.0	- 210.0	210.0	N/Q	-			767	- 767	767
	RS	C	2	18	216.0	- 216.0	216.0	N/Q	-			702	- 702	702
450-600	FD	C	2	4	264.0	- 264.0	264.0	N/Q	-			1228	- 1228	1228
600+		B	2	16	235.0	- 266.0	251.6	9	435	- 472	451	1560	- 2739	2138
		C	2	1	240.0	- 240.0	240.0	N/Q	436	- 436	436	2076	- 2076	2076
		C	3	1	260.0	- 260.0	260.0	N/Q	456	- 456	456	2561	- 2561	2561
		D	3	3	170.0	- 170.0	170.0	N/Q	321	- 321	321	1165	- 1165	1165
				51	170.0	266.0			321	472		702	2739	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.