

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Mount Barker

report date 16 Jul 2015

Yarding Change $\frac{749}{266}$

comparison date 09/07/2015

There were 749 head of mixed quality cattle offered at Mt Barker this week. All buyers were in attendance.

Vealer steers, under 200kg, sold from 273c to 349c, to average 311c/kg. Vealer heifers sold from 230c to 250c, to average 240c/kg. Light yearling steers, 200-280kg, sold from 252c to 338c, to average 315c/kg. The heavier weights, 280-330kg, made 261c to 332c, to average 299c/kg. Yearling steers, over 330kg, made 275c to 311c, to average 303c, up by 5c/kg. Light weight heifers, 200-280kg, made 210c to 309c, to average 285c/kg. The 280-330kg heifers made 260c to 291c, to average 274c p/kg. Yearling heifers, over 330kg, sold from 216c to 280c, to average 265c/kg.

Heavy grown steers sold from 208c to 289c, to average 240c/kg. Bullocks sold from 200c to 217c, to average 211c/kg. Grown heifers, above 500kg, made 209c to 283c, to average 253c/kg. Light boner cows made 170c to 198c, to average 188c/kg. Medium weight cows sold for 185c to 244c, to average 200c/kg. Heavy cows made 183c to 229c, for an average of 210c/kg. Overly conditioned cows were again discounted, making 168c to 179c/kg. Heavy bulls, over 600kg, made 185c to 197c, to average 191c/kg, while the light weights sold from 196c to 294c, to average 250c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
0-200	FD	C	2	4	334.0	- 334.0	334.0	N/Q	-	-	-	665	- 665	665
	RS	C	2	9	273.0	- 349.0	310.8	N/Q	-	-	-	448	- 695	589
				13	273.0	349.0			0	0		448	695	
Vealer Heifer														
0-200	FD	C	2	3	250.0	- 250.0	250.0	N/Q	-	-	-	400	- 400	400
	RS	C	2	1	230.0	- 230.0	230.0	N/Q	-	-	-	391	- 391	391
				4	230.0	250.0			0	0		391	400	
Yearling Steer														
200-280	FD	C	2	41	332.0	- 338.0	336.1	21	-	-	-	704	- 867	824
	RS	C	2	6	280.0	- 324.0	309.3	N/Q	-	-	-	694	- 761	739
	RS	C	3	2	252.0	- 327.0	289.5	N/Q	-	-	-	580	- 899	739
	FD	C	3	5	315.0	- 330.0	325.4	-2	-	-	-	835	- 906	883
280-330	FD	C	2	15	314.0	- 314.0	314.0	-16	-	-	-	889	- 889	889
	FD	C	3	78	300.0	- 332.0	318.8	-14	-	-	-	898	- 1073	1010
	FD	D	3	1	261.0	- 261.0	261.0	N/Q	-	-	-	809	- 809	809
330-400	FD	C	2	5	278.0	- 278.0	278.0	N/Q	-	-	-	929	- 929	929
	FD	C	3	41	283.0	- 309.0	292.6	-7	-	-	-	948	- 1160	1067
400+	FD	C	3	15	275.0	- 311.0	302.4	12	-	-	-	1170	- 1250	1230
				209	252.0	338.0			0	0		580	1250	
Yearling Heifer														
200-280	FD	C	2	28	245.0	- 281.0	273.9	21	-	-	-	502	- 787	704
	RS	C	2	51	210.0	- 309.0	284.3	27	-	-	-	515	- 792	698
	RS	C	3	7	241.0	- 282.0	263.0	8	-	-	-	494	- 776	644
280-330	RS	C	2	12	278.0	- 278.0	278.0	-2	-	-	-	792	- 792	792
	FD	C	2	4	270.0	- 270.0	270.0	-1	-	-	-	810	- 810	810
	RS	C	3	34	275.0	- 291.0	285.0	5	-	-	-	798	- 894	871

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	FD	C	3	3	260.0	- 263.0	261.0	N/Q	-			845	- 868	853
	FD	C	2	3	260.0	- 260.0	260.0	-5	-			879	- 879	879
	RS	C	3	20	274.0	- 280.0	278.6	N/Q	-			981	- 1086	1016
400+	FD	C	3	12	216.0	- 270.0	261.0	-11	-			752	- 975	926
		C	3	7	250.0	- 265.0	260.4	-2	455	- 482	474	850	- 956	906
		C	3	1	250.0	- 250.0	250.0	N/Q	455	- 455	455	1013	- 1013	1013
	FD	C	3	4	259.0	- 262.0	261.3	-19	-			1088	- 1100	1097
	RS	C	3	3	272.0	- 272.0	272.0	N/Q	-			1093	- 1093	1093
				189	210.0	309.0			455	482		494	1100	
Grown Steer														
400-500	FD	C	3	1	270.0	- 270.0	270.0	N/Q	-			1188	- 1188	1188
		C	3	8	250.0	- 291.0	283.9	N/Q	481	- 502	496	1213	- 1365	1330
500-600		C	3	5	208.0	- 289.0	239.4	-21	385	- 498	442	1092	- 1503	1291
	DA	D	3	1	222.0	- 222.0	222.0	N/Q	427	- 427	427	1288	- 1288	1288
600-750		C	3	1	216.0	- 216.0	216.0	N/Q	415	- 415	415	1523	- 1523	1523
750+		C	3	1	217.0	- 217.0	217.0	N/Q	417	- 417	417	1682	- 1682	1682
	DA	D	3	1	200.0	- 200.0	200.0	N/Q	385	- 385	385	1670	- 1670	1670
				18	200.0	291.0			385	502		1092	1682	
Grown Heifer														
0-540	FD	C	2	2	260.0	- 260.0	260.0	N/Q	-			1074	- 1074	1074
		C	3	40	209.0	- 283.0	253.1	-1	387	- 488	448	935	- 1302	1254
540+		C	3	21	210.0	- 253.0	239.0	25	389	- 470	442	1218	- 1638	1378
		C	4	2	210.0	- 210.0	210.0	N/Q	389	- 389	389	1260	- 1260	1260
				65	209.0	283.0			387	488		935	1638	
Cows														
0-400		D	2	7	170.0	- 170.0	170.0	N/Q	327	- 327	327	610	- 610	610
		D	3	2	185.0	- 185.0	185.0	N/Q	356	- 356	356	740	- 740	740
400-520		D	2	15	172.0	- 198.0	187.5	7	331	- 388	359	859	- 1015	935
	RS	D	2	18	190.0	- 195.0	192.8	N/Q	-			789	- 866	831
		D	3	19	190.0	- 244.0	200.5	11	359	- 452	381	843	- 1227	990
520+		D	4	3	200.0	- 200.0	200.0	11	377	- 377	377	1020	- 1020	1020
	DA	D	2	13	188.0	- 196.0	193.5	N/Q	369	- 384	379	1073	- 1229	1174
		D	2	5	182.0	- 182.0	182.0	23	350	- 350	350	1045	- 1045	1045
		D	3	73	183.0	- 229.0	209.4	7	347	- 440	393	1072	- 1726	1300
		D	4	20	190.0	- 210.0	201.9	12	359	- 404	385	1117	- 1371	1270
		D	5	3	168.0	- 179.0	175.3	22	323	- 338	333	990	- 1201	1060
				178	168.0	244.0			323	452		610	1726	
Bulls														
0-450	LE	C	2	2	280.0	- 290.0	285.0	N/Q	519	- 537	528	700	- 711	705
	LE	C	3	9	220.0	- 294.0	271.4	-36	407	- 544	504	727	- 1075	972
450-600		C	2	11	196.0	- 196.0	196.0	N/Q	392	- 392	392	1172	- 1172	1172
	LE	C	3	8	240.0	- 249.0	246.8	N/Q	444	- 461	457	1188	- 1215	1208
600+		C	2	11	194.0	- 196.0	194.7	N/Q	388	- 392	390	1570	- 1705	1656
		C	3	8	185.0	- 197.0	190.5	4	363	- 386	374	1193	- 1900	1621
				49	185.0	294.0			363	544		700	1900	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
 FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.