

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 01 Oct 2015

Yarding Change $\frac{7300}{900}$

comparison date 24/09/2015

There was a rise in the number of cattle yarded. Quality was very good over the whole yarding. Yearlings were well supplied and feeder orders were very active on all weights and grades. Grown steers were only in reasonable numbers and heavy bullocks were in short supply. Around 1,000 cows were offered. All the usual buyers operated in a cheaper market.

Vealer steers to the trade eased 3c, selling from 300c to 330c/kg. Medium weight feeder steers eased 3c to 7c/kg but plainer lines sold to a stronger trend. Heifers to feed were firm to 5c/kg easier. Steers sold between 310c and 343c while heifers received 285c to 326c/kg. Trade steers and heifers eased 3c to 9c/kg on medium and heavy weights. Trade steers ranged from 305c to 333c and heifers made 290c to 226c/kg for most.

Grown steers were unchanged on the leaner cattle but fell up to 14c/kg on the better covered lines. Most sold between 305c to 323c/kg for the 3 and 4 scores. Heavy cows sold to a cheaper trend of around 8c/kg, with the medium weights 2 score cows remaining firm. Heavy cows ranged from 250c to 268c and the lighter medium weights returned 200c to 255c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	1	1	220.0	- 220.0	220.0	N/Q	-	-	-	174	- 174	174
80+		C	1	7	356.0	- 356.0	356.0	N/Q	712	- 712	712	392	- 392	392
				8	220.0	356.0			712	712		174	392	
Vealer Steer														
0-200	RS	C	2	1	315.0	- 315.0	315.0	N/C	-	-	-	567	- 567	567
	RS	D	1	44	365.0	- 386.0	378.4	N/Q	-	-	-	438	- 540	503
200-280		C	2	1	320.0	- 320.0	320.0	N/Q	615	- 615	615	893	- 893	893
	RS	C	2	29	300.0	- 365.0	340.5	-2	-	-	-	720	- 876	817
	RS	D	2	19	285.0	- 310.2	299.1	N/Q	-	-	-	667	- 684	680
280-330	FD	C	2	6	300.0	- 308.0	305.3	N/Q	-	-	-	900	- 924	916
	FD	C	3	3	333.2	- 333.2	333.2	-3	-	-	-	1066	- 1066	1066
		C	3	2	301.2	- 301.2	301.2	N/Q	558	- 558	558	904	- 904	904
330+		C	3	6	330.0	- 330.0	330.0	-3	611	- 611	611	1188	- 1188	1188
				111	285.0	386.0			558	615		438	1188	
Vealer Heifer														
0-200		C	2	1	300.0	- 300.0	300.0	N/Q	556	- 556	556	600	- 600	600
	RS	C	2	6	286.2	- 286.2	286.2	-24	-	-	-	515	- 515	515
	RS	D	1	46	257.3	- 321.2	310.4	N/Q	-	-	-	385	- 463	400
	RS	D	2	9	270.2	- 270.2	270.2	N/Q	-	-	-	378	- 378	378
		D	2	6	265.2	- 265.2	265.2	N/Q	530	- 530	530	345	- 345	345
200-280	RS	C	1	36	298.6	- 298.6	298.6	N/Q	-	-	-	717	- 717	717
	FD	C	2	4	310.2	- 310.2	310.2	4	-	-	-	807	- 807	807
		C	2	6	288.2	- 296.2	294.9	N/C	554	- 570	567	692	- 785	769
	RS	C	2	2	282.2	- 282.2	282.2	N/Q	-	-	-	593	- 593	593
	RS	D	2	7	291.2	- 291.2	291.2	N/Q	-	-	-	772	- 772	772
		D	2	1	270.0	- 270.0	270.0	N/Q	500	- 500	500	594	- 594	594
280-330		C	2	5	311.2	- 311.2	311.2	N/Q	576	- 576	576	996	- 996	996

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
330+		C	3	10	319.2	- 319.2	319.2	9	591	- 591	591	1053	- 1053	1053	
		C	2	2	313.2	- 313.2	313.2	N/Q	602	- 602	602	1065	- 1065	1065	
	FD	D	3	1	290.2	- 290.2	290.2	N/Q	-	-	-	987	- 987	987	
				142	257.3	321.2			500	602		345	1065		
Yearling Steer															
200-280	FD	C	2	10	300.0	- 300.0	300.0	-45	-	-	-	810	- 810	810	
	RS	C	2	16	270.0	- 313.2	299.1	12	-	-	-	729	- 861	816	
	RS	D	2	33	299.2	- 326.2	321.3	N/Q	-	-	-	778	- 848	835	
280-330	RS	C	2	46	332.0	- 337.2	334.3	-13	-	-	-	1029	- 1079	1051	
	FD	C	2	47	305.2	- 329.2	319.1	-20	-	-	-	946	- 1057	1025	
		C	3	4	305.0	- 308.2	306.6	-20	565	- 571	568	976	- 986	981	
330-400	FD	D	2	1	282.0	- 282.0	282.0	N/Q	-	-	-	902	- 902	902	
	RS	D	2	6	230.0	- 230.0	230.0	N/Q	-	-	-	656	- 656	656	
		C	2	3	275.0	- 300.2	291.8	N/Q	509	- 577	555	1045	- 1096	1079	
400+	FD	C	2	468	309.2	- 343.0	329.6	-7	-	-	-	1070	- 1303	1196	
	RS	C	2	67	310.0	- 328.2	322.9	-10	-	-	-	1039	- 1240	1111	
	FD	C	3	90	313.6	- 341.2	332.2	-5	-	-	-	1084	- 1314	1266	
		C	3	22	290.0	- 330.0	314.5	-31	537	- 611	583	1055	- 1244	1171	
	FD	D	2	7	303.2	- 303.2	303.2	N/Q	-	-	-	1107	- 1107	1107	
	RS	D	2	18	240.0	- 253.2	241.5	N/Q	-	-	-	840	- 924	849	
		B	3	17	323.2	- 323.2	323.2	N/Q	599	- 599	599	1422	- 1422	1422	
		C	2	1	310.0	- 310.0	310.0	N/Q	596	- 596	596	1488	- 1488	1488	
	RS	C	2	35	318.2	- 337.2	331.2	N/Q	-	-	-	1384	- 1450	1429	
	FD	C	2	120	290.0	- 335.2	326.5	12	-	-	-	1218	- 1523	1372	
	FD	C	3	213	315.0	- 341.2	332.3	-6	-	-	-	1345	- 1604	1472	
		C	3	268	305.0	- 335.0	322.3	-9	565	- 623	597	1286	- 1760	1548	
		C	4	63	315.0	- 332.2	326.8	N/Q	582	- 615	598	1365	- 1792	1628	
				1555	230.0	343.0			509	623		656	1792		
Yearling Heifer															
200-280		C	2	7	310.0	- 310.0	310.0	N/Q	596	- 596	596	806	- 806	806	
		RS	C	2	17	275.2	- 275.2	275.2	16	-	-	-	716	- 716	716
			D	1	8	180.0	- 284.0	271.0	N/Q	400	- 604	579	432	- 710	675
280-330	RS	D	2	1	260.0	- 260.0	260.0	N/Q	-	-	-	676	- 676	676	
	FD	C	2	97	301.2	- 326.2	308.8	3	-	-	-	904	- 1044	967	
		C	2	8	290.0	- 316.0	293.3	N/Q	558	- 608	564	928	- 1011	938	
		C	3	39	295.0	- 314.6	311.3	N/Q	557	- 583	577	915	- 1007	964	
	RS	C	3	27	295.0	- 295.0	295.0	N/Q	-	-	-	944	- 944	944	
		D	2	5	227.2	- 295.0	281.4	N/Q	473	- 615	586	727	- 885	853	
	FD	D	2	9	304.5	- 304.5	304.5	N/Q	-	-	-	914	- 914	914	
	RS	D	2	3	267.2	- 267.2	267.2	N/Q	-	-	-	868	- 868	868	
330-400	FD	C	2	363	290.0	- 326.2	311.5	2	-	-	-	1001	- 1265	1103	
		RS	C	2	31	295.0	- 306.0	304.6	N/Q	-	-	-	1003	- 1071	1062
			C	2	78	282.2	- 306.2	299.1	N/Q	543	- 585	572	959	- 1095	1048
	FD	C	3	125	305.6	- 320.0	314.5	-5	-	-	-	1093	- 1245	1180	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400+		C	3	85	296.6	- 328.8	310.8	-1	549	- 609	576	1127	- 1266	1177	
		D	2	25	235.0	- 294.2	267.8	N/Q	511	- 588	546	799	- 986	925	
		FD	D	2	27	294.2	- 294.2	294.2	N/Q	-	-	986	- 986	986	
		RS	D	2	24	230.0	- 240.0	232.5	N/Q	-	-	816	- 886	868	
			D	3	12	250.0	- 290.0	279.2	23	481	- 547	527	838	- 1102	1021
		FD	C	2	78	285.6	- 310.0	305.1	N/Q	-	-	1171	- 1352	1282	
			C	2	11	274.2	- 299.2	289.6	N/Q	527	- 567	554	1152	- 1611	1404
		FD	C	3	45	289.2	- 320.0	308.8	-10	-	-	1244	- 1464	1377	
			C	3	345	285.0	- 326.6	312.1	-2	537	- 605	580	1175	- 1612	1417
			C	4	134	290.2	- 325.0	303.4	N/Q	537	- 602	561	1281	- 1690	1456
		D	3	29	255.0	- 302.6	275.5	N/Q	490	- 560	517	1097	- 1695	1320	
				1633	180.0	328.8			400	615		432	1695		
Grown Steer															
0-400		C	2	4	265.0	- 265.0	265.0	N/Q	510	- 510	510	954	- 954	954	
	FD	C	2	52	255.0	- 342.2	340.5	13	-	-	969	- 1232	1227		
	FD	C	3	7	325.0	- 326.0	325.9	N/Q	-	-	1239	- 1251	1241		
400-500		C	2	13	272.2	- 272.2	272.2	-15	524	- 524	524	1307	- 1307	1307	
	FD	C	2	28	300.0	- 316.2	306.7	N/Q	-	-	1410	- 1488	1457		
		C	3	32	308.0	- 315.2	311.3	11	574	- 584	578	1426	- 1529	1461	
	RS	D	2	21	245.6	- 245.6	245.6	N/Q	-	-	1179	- 1179	1179		
	FD	D	2	17	287.2	- 287.2	287.2	N/Q	-	-	1292	- 1292	1292		
500-600		B	3	18	328.2	- 328.2	328.2	N/Q	608	- 608	608	1739	- 1739	1739	
		C	2	17	220.0	- 326.2	300.6	N/Q	423	- 604	563	1122	- 1892	1627	
	FD	C	3	20	310.0	- 312.8	311.7	-22	-	-	1612	- 1689	1658		
		C	3	117	280.0	- 328.2	315.3	N/C	528	- 607	584	1484	- 1838	1722	
		C	4	79	296.0	- 323.0	315.3	-15	548	- 598	584	1658	- 1873	1815	
600-750		C	3	2	309.2	- 309.2	309.2	N/Q	573	- 573	573	1886	- 1886	1886	
		C	4	20	308.0	- 310.0	309.6	-23	570	- 574	573	1910	- 1922	1920	
				447	220.0	342.2			423	608		954	1922		
Grown Heifer															
0-540		C	2	13	240.0	- 288.2	277.6	N/Q	471	- 539	532	1008	- 1470	1209	
	FD	C	2	9	295.0	- 295.0	295.0	N/Q	-	-	1210	- 1210	1210		
		C	3	23	274.2	- 295.0	286.1	-3	517	- 546	535	1269	- 1534	1348	
		C	4	6	314.0	- 314.0	314.0	9	582	- 582	582	1507	- 1507	1507	
	RS	D	2	7	200.0	- 200.0	200.0	N/Q	-	-	600	- 600	600		
	FD	D	2	30	259.2	- 259.2	259.2	N/Q	-	-	881	- 881	881		
		D	2	26	227.2	- 290.2	265.4	20	473	- 548	515	1068	- 1480	1305	
		D	3	88	240.0	- 298.2	274.5	27	453	- 574	518	1150	- 1521	1330	
		D	4	1	290.0	- 290.0	290.0	N/Q	547	- 547	547	1566	- 1566	1566	
540+		C	3	3	275.6	- 288.0	279.7	N/Q	510	- 533	518	1502	- 1757	1587	
		C	4	6	290.0	- 291.2	290.4	-9	537	- 539	538	1654	- 1972	1844	
		D	3	11	255.2	- 285.2	279.7	N/Q	482	- 528	520	1429	- 1569	1543	
		D	4	32	270.0	- 293.2	283.1	N/Q	500	- 543	524	1566	- 1701	1642	
				255	200.0	314.0			453	582		600	1972		
Manufacturing Steer															

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-540		C	3	1	260.0	- 260.0	260.0	N/Q	482	- 482	482	1092	- 1092	1092
		D	2	2	230.2	- 260.0	245.1	N/Q	460	- 500	480	1174	- 1326	1250
	DA	D	2	1	258.0	- 258.0	258.0	N/Q	496	- 496	496	1342	- 1342	1342
		D	3	1	270.0	- 270.0	270.0	N/Q	509	- 509	509	1161	- 1161	1161
540+		C	4	16	296.2	- 296.2	296.2	N/Q	549	- 549	549	1718	- 1718	1718
	DA	D	3	8	243.2	- 243.2	243.2	N/Q	468	- 468	468	1411	- 1411	1411
				29	230.2	296.2			460	549		1092	1718	
Cows														
0-400		D	1	2	190.0	- 200.0	195.0	N/Q	422	- 444	433	640	- 684	662
		D	2	29	230.0	- 230.0	230.0	N/Q	489	- 489	489	782	- 782	782
		E	1	1	120.0	- 120.0	120.0	N/Q	267	- 267	267	456	- 456	456
400-520	RS	D	1	7	205.2	- 205.2	205.2	N/Q		-		841	- 841	841
	DA	D	1	2	170.0	- 170.0	170.0	N/Q	362	- 362	362	867	- 867	867
		D	1	48	180.0	- 227.2	216.8	N/Q	400	- 485	471	799	- 1000	906
		D	2	296	198.0	- 255.2	237.9	N/Q	413	- 532	495	794	- 1238	1089
		D	3	318	230.0	- 257.2	246.7	5	460	- 515	498	1039	- 1301	1197
		D	4	6	265.0	- 265.0	265.0	N/Q	510	- 510	510	1285	- 1285	1285
520+		C	3	1	282.2	- 282.2	282.2	N/Q	543	- 543	543	1580	- 1580	1580
		C	4	5	268.0	- 268.0	268.0	N/Q	515	- 515	515	1461	- 1461	1461
	DA	D	2	15	249.2	- 249.2	249.2	N/Q	498	- 498	498	1794	- 1794	1794
		D	3	105	200.0	- 258.0	251.8	2	400	- 506	495	1060	- 1581	1377
		D	4	366	250.0	- 266.2	258.5	-7	490	- 522	504	1373	- 1935	1510
		D	5	15	254.6	- 254.6	254.6	-4	499	- 499	499	1833	- 1833	1833
				1216	120.0	282.2			267	543		456	1935	
Bulls														
0-450	RS	C	1	36	292.6	- 292.6	292.6	N/Q		-		761	- 761	761
		C	2	17	255.0	- 255.0	255.0	N/Q	472	- 472	472	893	- 893	893
		D	2	51	246.2	- 258.2	246.9	N/Q	456	- 478	461	591	- 886	819
	RS	D	2	8	268.2	- 268.2	268.2	N/Q		-		644	- 644	644
450-600		C	2	11	275.0	- 290.0	288.2	9	509	- 537	532	1320	- 1595	1568
		D	4	92	250.2	- 256.0	254.9	N/Q	491	- 502	500	1339	- 1536	1454
600+		B	2	65	292.6	- 327.2	314.0	N/C	505	- 564	537	2310	- 3696	2721
		C	2	26	250.0	- 307.6	294.5	64	463	- 552	521	1513	- 2928	2294
		C	3	3	300.2	- 305.0	302.5	5	500	- 517	507	3002	- 3324	3176
		C	4	1	238.2	- 238.2	238.2	N/Q	433	- 433	433	1810	- 1810	1810
		D	2	1	240.0	- 240.0	240.0	N/Q	436	- 436	436	1824	- 1824	1824
				311	238.2	327.2			433	564		591	3696	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.