

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 06 Oct 2015

Yarding Change ³²⁶⁰
800

comparison date 29/09/2015

Number lifted and the quality was mostly good, with prime cattle well supplied. Yearling heifers were in good numbers and there was reasonable numbers of steers which were mainly purchased by feedlot orders. There also was an increase in the number of grown steers and bullocks. 1,100 cows were drawn for. All the usual buyers attended but not all operated in a cheaper market.

Veal to the trade eased 10c, selling from 280c to 339c/kg. Restockers paid to 344.6c/kg for medium weight steers. Heavy trade steers were steady and the medium weights were 2c cheaper and sold to 314c/kg. Trade heifers were 2c easier on the medium weights and 15c cheaper on the heavy weights, receiving 270c to 309c/kg. Feeder steers and heifers lost 15c to 20c on the medium and heavy drafts, with steers ranging from 290c to 348c and heifers selling from 250c to 316c/kg.

Grown steers and bullocks fell 25c to 30c on the heavier runs, ranging between 268c and 310c/kg for most. Grown heifers eased at a similar rate, with most receiving between 260c and 275c/kg. Medium weight cows were steady with the 2 scores averaging 220c/kg. The heavy 3 and 4 scores were back 6c to 7c, selling between 230c and 268c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	1	13	302.2	- 302.2	302.2	N/Q	581	- 581	581	242	- 242	242
	RS	C	1	11	310.0	- 310.0	310.0	N/Q		-		233	- 233	233
80+	RS	C	1	6	306.2	- 306.2	306.2	N/Q		-		276	- 276	276
				30	302.2	310.0			581	581		233	276	
Vealer Steer														
200-280		C	2	20	220.0	- 339.2	333.2	N/Q	423	- 628	618	572	- 916	899
	FD	C	2	2	260.0	- 260.0	260.0	N/Q		-		702	- 702	702
	RS	C	2	14	260.0	- 344.6	313.5	N/Q		-		660	- 913	786
	RS	D	1	9	240.0	- 240.0	240.0	N/Q		-		528	- 528	528
280-330	RS	C	3	11	339.6	- 339.6	339.6	N/Q		-		1121	- 1121	1121
		C	3	14	300.0	- 340.0	328.4	N/Q	556	- 630	608	900	- 1088	1042
				70	220.0	344.6			423	630		528	1121	
Vealer Heifer														
0-200		D	2	1	200.0	- 200.0	200.0	N/Q	385	- 385	385	400	- 400	400
		E	1	1	60.0	- 60.0	60.0	N/Q	158	- 158	158	48	- 48	48
200-280	RS	C	2	16	284.2	- 295.2	293.8	N/Q		-		639	- 812	790
		C	2	5	280.0	- 314.6	293.8	N/Q	519	- 583	544	784	- 802	791
		C	3	1	311.2	- 311.2	311.2	N/Q	576	- 576	576	871	- 871	871
	RS	D	2	24	230.2	- 290.2	261.6	N/Q		-		483	- 769	583
280-330		C	2	5	305.2	- 305.2	305.2	N/Q	576	- 576	576	977	- 977	977
		C	3	5	300.0	- 315.2	312.2	N/Q	556	- 584	578	855	- 1009	978
330+		C	3	5	315.2	- 315.2	315.2	N/Q	584	- 584	584	1072	- 1072	1072
				63	60.0	315.2			158	584		48	1072	
Yearling Steer														
200-280	FD	C	2	30	343.6	- 343.6	343.6	N/Q		-		928	- 928	928
	FD	D	2	11	250.0	- 309.2	303.8	N/Q		-		650	- 742	734
		D	2	3	220.0	- 220.0	220.0	N/Q	440	- 440	440	572	- 572	572

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330		C	2	2	222.2	- 290.0	256.1	N/Q	427	- 558	493	711	- 870	791
	FD	C	2	44	280.0	- 348.0	329.5	N/Q		-		840	- 1114	1056
	RS	C	2	3	284.6	- 284.6	284.6	N/Q		-		854	- 854	854
	FD	C	3	11	290.0	- 290.0	290.0	-48		-		928	- 928	928
	RS	D	2	3	288.6	- 288.6	288.6	N/Q		-		924	- 924	924
	FD	D	3	1	220.0	- 220.0	220.0	N/Q		-		704	- 704	704
330-400	FD	C	2	62	286.0	- 317.6	312.1	N/Q		-		1058	- 1194	1127
	RS	C	2	59	294.2	- 340.0	336.7	N/Q		-		1059	- 1173	1155
	FD	C	3	76	300.0	- 330.0	314.0	-24		-		1110	- 1254	1176
		C	3	37	240.0	- 330.0	317.2	-2	453	- 611	588	912	- 1271	1157
	RS	D	2	1	230.0	- 230.0	230.0	N/Q		-		771	- 771	771
400+	RS	C	2	2	260.0	- 260.0	260.0	N/Q		-		1144	- 1144	1144
	FD	C	2	19	290.0	- 302.0	295.7	N/Q		-		1200	- 1268	1236
	FD	C	3	108	280.0	- 320.0	314.1	-27		-		1204	- 1468	1387
		C	3	86	285.0	- 315.0	301.0	11	528	- 583	555	1238	- 1562	1422
		C	4	33	295.2	- 314.0	309.1	N/Q	547	- 571	563	1299	- 1539	1487
	FD	C	4	12	297.6	- 297.6	297.6	N/Q		-		1399	- 1399	1399
					603	220.0	348.0		427	611		572	1562	
Yearling Heifer														
200-280	FD	C	2	21	271.2	- 271.2	271.2	N/Q		-		732	- 732	732
	RS	D	1	7	183.2	- 183.2	183.2	N/Q		-		403	- 403	403
	RS	D	2	19	287.2	- 287.2	287.2	N/Q		-		747	- 747	747
	FD	D	2	8	280.2	- 280.2	280.2	N/Q		-		729	- 729	729
280-330	FD	C	2	42	242.2	- 280.0	260.9	N/Q		-		731	- 840	796
	RS	C	2	26	283.2	- 294.2	290.8	N/Q		-		807	- 883	859
		C	3	13	295.0	- 304.6	299.8	-16	546	- 564	555	930	- 975	957
	RS	D	1	16	172.6	- 172.6	172.6	N/Q		-		518	- 518	518
330-400	RS	C	2	19	220.0	- 260.0	239.8	N/Q		-		770	- 988	856
		C	2	1	280.0	- 280.0	280.0	N/Q	528	- 528	528	938	- 938	938
	FD	C	2	43	270.0	- 316.0	294.0	N/Q		-		921	- 1201	1027
	FD	C	3	47	284.0	- 320.0	304.3	-11		-		1093	- 1221	1176
		C	3	103	280.0	- 314.2	295.8	-2	519	- 582	548	952	- 1194	1064
	RS	C	3	3	310.0	- 310.0	310.0	N/Q		-		1116	- 1116	1116
		C	4	12	300.0	- 300.0	300.0	N/Q	556	- 556	556	1080	- 1080	1080
		D	2	18	200.0	- 223.2	206.4	N/Q	426	- 429	427	760	- 770	763
	FD	D	2	7	230.0	- 230.0	230.0	N/Q		-		794	- 794	794
	FD	D	3	6	240.0	- 240.0	240.0	N/Q		-		828	- 828	828
400+		D	3	8	170.0	- 170.0	170.0	N/Q	340	- 340	340	646	- 646	646
		C	2	5	265.0	- 265.0	265.0	N/Q	510	- 510	510	1140	- 1140	1140
	FD	C	2	19	269.6	- 295.0	280.7	N/Q		-		1159	- 1254	1238
	FD	C	3	64	250.0	- 305.0	291.2	-19		-		1150	- 1316	1254
		C	3	82	260.0	- 309.2	292.9	-24	482	- 573	543	1118	- 1500	1319
		C	4	10	301.2	- 301.2	301.2	N/Q	558	- 558	558	1295	- 1295	1295
	FD	C	4	8	280.0	- 300.0	292.5	N/Q		-		1247	- 1316	1278

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	D	2	3	220.0	- 220.0	220.0	N/Q	-			902	- 902	902
	RS	D	2	1	250.0	- 250.0	250.0	N/Q	-			1075	- 1075	1075
		D	3	11	200.0	- 286.2	259.2	N/Q	385	- 540	489	891	- 1317	1157
				622	170.0	320.0			340	582		403	1500	
Grown Steer														
400-500		C	2	3	220.0	- 250.0	240.0	N/Q	423	- 481	462	924	- 1200	1108
	FD	C	2	1	259.2	- 259.2	259.2	N/Q	-			1115	- 1115	1115
	FD	C	3	8	267.2	- 267.2	267.2	-56	-			1229	- 1229	1229
		C	3	33	230.0	- 301.2	291.9	-30	434	- 558	541	966	- 1446	1397
		C	4	10	275.2	- 300.0	285.1	-36	510	- 556	528	1321	- 1440	1369
500-600		C	3	113	268.0	- 307.2	288.9	-41	496	- 569	535	1474	- 1720	1579
		C	4	30	300.0	- 310.0	305.7	-12	556	- 574	566	1736	- 1740	1738
600-750		C	3	3	280.0	- 288.2	285.5	N/Q	519	- 534	529	1736	- 1787	1770
		C	4	46	282.0	- 297.2	288.2	-32	522	- 550	534	1748	- 1859	1821
				247	220.0	310.0			423	574		924	1859	
Grown Heifer														
0-540	FD	C	2	3	270.0	- 270.0	270.0	N/Q	-			1242	- 1242	1242
		C	2	13	200.0	- 230.0	202.3	N/Q	400	- 442	403	840	- 1001	852
		C	3	41	260.0	- 290.2	277.3	-24	482	- 537	514	1210	- 1472	1261
	FD	C	3	30	270.0	- 290.2	285.6	-34	-			1155	- 1303	1277
		C	4	19	230.0	- 283.2	269.7	N/Q	426	- 524	499	1047	- 1473	1390
		D	2	35	176.0	- 244.8	194.6	N/Q	375	- 471	401	703	- 1053	786
	FD	D	2	2	240.0	- 240.0	240.0	N/Q	-			1008	- 1008	1008
	FD	D	3	5	250.0	- 267.6	260.6	N/Q	-			1300	- 1392	1355
		D	3	58	230.0	- 267.2	254.6	25	443	- 520	489	1058	- 1431	1293
		D	4	8	274.0	- 274.0	274.0	-11	507	- 507	507	1480	- 1480	1480
540+		C	3	6	275.0	- 275.6	275.1	-30	509	- 510	509	1502	- 1540	1534
		C	4	16	270.0	- 285.0	275.3	-25	500	- 528	510	1596	- 1705	1693
		D	4	5	258.0	- 258.0	258.0	-38	496	- 496	496	1496	- 1496	1496
				241	176.0	290.2			375	537		703	1705	
Manufacturing Steer														
0-540	DA	D	2	2	225.0	- 225.0	225.0	N/Q	450	- 450	450	1170	- 1170	1170
540+		C	3	3	255.0	- 255.0	255.0	N/Q	481	- 481	481	1454	- 1454	1454
	DA	D	3	7	271.6	- 271.6	271.6	N/Q	513	- 513	513	1847	- 1847	1847
				12	225.0	271.6			450	513		1170	1847	
Cows														
0-400	FD	D	1	3	120.0	- 120.0	120.0	N/Q	-			432	- 432	432
		D	1	12	130.0	- 193.6	184.4	N/Q	296	- 421	403	442	- 736	696
400-520		D	1	13	160.0	- 186.0	181.9	N/Q	348	- 404	396	656	- 768	747
	RS	D	1	6	175.2	- 175.2	175.2	N/Q	-			727	- 727	727
	RS	D	2	6	239.2	- 239.2	239.2	N/Q	-			1160	- 1160	1160
		D	2	84	195.0	- 238.0	219.4	7	415	- 496	464	809	- 1142	998
		D	3	111	225.0	- 248.0	240.6	2	450	- 506	490	1035	- 1288	1181
		D	4	3	245.0	- 245.0	245.0	-8	480	- 480	480	1274	- 1274	1274
520+		C	3	9	262.0	- 262.0	262.0	N/Q	494	- 504	501	1415	- 1624	1485

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	2	5	210.0	- 210.0	210.0	-17	438	- 438	438	1113	- 1113	1113
		D	3	60	230.0	- 268.0	244.1	-7	460	- 515	485	1219	- 1501	1323
		D	4	296	244.0	- 266.0	253.6	-6	475	- 512	495	1334	- 1754	1504
		D	5	10	230.0	- 250.0	239.1	-22	451	- 490	469	1525	- 1722	1598
				618	120.0	268.0			296	515		432	1754	
Bulls														
0-450		C	2	4	225.0	- 265.0	247.8	-11	417	- 482	457	964	- 1113	1019
	RS	D	2	9	250.0	- 250.0	250.0	N/Q	-	-	-	700	- 700	700
		D	2	1	220.0	- 220.0	220.0	N/Q	407	- 407	407	924	- 924	924
450-600	RS	C	2	11	266.2	- 266.2	266.2	N/Q	-	-	-	1278	- 1278	1278
		C	2	18	265.0	- 275.0	268.9	-18	473	- 500	479	1352	- 1650	1527
		D	2	1	230.0	- 230.0	230.0	N/Q	426	- 426	426	1311	- 1311	1311
600+		B	2	47	287.2	- 320.2	295.6	-34	497	- 536	507	1752	- 3362	2243
		C	2	21	250.2	- 300.0	277.6	-35	448	- 517	494	1676	- 2716	1998
				112	220.0	320.2			407	536		700	3362	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.