

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 08 Oct 2015

Yarding Change $\frac{7600}{300}$

comparison date 01/10/2015

There was a slight lift in numbers and the quality was good although there was a slight increase in secondary cattle. Yearlings were well supplied along with a bigger run of grown steers and nearly 1,000 cows. The buying group was smaller and some did not operate fully in a cheaper market.

Most of the vealers went to restockers with the best price 313c/kg for medium weight vealer steers. Trade yearling steers were back 20c, selling from 288c to 310c/kg. Trade heifers eased up to 30c with the medium and heavy weights from 260c to 296c/kg. Feeder steers were down 20c, ranging from 280c to 315c/kg. Medium weights to restockers reached 320c/kg. Feeder heifers dropped 30c with most selling between 265c and 309c/kg.

Grown steers and bullocks were back 20c to 30c with the steers over 500kg ranging from 275c to 301c/kg. Grown heifers slipped 15c to 20c averaging around 260c/kg. Cows were back 30c across most grades with the medium weight 2 scores 194c to 214c/kg. Heavy 3 and 4 scores 210c to 240c with an isolated sale to 252c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
Undefined		D	1	1	132.0	- 132.0	132.0	N/Q	300	- 300	300	541	- 541	541
0-80	RS	C	1	1	177.6	- 177.6	177.6	N/Q	-	-	-	133	- 133	133
80+	RS	C	1	4	280.2	- 280.2	280.2	N/Q	-	-	-	336	- 336	336
	RS	C	2	1	200.0	- 200.0	200.0	N/Q	-	-	-	260	- 260	260
				7	132.0	280.2			300	300		133	541	
Vealer Steer														
0-200	RS	C	1	28	312.2	- 312.2	312.2	N/Q	-	-	-	468	- 468	468
	RS	D	2	3	258.0	- 258.0	258.0	N/Q	-	-	-	464	- 464	464
200-280	RS	C	2	37	270.0	- 313.2	296.4	-44	-	-	-	588	- 824	745
280-330		C	2	22	308.0	- 308.0	308.0	N/Q	592	- 592	592	924	- 924	924
	FD	C	2	15	305.0	- 305.0	305.0	N/C	-	-	-	915	- 915	915
330+		C	3	2	290.0	- 290.2	290.1	N/Q	537	- 537	537	1001	- 1044	1023
				107	258.0	313.2			537	592		464	1044	
Vealer Heifer														
0-200	RS	C	2	1	270.0	- 270.0	270.0	N/Q	-	-	-	540	- 540	540
	RS	D	1	38	210.2	- 247.2	240.2	-70	-	-	-	357	- 445	398
		D	2	1	190.0	- 190.0	190.0	N/Q	365	- 365	365	304	- 304	304
200-280		C	2	30	260.2	- 273.0	265.4	-30	500	- 524	515	546	- 669	573
	RS	C	2	27	280.2	- 280.2	280.2	-2	-	-	-	729	- 729	729
	RS	D	2	19	261.2	- 261.2	261.2	-30	-	-	-	705	- 705	705
280-330	RS	C	2	2	290.0	- 290.0	290.0	N/Q	-	-	-	899	- 899	899
				118	190.0	290.0			365	524		304	899	
Yearling Steer														
0-200	RS	D	1	2	138.0	- 138.0	138.0	N/Q	-	-	-	221	- 221	221
200-280	RS	D	2	43	260.2	- 278.2	268.1	-53	-	-	-	677	- 738	707
280-330	FD	C	2	153	260.2	- 314.2	301.7	-17	-	-	-	820	- 1005	966
	RS	C	2	78	260.0	- 314.2	291.6	-43	-	-	-	806	- 1005	928

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	2	2	283.0	- 283.0	283.0	N/Q	544	- 544	544	906	- 906	906
	RS	C	3	4	298.2	- 308.2	303.2	N/Q		-		924	- 971	948
	DA	D	1	6	200.0	- 200.0	200.0	N/Q	417	- 417	417	640	- 640	640
330-400	RS	C	2	105	313.2	- 320.6	317.6	-5		-		1084	- 1213	1131
	FD	C	2	369	280.0	- 316.0	306.9	-23		-		952	- 1237	1119
		C	2	18	252.2	- 287.2	276.0	-16	485	- 552	531	908	- 1106	1014
		C	3	7	290.0	- 294.0	293.4	-21	537	- 544	543	1117	- 1117	1117
	FD	C	3	154	286.2	- 318.2	305.9	-26		-		1066	- 1220	1128
	RS	C	3	33	310.0	- 317.2	312.9	N/Q		-		1094	- 1201	1176
	RS	D	2	50	220.0	- 266.0	260.7	19		-		737	- 922	896
	FD	D	2	12	264.0	- 264.0	264.0	-39		-		964	- 964	964
400+	FD	C	2	250	280.0	- 315.2	301.1	-25		-		1148	- 1418	1302
	RS	C	2	12	299.0	- 299.0	299.0	-32		-		1301	- 1301	1301
	FD	C	3	555	271.2	- 314.2	299.4	-33		-		1222	- 1518	1348
	RS	C	3	3	304.0	- 304.0	304.0	N/Q		-		1398	- 1398	1398
		C	3	210	270.0	- 310.0	295.7	-27	500	- 574	548	1210	- 1582	1463
		C	4	37	265.0	- 295.0	291.6	-35	491	- 543	532	1378	- 1593	1558
	FD	C	4	13	290.0	- 290.0	290.0	N/Q		-		1624	- 1624	1624
				2116	138.0	320.6			417	574		221	1624	
Yearling Heifer														
0-200	RS	D	1	6	150.6	- 150.6	150.6	N/Q		-		271	- 271	271
200-280	RS	C	2	24	270.0	- 271.2	270.2	-5		-		705	- 756	749
		D	1	1	100.0	- 100.0	100.0	N/Q	200	- 200	200	250	- 250	250
	RS	D	2	12	230.0	- 250.0	236.4	-24		-		591	- 675	643
280-330	RS	C	2	75	260.0	- 290.0	280.1	N/Q		-		806	- 928	892
		C	2	18	265.0	- 276.0	274.2	-19	510	- 521	519	848	- 883	877
	FD	C	2	50	270.0	- 293.2	287.4	-21		-		864	- 953	923
		C	3	3	277.2	- 277.2	277.2	-34	513	- 513	513	887	- 887	887
	FD	D	2	21	235.0	- 235.0	235.0	-70		-		764	- 764	764
	RS	D	2	17	231.0	- 261.0	250.4	-17		-		716	- 809	776
330-400	RS	C	2	26	254.2	- 286.0	282.3	-22		-		890	- 1015	1004
		C	2	29	255.0	- 281.0	267.7	-31	490	- 540	515	878	- 962	913
	FD	C	2	275	257.2	- 289.2	278.5	-33		-		874	- 1086	992
	RS	C	3	69	285.0	- 296.2	289.4	N/Q		-		969	- 1126	1030
	FD	C	3	94	273.2	- 280.2	278.3	-36		-		915	- 1061	1037
		C	3	106	250.0	- 293.0	279.1	-32	463	- 543	519	900	- 1113	1006
	RS	D	2	16	220.0	- 259.2	247.0	14		-		737	- 881	836
		D	2	6	245.0	- 245.0	245.0	-23	471	- 471	471	943	- 943	943
		D	3	17	228.2	- 294.2	255.6	-24	439	- 566	495	787	- 1118	920
400+	FD	C	2	67	266.2	- 285.6	280.4	-25		-		1145	- 1285	1199
		C	3	170	250.0	- 296.0	274.8	-37	463	- 548	509	1050	- 1501	1321
	FD	C	3	155	273.2	- 309.2	281.8	-27		-		1134	- 1360	1217
		C	4	42	264.2	- 275.2	272.6	-31	480	- 510	502	1266	- 1416	1336
		D	2	1	260.0	- 260.0	260.0	N/Q	510	- 510	510	1066	- 1066	1066

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	3	44	263.2	- 274.2	270.5	-5	497	- 517	510	1132	- 1398	1298
	FD	D	3	4	245.0	- 245.0	245.0	N/Q	-			1127	- 1127	1127
					1348	100.0	309.2		200	566		250	1501	
Grown Steer														
0-400	FD	C	2	15	278.0	- 278.0	278.0	-63	-			973	- 973	973
	RS	D	2	9	185.0	- 185.0	185.0	N/Q	-			675	- 675	675
400-500	FD	C	2	111	271.2	- 313.2	289.9	-17	-			1112	- 1472	1265
		C	2	90	258.2	- 274.2	262.2	-10	487	- 527	504	1191	- 1316	1210
	FD	C	3	5	287.2	- 287.2	287.2	N/Q	-			1379	- 1379	1379
		C	3	3	297.0	- 297.0	297.0	-14	550	- 550	550	1426	- 1426	1426
500-600		C	2	19	280.2	- 280.2	280.2	-20	539	- 539	539	1457	- 1457	1457
	FD	C	3	65	290.0	- 296.2	293.7	-18	-			1589	- 1711	1678
		C	3	199	275.0	- 300.0	290.4	-25	509	- 556	538	1406	- 1740	1608
		C	4	37	278.6	- 298.2	285.5	-30	516	- 552	529	1582	- 1759	1626
	FD	C	4	27	293.2	- 296.2	295.0	N/Q	-			1525	- 1688	1622
600-750		C	3	11	270.0	- 299.2	289.9	-19	500	- 544	535	1674	- 1855	1798
		C	4	61	278.2	- 301.2	290.7	-19	515	- 548	534	1728	- 2052	1944
					652	185.0	313.2		487	556		675	2052	
Grown Heifer														
0-540	FD	C	2	18	260.0	- 260.0	260.0	-35	-			1144	- 1144	1144
		C	2	61	245.0	- 272.2	264.0	-14	471	- 536	511	1126	- 1307	1199
	FD	C	3	28	270.0	- 270.0	270.0	N/Q	-			1188	- 1188	1188
		C	3	77	230.0	- 275.0	258.6	-28	434	- 519	480	1058	- 1367	1333
		C	4	9	269.2	- 272.0	269.8	-44	499	- 504	500	1400	- 1469	1415
		D	1	4	186.2	- 186.2	186.2	N/Q	405	- 405	405	763	- 763	763
		D	2	23	213.2	- 255.0	241.1	-24	410	- 531	498	895	- 1071	1013
		D	3	87	237.0	- 275.6	258.9	-16	462	- 520	487	995	- 1461	1234
		D	4	1	231.2	- 231.2	231.2	N/Q	436	- 436	436	1064	- 1064	1064
540+		C	4	5	253.0	- 266.0	258.2	-32	469	- 493	478	1467	- 1543	1498
		D	3	10	270.0	- 270.0	270.0	-10	500	- 500	500	1512	- 1512	1512
		D	4	9	257.0	- 270.0	266.2	-17	476	- 500	493	1439	- 1782	1664
					332	186.2	275.6		405	536		763	1782	
Manufacturing Steer														
0-540		D	2	6	150.2	- 150.2	150.2	-95	313	- 313	313	541	- 541	541
		D	3	5	240.0	- 240.0	240.0	-30	444	- 444	444	1164	- 1164	1164
540+	DA	D	2	2	228.2	- 228.2	228.2	N/Q	475	- 475	475	1324	- 1324	1324
		D	3	8	217.0	- 217.0	217.0	N/Q	417	- 417	417	1345	- 1345	1345
					21	150.2	240.0		313	475		541	1345	
Cows														
0-400	RS	D	1	37	185.2	- 185.2	185.2	N/Q	-			704	- 704	704
		D	1	10	120.0	- 148.0	143.7	-51	273	- 322	317	456	- 570	553
400-520		C	3	4	240.0	- 240.0	240.0	N/Q	462	- 462	462	1104	- 1104	1104
		D	1	69	120.0	- 195.0	175.9	-41	261	- 424	387	504	- 800	730
		D	2	138	178.0	- 230.2	199.6	-38	396	- 480	423	748	- 1139	897
		D	3	140	206.0	- 235.0	221.2	-25	400	- 470	442	998	- 1222	1086

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
520+	DA	D	2	1	195.2	- 195.2	195.2	N/Q	415	- 415	415	1210	- 1210	1210	
		D	3	145	210.0	- 238.2	227.2	-25	420	- 470	450	1113	- 1358	1249	
		D	4	410	224.2	- 252.2	231.0	-27	431	- 485	448	1219	- 1841	1338	
		D	5	15	222.0	- 230.0	225.5	-29	427	- 442	435	1310	- 1610	1502	
				969	120.0	252.2		261	485		456	1841			
Bulls															
0-450	FD	C	2	17	278.0	- 278.0	278.0	N/Q				1168	- 1168	1168	
		RS	C	2	16	235.0	- 235.0	235.0	N/Q				846	- 846	846
			C	2	26	230.0	- 257.6	250.5	-5	426	- 477	464	598	- 979	794
450-600	RS	D	2	4	240.2	- 240.2	240.2	-28				432	- 432	432	
			C	2	26	245.0	- 280.0	273.4	-15	438	- 500	484	1372	- 1561	1493
600+	RS	D	1	1	100.0	- 100.0	100.0	N/Q	185	- 185	185	480	- 480	480	
		B	2	13	265.0	- 285.0	275.8	-38	442	- 495	475	2106	- 2744	2328	
		B	2	5	290.0	- 290.0	290.0	N/Q				2842	- 2842	2842	
		B	3	1	287.6	- 287.6	287.6	N/Q	479	- 479	479	2818	- 2818	2818	
		C	2	8	240.0	- 281.6	267.5	-27	429	- 494	469	1632	- 2295	1938	
				117	100.0	290.0		185	500		432	2842			

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.