

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### CTLX

report date 13 Oct 2015

Yarding Change <sup>2325</sup>  
-935

comparison date 06/10/2015

Cattle numbers were back, along with the quality. Yearlings were mostly lighter weights and prime cattle were in fewer numbers. Grown steers and bullocks were in limited numbers and there were more 2 and 4 tooth heifers offered. Not all the usual buyers operated in a cheaper market.

Vealer heifers eased 20c to 22c on most, with the best of the steers reaching 310c and the heifers to 304c/kg. Restockers paid up to 319c/kg for heavy steers. Heavy trade yearling steers were back 15c selling between 265c and 305c/kg. Trade heifers were back 16c to 18c, ranging from 252c to 284c and medium weight feeder heifers reached 287c/kg. Feeder steers were back 15c to 18c, with most selling from 258c to 319c and averaging around 295c/kg.

Grown steers and bullocks were back 9c, with a limited selection selling from 255c to 280c/kg. Most of the grown heifers with weight and cover ranged from 268c to 280c/kg. The cows had the biggest loss, falling 35c to 40c/kg. The 2 score medium weights sold from 162c to 192c and the heavy 3 and 4 scores received 191c to 222c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
0-80	RS	C	1	4	222.6	- 222.6	222.6	-87	-	-	-	145	- 145	145
80+	RS	C	1	3	240.0	- 250.0	243.3	-63	-	-	-	264	- 300	276
				<b>7</b>	<b>222.6</b>	<b>250.0</b>			<b>0</b>	<b>0</b>		<b>145</b>	<b>300</b>	
<b>Vealer Steer</b>														
0-200		C	1	6	260.0	- 260.0	260.0	N/Q	520	- 520	520	312	- 312	312
		C	2	5	230.0	- 250.0	246.0	N/Q	460	- 500	492	368	- 388	384
	RS	C	2	20	319.2	- 319.2	319.2	N/Q	-	-	-	575	- 575	575
		D	2	1	220.0	- 220.0	220.0	N/Q	440	- 440	440	352	- 352	352
200-280		C	2	5	255.0	- 277.2	272.8	-60	490	- 533	525	638	- 748	726
	FD	C	2	1	290.0	- 290.0	290.0	N/Q	-	-	-	754	- 754	754
	RS	C	2	16	270.0	- 280.0	271.3	-42	-	-	-	648	- 742	660
		D	2	1	150.0	- 150.0	150.0	N/Q	300	- 300	300	398	- 398	398
	RS	D	2	11	316.2	- 316.2	316.2	N/Q	-	-	-	648	- 648	648
280-330	FD	C	2	10	309.0	- 309.0	309.0	N/Q	-	-	-	927	- 927	927
	RS	C	2	12	319.2	- 319.2	319.2	N/Q	-	-	-	958	- 958	958
		C	3	1	310.0	- 310.0	310.0	N/Q	574	- 574	574	884	- 884	884
330+		C	3	7	304.2	- 304.2	304.2	N/Q	563	- 563	563	1156	- 1156	1156
				<b>96</b>	<b>150.0</b>	<b>319.2</b>			<b>300</b>	<b>574</b>		<b>312</b>	<b>1156</b>	
<b>Vealer Heifer</b>														
0-200		C	1	1	220.2	- 220.2	220.2	N/Q	440	- 440	440	264	- 264	264
		C	2	3	240.0	- 240.0	240.0	N/Q	480	- 480	480	348	- 348	348
	RS	D	2	2	207.6	- 207.6	207.6	N/Q	-	-	-	374	- 374	374
200-280	RS	C	2	9	265.0	- 275.0	271.7	-22	-	-	-	702	- 729	720
		C	2	13	215.2	- 295.2	256.1	-38	406	- 547	484	570	- 782	653
	FD	C	2	8	220.0	- 220.0	220.0	N/Q	-	-	-	528	- 528	528
		C	3	2	255.0	- 255.0	255.0	N/Q	472	- 472	472	714	- 714	714
	RS	D	2	8	249.2	- 249.2	249.2	-12	-	-	-	511	- 511	511

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
280-330	FD	C	2	14	284.2	- 284.2	284.2	N/Q	-	-	-	799	- 799	799	
		C	3	53	288.6	- 302.6	290.2	-22	534	- 550	537	866	- 968	906	
330+	RS	C	3	4	304.2	- 304.2	304.2	N/Q	-	-	-	1156	- 1156	1156	
		<b>117</b>	<b>207.6</b>	<b>304.2</b>	<b>406</b>	<b>550</b>	<b>264</b>	<b>1156</b>							
<b>Yearling Steer</b>															
200-280	FD	C	2	8	276.2	- 276.2	276.2	N/Q	531	- 531	531	732	- 732	732	
		C	2	13	240.0	- 303.2	263.9	-80	-	-	-	672	- 819	687	
		RS	C	2	1	240.0	- 240.0	240.0	N/Q	-	-	-	672	- 672	672
		D	1	1	50.0	- 50.0	50.0	N/Q	125	- 125	125	110	- 110	110	
		RS	D	2	2	229.2	- 229.2	229.2	N/Q	-	-	-	596	- 596	596
280-330	FD	C	2	60	247.2	- 309.4	291.0	-39	-	-	-	791	- 964	901	
		RS	C	2	8	285.2	- 285.2	285.2	1	-	-	-	856	- 856	856
		RS	D	2	2	230.0	- 251.2	240.6	N/Q	-	-	-	748	- 816	782
		FD	D	2	8	265.0	- 268.6	266.8	N/Q	-	-	-	822	- 860	841
330-400	FD	C	2	178	210.0	- 311.2	294.4	-18	-	-	-	798	- 1167	1063	
		C	2	3	250.0	- 277.2	268.1	N/Q	481	- 533	516	1000	- 1053	1036	
		C	3	5	275.0	- 307.0	281.4	-36	509	- 569	521	1059	- 1167	1080	
		FD	C	3	19	305.0	- 307.2	306.6	-7	-	-	-	1121	- 1159	1131
		RS	D	2	17	220.0	- 225.0	220.6	-9	-	-	-	737	- 810	746
		D	2	2	204.2	- 254.2	229.2	N/Q	408	- 489	449	817	- 864	841	
400+	FD	C	2	74	258.2	- 310.0	291.8	-4	-	-	-	1059	- 1488	1252	
		C	3	163	275.2	- 307.2	297.6	-16	-	-	-	1226	- 1444	1347	
		C	3	46	265.0	- 305.0	286.1	-15	491	- 565	530	1140	- 1607	1408	
		C	4	18	295.0	- 295.0	295.0	-14	546	- 546	546	1534	- 1534	1534	
		FD	D	3	1	270.0	- 270.0	270.0	N/Q	-	-	-	1161	- 1161	1161
		D	3	5	255.2	- 255.2	255.2	N/Q	473	- 473	473	1225	- 1225	1225	
<b>634</b>	<b>50.0</b>	<b>311.2</b>	<b>125</b>	<b>569</b>	<b>110</b>	<b>1607</b>									
<b>Yearling Heifer</b>															
0-200	RS	D	2	11	254.2	- 254.2	254.2	N/Q	-	-	-	458	- 458	458	
200-280	FD	C	2	8	224.2	- 224.2	224.2	N/Q	-	-	-	561	- 561	561	
		C	2	9	250.0	- 279.2	269.5	-2	-	-	-	625	- 726	692	
		C	3	6	255.0	- 255.0	255.0	N/Q	490	- 490	490	714	- 714	714	
		RS	D	2	37	257.2	- 257.2	257.2	-30	-	-	-	540	- 540	540
		FD	D	2	2	240.0	- 240.0	240.0	N/Q	-	-	-	648	- 648	648
280-330	FD	C	2	35	270.0	- 280.2	276.9	16	-	-	-	835	- 897	875	
		C	3	18	270.0	- 270.0	270.0	-30	500	- 500	500	864	- 864	864	
		FD	D	2	1	230.0	- 230.0	230.0	N/Q	-	-	-	748	- 748	748
		RS	D	2	14	225.6	- 272.2	265.5	N/Q	-	-	-	722	- 817	803
		D	2	1	200.0	- 200.0	200.0	N/Q	417	- 417	417	640	- 640	640	
330-400	FD	C	2	19	200.0	- 273.2	269.3	-11	385	- 525	518	720	- 1038	1021	
		C	2	78	219.0	- 287.2	269.2	-25	-	-	-	832	- 977	934	
		RS	C	2	1	248.2	- 248.2	248.2	N/Q	-	-	-	844	- 844	844
		C	3	28	270.0	- 283.2	277.6	-18	500	- 524	514	961	- 1076	1060	
		FD	C	3	10	272.2	- 278.2	274.6	-30	-	-	-	974	- 980	977

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+		C	4	4	255.0	- 255.0	255.0	-45	472	- 472	472	995	- 995	995
	FD	D	2	1	250.0	- 250.0	250.0	N/Q	-	-	-	838	- 838	838
		D	2	9	150.0	- 195.0	190.0	-16	319	- 390	382	540	- 741	719
		D	3	5	284.2	- 284.2	284.2	N/Q	526	- 526	526	1080	- 1080	1080
		C	2	8	259.2	- 259.2	259.2	-6	480	- 480	480	1076	- 1076	1076
		C	3	20	252.6	- 282.2	272.5	-20	468	- 523	505	1171	- 1314	1258
	FD	C	3	9	242.2	- 270.0	260.7	-30	-	-	-	1163	- 1215	1198
	RS	C	3	1	275.0	- 275.0	275.0	N/Q	-	-	-	1210	- 1210	1210
	C	4	10	230.0	- 270.0	265.0	-36	426	- 500	491	1104	- 1547	1345	
				<b>345</b>	<b>150.0</b>	<b>287.2</b>		<b>319</b>	<b>526</b>		<b>458</b>	<b>1547</b>		
<b>Grown Steer</b>														
400-500		C	2	2	210.0	- 210.0	210.0	N/Q	396	- 396	396	1008	- 1008	1008
	FD	C	2	2	272.0	- 272.0	272.0	N/Q	-	-	-	1142	- 1142	1142
	FD	C	3	5	246.4	- 246.4	246.4	-21	-	-	-	1133	- 1133	1133
		C	3	4	270.0	- 270.2	270.1	-22	500	- 500	500	1148	- 1242	1195
500-600		C	3	76	255.0	- 285.4	280.4	-9	479	- 529	520	1319	- 1608	1522
	FD	C	3	7	276.2	- 276.2	276.2	N/Q	-	-	-	1409	- 1409	1409
600-750		C	3	1	266.6	- 266.6	266.6	N/Q	494	- 494	494	1653	- 1653	1653
		C	4	33	258.0	- 280.6	272.4	-16	478	- 520	504	1796	- 1832	1809
				<b>130</b>	<b>210.0</b>	<b>285.4</b>		<b>396</b>	<b>529</b>		<b>1008</b>	<b>1832</b>		
<b>Grown Heifer</b>														
0-540		C	2	1	239.6	- 239.6	239.6	N/Q	461	- 461	461	910	- 910	910
	FD	C	2	27	207.2	- 246.0	219.1	-51	-	-	-	836	- 1056	907
	RS	C	2	1	200.0	- 200.0	200.0	N/Q	-	-	-	760	- 760	760
		C	3	7	210.0	- 274.2	234.1	-43	396	- 517	442	966	- 1481	1115
	FD	C	3	3	255.6	- 255.6	255.6	-30	-	-	-	1150	- 1150	1150
		C	4	7	258.6	- 258.6	258.6	-11	479	- 479	479	1345	- 1345	1345
		D	2	12	200.0	- 200.0	200.0	5	385	- 385	385	960	- 960	960
	FD	D	2	15	183.2	- 195.0	188.7	-51	-	-	-	705	- 858	777
	FD	D	3	2	220.0	- 220.0	220.0	N/Q	-	-	-	990	- 990	990
		D	3	48	197.4	- 264.2	232.8	-22	373	- 499	440	930	- 1374	1154
540+		C	3	3	268.2	- 268.2	268.2	-7	497	- 497	497	1502	- 1502	1502
		C	4	11	276.2	- 280.0	279.0	4	519	- 552	528	1526	- 1712	1577
		D	3	9	249.6	- 267.2	260.6	N/Q	462	- 510	491	1390	- 1603	1510
				<b>146</b>	<b>183.2</b>	<b>280.0</b>		<b>373</b>	<b>552</b>		<b>705</b>	<b>1712</b>		
<b>Manufacturing Steer</b>														
0-540		D	2	4	188.0	- 200.0	197.0	N/Q	376	- 385	383	865	- 920	906
				<b>4</b>	<b>188.0</b>	<b>200.0</b>		<b>376</b>	<b>385</b>		<b>865</b>	<b>920</b>		
<b>Cows</b>														
0-400		D	1	2	110.0	- 143.0	126.5	N/Q	250	- 325	288	418	- 515	466
		D	2	1	182.0	- 182.0	182.0	N/Q	387	- 387	387	692	- 692	692
		E	1	2	50.0	- 50.0	50.0	N/Q	114	- 114	114	170	- 170	170
400-520		D	2	65	162.0	- 192.2	183.0	-36	345	- 404	388	668	- 884	784
		D	3	65	186.0	- 208.0	199.4	-41	372	- 408	397	856	- 1030	975
520+		D	3	77	191.0	- 218.6	211.5	-33	375	- 429	414	1022	- 1352	1188

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	4	257	204.0	- 222.0	213.6	-40	394	- 435	412	1204	- 1760	1358
		D	5	12	189.2	- 200.0	192.8	-46	371	- 385	376	1249	- 1440	1312
				<b>481</b>	<b>50.0</b>	<b>222.0</b>			<b>114</b>	<b>435</b>		<b>170</b>	<b>1760</b>	
<b>Bulls</b>														
0-450		C	2	6	180.0	- 262.2	223.7	-24	321	- 486	407	684	- 1180	941
450-600		C	2	3	226.6	- 262.2	246.1	-23	405	- 468	440	1088	- 1363	1250
600+		B	2	19	251.2	- 278.0	267.5	-28	425	- 475	450	1988	- 2751	2345
		B	3	2	220.0	- 268.0	244.0	N/Q	367	- 447	407	2310	- 2948	2629
		C	1	1	180.0	- 180.0	180.0	N/Q	310	- 310	310	1170	- 1170	1170
		C	2	6	240.0	- 290.0	258.1	-19	421	- 483	451	1597	- 3480	2075
		C	3	1	240.0	- 240.0	240.0	N/Q	414	- 414	414	1608	- 1608	1608
				<b>38</b>	<b>180.0</b>	<b>290.0</b>			<b>310</b>	<b>486</b>		<b>684</b>	<b>3480</b>	

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.