

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Pakenham

report date 11 Jan 2016

Yarding Change  $\frac{1562}{733}$

comparison date 04/01/2016

There were approximately 660 export and 900 young cattle penned representing an increase of 730 head week-on-week. The regular domestic buyers and a larger field of exporters were operating in a dearer market. Quality was mixed with a limited but larger selection of prime cattle and a good supply of secondary young cattle suited to feed or restock. The larger selection of heavy weight vealers improved 10c/kg. Yearling steers to the trade gained up to 14c, while the medium weight feeder lines lifted 18c/kg. Yearling heifers to the trade held firm. Grown steers and bullocks sold from 5c dearer to mostly 10c/kg better.

Heavy weight vealers suited to butcher orders sold from 284c to 315c/kg. Yearling trade steers made between 286c and 315c/kg. Yearling heifers to the trade sold between 262c and 286c after a top of 308c/kg. Medium weight feeder steers made from 270c to 298c with the heifer portion from 260c to 296c/kg.

Grown steers sold from 280c to 303c/kg. Bullocks made between 273c and 297c/kg. Heavy weight crossbred manufacturing steers sold between 255c and 275c/kg for a limited selection.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Vealer Steer</b>														
200-280	FD	C	2	2	286.0	- 293.2	289.6	N/Q	-			772	- 821	797
280-330	FD	B	2	2	298.0	- 298.0	298.0	N/Q	-			894	- 894	894
		B	2	2	305.0	- 305.0	305.0	N/Q	545	- 545	545	1007	- 1007	1007
	FD	C	2	15	275.6	- 296.6	289.0	16	-			854	- 974	907
		C	3	8	295.0	- 306.6	300.3	13	536	- 558	546	947	- 1007	984
	FD	C	3	1	298.0	- 298.0	298.0	N/Q	-			954	- 954	954
330+		B	2	2	285.0	- 310.0	297.5	N/Q	509	- 535	522	1055	- 1101	1078
		B	3	6	310.0	- 315.0	311.7	6	535	- 553	539	1085	- 1178	1145
	FD	C	2	19	270.0	- 296.0	288.1	2	-			929	- 1036	997
		C	3	31	290.0	- 312.0	303.9	7	527	- 565	549	986	- 1200	1109
	FD	C	3	5	296.2	- 296.2	296.2	9	-			1007	- 1007	1007
	FD	D	3	2	285.6	- 285.6	285.6	N/Q	-			1014	- 1014	1014
				<b>95</b>	<b>270.0</b>	<b>315.0</b>			<b>509</b>	<b>565</b>		<b>772</b>	<b>1200</b>	
<b>Vealer Heifer</b>														
200-280		B	2	1	288.0	- 288.0	288.0	N/Q	514	- 514	514	792	- 792	792
		C	2	31	260.0	- 290.0	279.7	17	482	- 530	518	650	- 812	768
		C	3	1	291.6	- 291.6	291.6	N/Q	530	- 530	530	816	- 816	816
280-330		B	2	1	291.2	- 291.2	291.2	N/Q	520	- 520	520	932	- 932	932
		C	2	9	258.0	- 285.6	273.7	-13	478	- 529	507	828	- 900	862
	FD	C	2	13	275.0	- 286.6	277.9	10	-			828	- 946	847
		C	3	25	288.0	- 300.0	291.0	8	524	- 546	529	864	- 960	896
	FD	C	3	14	286.0	- 291.6	288.0	N/Q	-			887	- 962	914
330+		B	3	4	300.0	- 300.0	300.0	-12	536	- 536	536	1020	- 1020	1020
	FD	C	2	5	272.6	- 285.6	280.0	2	-			927	- 983	958
		C	2	7	276.0	- 290.0	278.9	-1	511	- 527	515	966	- 1030	986
	FD	C	3	3	288.0	- 288.0	288.0	2	-			1008	- 1008	1008
		C	3	31	284.0	- 312.0	297.4	13	516	- 557	540	993	- 1095	1033

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	D	3	3	270.0	- 270.0	270.0	N/Q	-			945	- 945	945
		D	3	7	276.6	- 277.6	277.2	10	512	- 514	513	968	- 972	970
			<b>155</b>		<b>258.0</b>		<b>312.0</b>		<b>478</b>		<b>557</b>	<b>650</b>		<b>1095</b>
<b>Yearling Steer</b>														
200-280	FD	C	2	8	275.6	- 282.0	279.6	28	-			677	- 772	712
	RS	D	2	2	246.6	- 246.6	246.6	N/Q	-			690	- 690	690
280-330	FD	C	2	17	272.0	- 293.6	280.8	15	-			816	- 969	901
	FD	D	1	5	215.6	- 215.6	215.6	N/Q	-			647	- 647	647
330-400		B	2	5	295.0	- 310.0	304.0	16	527	- 545	539	1062	- 1240	1119
		B	3	2	310.0	- 315.0	312.5	N/Q	535	- 543	539	1166	- 1240	1203
	RS	C	2	29	280.0	- 297.2	294.1	N/Q	-			1008	- 1134	1035
	FD	C	2	93	270.0	- 298.0	289.7	18	-			952	- 1152	1048
		C	2	7	280.0	- 296.0	287.1	7	519	- 548	525	1008	- 1144	1114
		C	3	10	295.0	- 310.0	303.7	14	531	- 554	544	1092	- 1178	1128
	FD	C	3	16	295.0	- 298.0	297.8	N/Q	-			1077	- 1192	1185
		D	3	6	260.0	- 285.0	280.8	-2	482	- 528	520	936	- 1140	1106
400+		B	3	1	300.0	- 300.0	300.0	N/Q	526	- 526	526	1350	- 1350	1350
		C	2	2	279.6	- 285.0	282.3	N/Q	518	- 528	523	1226	- 1230	1228
	FD	C	2	8	275.0	- 278.0	277.6	4	-			1210	- 1293	1282
		C	3	6	286.0	- 298.0	290.9	2	520	- 536	527	1344	- 1490	1387
	FD	C	3	10	292.0	- 292.0	292.0	N/Q	-			1256	- 1256	1256
			<b>227</b>		<b>215.6</b>		<b>315.0</b>		<b>482</b>		<b>554</b>	<b>647</b>		<b>1490</b>
<b>Yearling Heifer</b>														
200-280	FD	C	2	1	277.6	- 277.6	277.6	N/Q	-			777	- 777	777
		C	2	3	272.0	- 272.0	272.0	N/Q	504	- 504	504	707	- 707	707
		D	2	2	255.0	- 255.0	255.0	N/Q	490	- 490	490	612	- 612	612
	FD	D	3	5	274.0	- 274.0	274.0	N/Q	-			767	- 767	767
280-330	FD	C	2	13	280.2	- 280.2	280.2	N/Q	-			841	- 841	841
	RS	D	2	5	248.0	- 248.0	248.0	N/Q	-			744	- 744	744
	FD	D	2	17	245.6	- 265.0	253.8	12	-			805	- 875	828
		D	2	24	230.0	- 257.6	247.4	N/Q	442	- 495	476	690	- 842	767
		D	3	8	276.0	- 281.6	280.2	14	511	- 531	525	828	- 901	876
	FD	D	3	2	256.0	- 256.0	256.0	N/Q	-			768	- 768	768
330-400		B	2	1	308.0	- 308.0	308.0	N/Q	550	- 550	550	1109	- 1109	1109
	FD	C	2	25	276.0	- 296.0	290.0	25	-			980	- 1080	1036
	RS	C	2	4	281.2	- 281.2	281.2	N/Q	-			956	- 956	956
		C	2	1	288.0	- 288.0	288.0	N/Q	533	- 533	533	1037	- 1037	1037
	FD	C	3	1	288.0	- 288.0	288.0	N/Q	-			1008	- 1008	1008
	RS	D	2	7	235.2	- 257.6	248.0	14	-			835	- 1030	947
	FD	D	2	10	260.0	- 268.0	264.3	N/Q	-			936	- 1062	962
		D	2	21	230.0	- 265.0	246.1	1	442	- 510	471	832	- 954	877
		D	3	36	262.0	- 285.6	273.9	3	494	- 529	509	946	- 1100	1033
	FD	D	3	3	278.0	- 282.0	280.2	N/C	-			973	- 1038	1004
		D	4	2	242.6	- 255.0	248.8	N/Q	449	- 472	461	970	- 1020	995

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400+		B	3	1	290.0	- 290.0	290.0	N/Q	518	- 518	518	1276	- 1276	1276	
		C	3	1	290.0	- 290.0	290.0	N/Q	527	- 527	527	1276	- 1276	1276	
		D	3	77	266.6	- 276.6	274.5	N/C	494	- 519	510	1173	- 1300	1246	
		D	4	2	254.6	- 254.6	254.6	N/Q	472	- 472	472	1591	- 1591	1591	
				<b>272</b>	<b>230.0</b>	<b>308.0</b>		<b>442</b>	<b>550</b>		<b>612</b>	<b>1591</b>			
<b>Grown Steer</b>															
400-500		C	2	16	278.0	- 278.0	278.0	4	515	- 515	515	1321	- 1321	1321	
		FD	C	2	13	278.0	- 282.0	278.3	13	-	-	1251	- 1297	1255	
		FD	D	3	1	284.0	- 284.0	284.0	N/Q	-	-	1420	- 1420	1420	
			D	3	9	288.0	- 288.0	288.0	12	533	- 533	533	1354	- 1354	1354
500-600		C	2	14	281.6	- 284.0	282.9	9	522	- 526	524	1491	- 1690	1588	
		FD	C	3	35	302.6	- 302.6	302.6	N/Q	-	-	1695	- 1740	1723	
			C	3	35	292.0	- 300.0	296.9	N/Q	531	- 546	540	1606	- 1669	1630
			D	3	152	280.0	- 294.6	288.5	5	519	- 540	531	1470	- 1752	1660
	FD	D	3	30	290.0	- 290.0	290.0	6	-	-	1668	- 1668	1668		
600-750		C	2	2	273.0	- 273.0	273.0	N/Q	506	- 506	506	1775	- 1775	1775	
			C	3	52	282.0	- 291.6	289.6	N/Q	504	- 530	526	1813	- 1974	1867
			D	3	65	280.6	- 296.6	291.6	9	510	- 549	537	1788	- 1941	1867
				<b>424</b>	<b>273.0</b>	<b>302.6</b>		<b>504</b>	<b>549</b>		<b>1251</b>	<b>1974</b>			
<b>Grown Heifer</b>															
0-540		B	3	4	285.0	- 285.0	285.0	N/Q	518	- 518	518	1511	- 1511	1511	
			D	2	12	213.6	- 245.0	236.2	3	445	- 510	484	970	- 1164	1008
			D	3	6	245.0	- 268.0	255.9	-10	471	- 496	489	1054	- 1329	1252
540+			D	2	4	255.6	- 255.6	255.6	N/Q	511	- 511	511	1406	- 1406	1406
			D	3	6	270.0	- 270.0	270.0	10	500	- 500	500	1485	- 1485	1485
			D	4	6	261.6	- 266.6	263.3	33	503	- 503	503	1465	- 1466	1465
				<b>38</b>	<b>213.6</b>	<b>285.0</b>		<b>445</b>	<b>518</b>		<b>970</b>	<b>1511</b>			
<b>Manufacturing Steer</b>															
0-540			D	1	6	230.0	- 232.0	231.3	N/Q	460	- 464	463	874	- 1160	1065
			D	2	15	235.0	- 270.0	250.6	3	452	- 509	481	779	- 1269	1072
		RS	D	2	8	262.6	- 262.6	262.6	16	-	-	945	- 945	945	
		DA	D	2	1	235.0	- 235.0	235.0	N/Q	452	- 452	452	940	- 940	940
			D	3	2	253.6	- 285.6	269.6	N/Q	479	- 529	504	1167	- 1542	1354
		DA	E	2	1	203.2	- 203.2	203.2	N/Q	406	- 406	406	732	- 732	732
540+			D	3	14	255.0	- 275.0	267.4	2	472	- 509	495	1496	- 1658	1595
			D	4	2	226.0	- 226.0	226.0	N/Q	419	- 419	419	1582	- 1582	1582
				<b>49</b>	<b>203.2</b>	<b>285.6</b>		<b>406</b>	<b>529</b>		<b>732</b>	<b>1658</b>			
<b>Cows</b>															
400-520			D	1	3	205.0	- 205.0	205.0	N/Q	456	- 456	456	953	- 953	953
520+			D	2	3	212.0	- 212.0	212.0	N/Q	442	- 442	442	1166	- 1166	1166
			D	3	15	222.2	- 239.6	234.5	N/Q	454	- 479	471	1222	- 1318	1277
				<b>21</b>	<b>205.0</b>	<b>239.6</b>		<b>442</b>	<b>479</b>		<b>953</b>	<b>1318</b>			
<b>Bulls</b>															
0-450			C	2	1	226.0	- 226.0	226.0	N/Q	419	- 419	419	814	- 814	814
				<b>1</b>	<b>226.0</b>	<b>226.0</b>		<b>419</b>	<b>419</b>		<b>814</b>	<b>814</b>			

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.