

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 28 Jan 2016

Yarding Change 2100
-1930

comparison date 21/01/2016

With at least 60mm of rain in most districts numbers were back considerably on the expected draw. It was a mixed yarding, with a good selection of properly finished local cattle along with a fair percentage of plainer types in from the far west.

Young cattle to the trade were 8c to 10c dearer, with vealers selling to 334c for the steers and 325c/kg for the heifers. Prime heifer yearlings to the trade sold from 290c to 327c/kg. Young feeder cattle were 6c to 9c dearer, with the feeder steers selling from 301c to 345c while the feeder heifers sold from 280c to 317c/kg. Young steers to the restockers sold to 391c/kg.

The limited selection of grown steers was 5c dearer with the prime medium weights selling to 287c and averaging 285c/kg. The larger selection of grown heifers was 3c dearer, selling to 278c/kg. Light and medium weight cows were 4c to 5c/kg dearer while the prime heavy weights were firm. 2 score cows sold from 165c to 218c to the processors and 223c/kg to the restockers. The better 3 and 4 scores sold from 205c to 236c, with the 4 score heavy weights averaging 224c/kg. Bulls sold to 266c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	2	38	333.0	- 431.0	386.0	N/Q	-	-	-	172	- 299	208
		C	2	6	389.0	- 429.0	414.7	N/Q	748	- 825	797	193	- 256	245
80+		C	2	4	379.0	- 379.0	379.0	49	729	- 729	729	474	- 474	474
	RS	C	2	3	395.0	- 395.0	395.0	29	-	-	-	435	- 435	435
				51	333.0	431.0			729	825		172	474	
Vealer Steer														
0-200	RS	C	2	3	391.0	- 391.0	391.0	N/Q	-	-	-	723	- 723	723
200-280	RS	C	2	5	330.0	- 330.0	330.0	-10	-	-	-	809	- 809	809
	RS	C	3	6	345.0	- 345.0	345.0	N/Q	-	-	-	949	- 949	949
280-330	FD	C	2	2	337.0	- 337.0	337.0	N/Q	-	-	-	1095	- 1095	1095
		C	3	1	330.0	- 330.0	330.0	N/Q	623	- 623	623	941	- 941	941
	FD	C	3	4	320.0	- 320.0	320.0	N/Q	-	-	-	912	- 912	912
330+	RS	C	2	1	317.0	- 317.0	317.0	N/Q	-	-	-	1094	- 1094	1094
	FD	C	3	3	339.0	- 339.0	339.0	14	-	-	-	1237	- 1237	1237
		C	3	8	330.0	- 334.0	330.5	4	611	- 619	612	1286	- 1304	1301
				33	317.0	391.0			611	623		723	1304	
Vealer Heifer														
200-280		C	2	5	280.0	- 310.0	290.8	-2	539	- 585	557	686	- 775	706
	FD	C	2	3	317.0	- 317.0	317.0	21	-	-	-	808	- 808	808
280-330		C	3	10	311.0	- 320.0	313.4	1	587	- 604	591	886	- 944	900
330+		C	3	7	315.0	- 325.0	323.0	11	594	- 613	609	1089	- 1183	1123
	FD	C	3	6	323.0	- 323.0	323.0	N/Q	-	-	-	1227	- 1227	1227
				31	280.0	325.0			539	613		686	1227	
Yearling Steer														
0-200	FD	C	3	2	310.0	- 310.0	310.0	N/Q	-	-	-	543	- 543	543
200-280	FD	C	2	44	333.0	- 337.0	334.7	4	-	-	-	849	- 927	908
	RS	C	2	32	286.0	- 339.0	326.3	-3	-	-	-	586	- 898	831
	RS	D	3	4	315.0	- 315.0	315.0	N/Q	-	-	-	803	- 803	803

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	RS	C	2	48	293.0	- 337.0	327.5	30	-			835	- 1062	995
	FD	C	2	64	310.0	- 340.0	333.1	13	-			884	- 1089	1012
	FD	C	3	14	336.0	- 336.0	336.0	N/Q	-			1092	- 1092	1092
		D	2	5	158.0	- 158.0	158.0	N/Q	310	- 310	310	514	- 514	514
330-400	FD	C	2	63	290.0	- 345.0	323.0	6	-			1076	- 1263	1170
	RS	C	2	4	339.0	- 339.0	339.0	N/Q	-			1203	- 1203	1203
	FD	C	3	74	305.0	- 338.0	329.3	10	-			1055	- 1274	1202
		C	3	9	335.0	- 340.0	339.4	20	630	- 632	630	1156	- 1309	1292
	FD	D	3	6	320.0	- 320.0	320.0	N/Q	-			1168	- 1168	1168
400+	FD	C	2	24	310.0	- 329.0	324.1	11	-			1271	- 1433	1363
	FD	C	3	226	301.0	- 335.0	324.5	9	-			1374	- 1628	1469
		C	3	3	330.0	- 330.0	330.0	31	611	- 611	611	1502	- 1502	1502
	FD	C	4	15	310.0	- 310.0	310.0	N/Q	-			1581	- 1581	1581
				637	158.0	345.0			310	632		514	1628	
Yearling Heifer														
200-280	FD	C	2	44	307.0	- 311.0	310.0	20	-			742	- 844	773
	RS	C	2	47	300.0	- 315.0	308.5	N/Q	-			705	- 772	745
280-330	RS	C	2	56	293.0	- 315.0	308.0	N/Q	-			852	- 1024	982
	FD	C	3	19	317.0	- 317.0	317.0	16	-			1030	- 1030	1030
330-400	FD	C	2	6	290.0	- 310.0	300.0	5	-			1039	- 1117	1078
	FD	C	3	39	286.0	- 312.0	308.5	8	-			1022	- 1201	1128
		C	3	8	320.0	- 327.0	322.3	20	604	- 617	608	1143	- 1232	1184
400+	FD	C	2	6	260.0	- 306.0	298.3	N/Q	-			1079	- 1239	1213
		C	3	57	290.0	- 318.0	310.1	20	547	- 589	579	1262	- 1484	1366
	FD	C	3	35	280.0	- 312.0	303.2	8	-			1295	- 1499	1414
		D	3	11	220.0	- 220.0	220.0	N/Q	423	- 423	423	1683	- 1683	1683
				328	220.0	327.0			423	617		705	1683	
Grown Steer														
0-400	FD	C	2	9	306.0	- 307.0	306.7	6	-			1086	- 1090	1089
	RS	D	2	5	263.0	- 263.0	263.0	N/Q	-			750	- 750	750
400-500	FD	C	2	28	260.0	- 323.0	319.1	N/Q	-			1235	- 1470	1420
	FD	C	3	49	305.0	- 326.0	319.5	7	-			1388	- 1483	1432
	FD	C	4	18	302.0	- 315.0	305.6	N/Q	-			1465	- 1559	1491
		C	4	2	275.0	- 275.0	275.0	N/Q	519	- 519	519	1334	- 1334	1334
500-600		C	4	25	283.0	- 287.0	284.6	6	515	- 526	519	1585	- 1661	1608
	FD	C	4	15	300.0	- 300.0	300.0	16	-			1620	- 1620	1620
				151	260.0	326.0			515	526		750	1661	
Grown Heifer														
0-540	FD	C	2	28	270.0	- 295.0	285.2	N/Q	-			1077	- 1124	1101
		C	2	6	253.0	- 270.0	255.8	N/Q	477	- 509	483	878	- 1101	1063
	RS	C	2	16	250.0	- 311.0	303.4	20	-			933	- 1163	962
		C	3	57	245.0	- 303.0	273.0	-1	462	- 561	515	1070	- 1439	1263
	FD	C	3	7	286.0	- 295.0	288.6	21	-			1136	- 1359	1295
	RS	C	3	3	260.0	- 260.0	260.0	N/Q	-			1079	- 1079	1079

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+	FD	C	4	11	273.0	- 273.0	273.0	8	-			1433	- 1433	1433
		C	4	28	244.0	- 274.0	263.4	-2	460	- 507	489	1232	- 1439	1365
	FD	D	3	12	272.0	- 272.0	272.0	N/Q	-			1047	- 1047	1047
		D	3	15	240.0	- 247.0	243.7	N/Q	462	- 475	469	876	- 1149	1053
	RS	D	3	3	229.0	- 229.0	229.0	N/Q	-			653	- 653	653
		C	4	28	261.0	- 278.0	265.4	3	483	- 515	492	1550	- 1631	1582
				214	229.0	311.0			460	561		653	1631	
Cows														
0-400	RS	D	2	14	231.0	- 231.0	231.0	N/Q	-			889	- 889	889
		D	2	2	190.0	- 190.0	190.0	N/Q	432	- 432	432	732	- 732	732
400-520	RS	D	2	10	200.0	- 218.0	202.3	22	455	- 496	460	854	- 1057	885
		D	2	41	210.0	- 223.0	218.3	N/Q	-			901	- 1015	958
		DA	2	10	205.0	- 205.0	205.0	N/Q	466	- 466	466	994	- 994	994
520+	RS	D	3	59	222.0	- 230.0	228.3	5	-			1015	- 1055	1029
		D	3	87	205.0	- 229.0	221.8	4	436	- 487	472	983	- 1133	1051
		D	4	22	229.0	- 236.0	232.2	5	467	- 482	474	1111	- 1145	1126
	DA	D	2	8	165.0	- 165.0	165.0	5	375	- 375	375	883	- 883	883
		DA	D	3	17	215.0	- 220.0	219.1	N/Q	457	- 468	466	1258	- 1397
	RS	D	3	16	215.0	- 225.0	219.1	1	457	- 479	466	1129	- 1429	1166
		D	3	12	223.0	- 223.0	223.0	N/Q	-			1193	- 1193	1193
D		4	10	225.0	- 225.0	225.0	N/Q	-			1226	- 1226	1226	
		D	4	211	219.0	- 230.0	223.7	N/C	423	- 469	435	1150	- 1758	1346
		D	5	5	210.0	- 223.0	219.8	7	429	- 449	433	1177	- 1394	1334
			524	165.0	236.0			375	496		732	1758		
Bulls														
450-600		B	2	1	250.0	- 250.0	250.0	N/Q	463	- 463	463	1463	- 1463	1463
		C	2	8	213.0	- 235.0	220.4	N/Q	410	- 452	423	1069	- 1346	1183
600+		B	2	11	252.0	- 266.0	259.6	5	472	- 487	476	1651	- 2915	2260
		C	2	4	218.0	- 265.0	253.3	13	404	- 491	469	1815	- 2147	1898
			24	213.0	266.0			404	491		1069	2915		

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral CATTLE SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.