

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Dubbo

report date 25 Feb 2016

Yarding Change 3835  
-535

comparison date 18/02/2016

Once again there was a good selection of prime cattle in all sections, along with a fair percentage of plainer types in from the far west. Not all the regular buyers were in attendance, with absence of a couple of feeder orders.

Young cattle to the trade were 3c to 6c cheaper, with vealers selling to 333c/kg. Prime steer yearlings sold from 283c to 313c while the prime heifer yearlings sold to 305c/kg. Feeder steers were 2c to 4c cheaper while the feeder heifers were up to 10c/kg cheaper. Feeder steers sold from 295c to 332c while the feeder heifers sold from 270c to 312c/kg. Young steers to the restockers sold to 412c/kg.

Grown steers were up to 10c cheaper, with the prime medium and heavy weights selling from 270c to 305c/kg. Grown heifers sold to 285c/kg. The plainer conditioned cows were around firm while the properly finished cows were 1c/kg dearer. 2 score cows sold from 160c to 228c while the better 3 and 4 scores sold from 212c to 243c, with a single C muscle cow selling for 252c/kg. The 4 score heavy weight cows averaged 231c/kg. Heavy bulls sold to 266c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
<b>Calves</b>															
Undefined	RS	C	2	15	395.0	- 395.0	395.0	N/Q	-			1797	- 1797	1797	
0-80	RS	C	2	5	395.0	- 395.0	395.0	-82	-			296	- 296	296	
80+	RS	C	2	14	350.0	- 425.0	385.0	-35	-			298	- 424	388	
		C	2	31	340.0	- 370.0	352.6	N/Q	654	- 712	678	306	- 459	376	
				<b>65</b>	<b>340.0</b>	<b>425.0</b>			<b>654</b>	<b>712</b>		<b>296</b>	<b>1797</b>		
<b>Vealer Steer</b>															
0-200	RS	C	2	34	344.0	- 412.0	399.5	-54	-			605	- 824	743	
200-280	RS	C	2	65	251.0	- 378.0	340.5	-16	-			665	- 931	798	
		C	3	3	305.0	- 305.0	305.0	-9	576	- 576	576	717	- 717	717	
		FD	C	3	2	330.0	- 330.0	330.0	N/Q	-			842	- 842	842
280-330	RS	C	3	15	350.0	- 371.0	364.0	N/Q	-			753	- 835	807	
		C	2	9	336.0	- 336.0	336.0	-7	-			1092	- 1092	1092	
330+	RS	C	2	22	348.0	- 348.0	348.0	N/Q	-			1270	- 1270	1270	
				<b>150</b>	<b>251.0</b>	<b>412.0</b>			<b>576</b>	<b>576</b>		<b>605</b>	<b>1270</b>		
<b>Vealer Heifer</b>															
0-200	RS	C	2	85	292.0	- 336.0	326.4	-64	-			413	- 622	581	
		C	3	8	311.0	- 311.0	311.0	N/Q	598	- 598	598	606	- 606	606	
		D	2	12	325.0	- 325.0	325.0	N/Q	-			471	- 471	471	
200-280	RS	C	2	55	316.0	- 328.0	322.0	11	-			806	- 843	833	
		C	2	16	313.0	- 313.0	313.0	8	602	- 602	602	829	- 829	829	
		C	3	21	310.0	- 333.0	322.6	-10	589	- 617	605	749	- 822	776	
		D	3	18	231.0	- 231.0	231.0	N/Q	-			543	- 543	543	
		C	2	15	303.0	- 303.0	303.0	N/Q	-			864	- 864	864	
280-330	RS	C	2	5	276.0	- 276.0	276.0	N/Q	521	- 521	521	897	- 897	897	
		FD	C	3	8	301.0	- 301.0	301.0	N/Q	-			978	- 978	978
		C	3	8	312.0	- 317.0	314.9	25	587	- 594	591	898	- 1030	976	
		C	3	24	300.0	- 318.0	309.8	-3	566	- 589	581	1065	- 1318	1109	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	C	3	2	292.0	- 292.0	292.0	N/Q	-			1037	- 1037	1037
				<b>277</b>	<b>231.0</b>	<b>336.0</b>			<b>521</b>	<b>617</b>		<b>413</b>	<b>1318</b>	
<b>Yearling Steer</b>														
0-200	RS	C	2	15	342.0	- 342.0	342.0	N/Q	-			667	- 667	667
200-280	RS	C	2	17	310.0	- 345.0	340.9	14	-			791	- 880	869
280-330	RS	C	2	22	322.0	- 327.0	325.2	-6	-			932	- 1047	974
	FD	C	2	29	320.0	- 331.0	329.9	10	-			912	- 1076	1028
	RS	D	3	1	240.0	- 240.0	240.0	N/Q	-			780	- 780	780
330-400	FD	C	2	37	306.0	- 327.0	317.4	-14	-			1025	- 1224	1118
		C	3	1	313.0	- 313.0	313.0	N/Q	580	- 580	580	1205	- 1205	1205
	FD	C	3	95	315.0	- 332.0	325.8	3	-			1111	- 1284	1202
400+	FD	C	2	37	325.0	- 325.0	325.0	N/Q	-			1333	- 1349	1341
	FD	C	3	227	295.0	- 332.0	315.9	-2	-			1275	- 1654	1465
		C	3	24	283.0	- 306.0	300.0	-12	524	- 567	549	1270	- 1591	1507
				<b>505</b>	<b>240.0</b>	<b>345.0</b>			<b>524</b>	<b>580</b>		<b>667</b>	<b>1654</b>	
<b>Yearling Heifer</b>														
200-280	RS	C	2	23	290.0	- 290.0	290.0	-20	-			682	- 682	682
	RS	D	3	15	279.0	- 279.0	279.0	N/Q	-			628	- 628	628
280-330	FD	C	2	46	270.0	- 308.0	293.5	-9	-			770	- 926	879
	FD	C	3	22	299.0	- 299.0	299.0	N/Q	-			942	- 942	942
	RS	D	3	5	255.0	- 255.0	255.0	N/Q	-			765	- 765	765
330-400	FD	C	2	19	284.0	- 310.0	307.6	6	-			980	- 1095	1041
	FD	C	3	123	287.0	- 312.0	303.2	-3	-			972	- 1197	1124
		C	3	3	305.0	- 305.0	305.0	3	565	- 565	565	1174	- 1174	1174
400+	FD	C	2	15	308.0	- 308.0	308.0	N/Q	-			1278	- 1278	1278
	RS	C	3	8	289.0	- 289.0	289.0	N/Q	-			1185	- 1185	1185
		C	3	142	290.0	- 300.0	294.8	-2	536	- 562	545	1189	- 1549	1410
	FD	C	3	77	276.0	- 303.0	294.5	-11	-			1164	- 1504	1300
				<b>498</b>	<b>255.0</b>	<b>312.0</b>			<b>536</b>	<b>565</b>		<b>628</b>	<b>1549</b>	
<b>Grown Steer</b>														
0-400	FD	C	2	20	270.0	- 270.0	270.0	N/Q	-			986	- 986	986
	RS	C	2	37	323.0	- 323.0	323.0	15	-			1244	- 1244	1244
400-500	RS	C	2	28	303.0	- 323.0	313.7	17	-			1242	- 1340	1295
	FD	C	2	4	263.0	- 270.0	266.5	-50	-			1276	- 1283	1279
	FD	C	3	36	270.0	- 327.0	302.8	-21	-			1310	- 1586	1469
		C	3	4	285.0	- 285.0	285.0	3	538	- 538	538	1169	- 1169	1169
		C	4	16	276.0	- 280.0	277.8	N/Q	511	- 519	514	1311	- 1358	1332
500-600		C	4	69	283.0	- 305.0	289.0	-3	515	- 565	529	1464	- 1667	1579
	FD	C	4	27	294.0	- 299.0	296.8	1	-			1540	- 1573	1555
600-750		C	4	71	270.0	- 290.0	282.7	-11	509	- 527	515	1688	- 1841	1830
				<b>312</b>	<b>263.0</b>	<b>327.0</b>			<b>509</b>	<b>565</b>		<b>986</b>	<b>1841</b>	
<b>Grown Heifer</b>														
0-540		C	2	4	230.0	- 230.0	230.0	-38	434	- 434	434	817	- 817	817
	RS	C	2	19	284.0	- 284.0	284.0	48	-			781	- 781	781
	FD	C	3	85	269.0	- 298.0	285.3	-8	-			1040	- 1344	1263

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
540+		C	3	32	255.0	- 295.0	270.9	16	472	- 557	506	1237	- 1288	1245	
		C	4	63	246.0	- 285.0	271.5	14	456	- 528	506	1292	- 1496	1385	
		FD	C	4	37	270.0	- 289.0	281.2	-7	-	-	1265	- 1460	1376	
		FD	D	2	26	255.0	- 255.0	255.0	N/Q	-	-	1109	- 1109	1109	
			D	3	3	227.0	- 227.0	227.0	-18	428	- 428	428	987	- 987	987
			C	4	24	255.0	- 284.0	282.1	-1	472	- 516	514	1514	- 1775	1757
		FD	C	4	13	280.0	- 280.0	280.0	6	-	-	1582	- 1582	1582	
					<b>306</b>	<b>227.0</b>	<b>298.0</b>		<b>428</b>	<b>557</b>		<b>781</b>	<b>1775</b>		
<b>Cows</b>															
0-400	RS	D	2	9	224.0	- 224.0	224.0	-29	-	-	795	- 795	795		
		D	2	4	170.0	- 170.0	170.0	-31	386	- 386	386	655	- 655	655	
400-520		D	2	119	160.0	- 220.0	208.3	3	364	- 500	470	664	- 1033	920	
	RS	D	2	43	221.0	- 228.0	225.4	-4	-	-	946	- 983	960		
		D	3	122	212.0	- 234.0	225.3	-2	451	- 498	480	901	- 1195	1106	
		D	4	42	228.0	- 232.0	229.9	N/Q	430	- 446	438	1174	- 1206	1190	
520+		C	3	1	252.0	- 252.0	252.0	N/Q	476	- 476	476	1323	- 1323	1323	
		D	2	1	195.0	- 195.0	195.0	N/Q	443	- 443	443	1024	- 1024	1024	
		D	3	88	218.0	- 229.0	225.7	-1	464	- 481	478	1145	- 1202	1185	
		D	4	338	224.0	- 243.0	231.3	1	426	- 477	445	1208	- 1812	1365	
		D	5	14	220.0	- 228.0	227.4	1	439	- 440	439	1595	- 1790	1776	
				<b>781</b>	<b>160.0</b>	<b>252.0</b>		<b>364</b>	<b>500</b>		<b>655</b>	<b>1812</b>			
<b>Bulls</b>															
0-450		B	2	1	253.0	- 253.0	253.0	N/Q	460	- 460	460	1101	- 1101	1101	
		C	2	12	265.0	- 265.0	265.0	13	510	- 510	510	1020	- 1020	1020	
	FD	C	2	8	286.0	- 286.0	286.0	N/Q	-	-	701	- 701	701		
	RS	C	2	30	283.0	- 346.0	329.2	40	-	-	693	- 779	756		
450-600		B	2	1	266.0	- 266.0	266.0	N/Q	493	- 493	493	1556	- 1556	1556	
	FD	C	2	7	248.0	- 248.0	248.0	N/Q	-	-	1128	- 1128	1128		
		C	2	19	220.0	- 280.0	258.8	39	423	- 528	489	1067	- 1435	1289	
600+		B	2	33	232.0	- 263.0	250.5	-9	430	- 487	465	1699	- 3393	1873	
		C	2	4	220.0	- 235.0	226.3	-34	415	- 442	427	1610	- 1760	1684	
				<b>115</b>	<b>220.0</b>	<b>346.0</b>		<b>415</b>	<b>528</b>		<b>693</b>	<b>3393</b>			

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.