

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 07 Apr 2016

Yarding Change 5250
1690

comparison date 31/03/2016

As the season remains dry numbers lifted considerably. Overall it was a plainer quality yarding with a large influence of far western cattle though there were still fair numbers of properly finished local cattle.

Young cattle to the trade were 11c to 14c cheaper with vealers selling to 327c/kg. Prime steer yearlings sold from 286c to 320c while the prime heifer yearlings sold to 299c/kg. Young feeder cattle were 6c to 10c cheaper with the feeder steers selling from 267c to 325c while the feeder heifers sold from 258c to 298c/kg. Young steers to the restockers were cheaper selling to 338c/kg.

Grown steers were 4c dearer with the prime medium and heavy weights selling from 270c to 300c/kg. Grown heifers sold to 285c/kg. Cows were 15c to 20c cheaper, with the 2 scores selling from 160c to 193c to the processors and 200c/kg to the restockers. The better 3 and 4 score cows sold from 172c to 228c with the 4 score heavy weights averaging 216c/kg. Bulls were cheaper selling to 253c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	2	11	283.0	- 283.0	283.0	-52	-	-	-	382	- 382	382
				11	283.0	283.0			0	0		382	382	
Vealer Steer														
0-200	RS	C	2	70	255.0	- 330.0	303.1	-24	-	-	-	472	- 512	490
200-280	RS	C	2	201	270.0	- 338.0	309.6	-5	-	-	-	608	- 853	779
		C	2	20	265.0	- 298.0	287.6	-13	520	- 584	563	596	- 760	708
	FD	C	2	17	280.0	- 310.0	306.5	N/Q	-	-	-	760	- 770	761
		C	3	2	314.0	- 314.0	314.0	N/Q	604	- 604	604	864	- 864	864
280-330		C	3	2	290.0	- 290.0	290.0	N/Q	547	- 547	547	943	- 943	943
	FD	C	3	5	300.0	- 300.0	300.0	N/Q	-	-	-	855	- 855	855
330+	FD	C	2	2	295.0	- 295.0	295.0	N/Q	-	-	-	1047	- 1047	1047
		C	3	15	294.0	- 310.0	300.4	-19	-	-	-	985	- 1194	1068
		C	3	39	280.0	- 320.0	300.1	-22	528	- 604	566	994	- 1163	1081
				373	255.0	338.0			520	604		472	1194	
Vealer Heifer														
0-200		C	2	20	290.0	- 292.0	291.8	N/Q	558	- 573	571	479	- 540	534
	RS	C	2	33	264.0	- 293.0	271.0	N/Q	-	-	-	370	- 396	376
200-280	RS	C	2	128	246.0	- 303.0	285.3	19	-	-	-	517	- 803	719
	FD	C	2	13	270.0	- 285.0	275.8	-25	-	-	-	662	- 784	709
		C	2	52	264.0	- 294.0	282.9	-16	518	- 577	550	647	- 784	737
		C	3	11	272.0	- 303.0	293.1	-14	513	- 583	561	748	- 803	773
280-330	RS	C	2	2	270.0	- 270.0	270.0	N/Q	-	-	-	770	- 770	770
	FD	C	3	16	273.0	- 273.0	273.0	-16	-	-	-	887	- 887	887
330+	FD	C	3	11	283.0	- 283.0	283.0	-19	-	-	-	1033	- 1033	1033
		C	3	54	290.0	- 327.0	305.0	-12	547	- 617	576	972	- 1339	1089
				340	246.0	327.0			513	617		370	1339	
Yearling Steer														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-200	RS	D	2	9	265.0	- 265.0	265.0	N/Q	-			490	- 490	490
200-280	FD	C	2	15	300.0	- 300.0	300.0	-15	-			765	- 765	765
	RS	C	2	58	282.0	- 312.0	295.9	-4	-			592	- 809	731
	RS	D	2	20	268.0	- 268.0	268.0	N/Q	-			657	- 657	657
280-330	FD	C	2	73	289.0	- 300.0	294.9	-12	-			849	- 975	934
	RS	C	2	30	273.0	- 290.0	282.1	-18	-			778	- 827	804
	FD	C	3	8	296.0	- 296.0	296.0	N/Q	-			962	- 962	962
	FD	D	3	13	255.0	- 255.0	255.0	N/Q	-			727	- 727	727
330-400	FD	C	2	73	267.0	- 323.0	294.6	-6	-			894	- 1244	1074
	RS	C	2	38	287.0	- 296.0	292.7	N/C	-			961	- 992	980
	FD	C	3	71	285.0	- 324.0	316.1	9	-			988	- 1205	1140
	RS	C	3	12	295.0	- 295.0	295.0	N/Q	-			1018	- 1018	1018
400+		C	3	58	285.0	- 320.0	314.3	5	538	- 604	593	1097	- 1228	1190
	FD	C	2	100	276.0	- 322.0	297.8	2	-			1254	- 1320	1287
	FD	C	3	252	270.0	- 325.0	296.2	-7	-			1203	- 1479	1317
		C	3	55	286.0	- 309.0	292.5	-10	540	- 583	552	1279	- 1425	1339
				885	255.0	325.0			538	604		490	1479	
Yearling Heifer														
200-280	FD	C	2	29	275.0	- 280.0	276.4	N/Q	-			756	- 770	760
	RS	C	2	16	254.0	- 254.0	254.0	-7	-			699	- 699	699
	RS	D	2	81	240.0	- 245.0	243.6	N/Q	-			576	- 576	576
	RS	D	3	15	230.0	- 230.0	230.0	N/Q	-			541	- 541	541
280-330	FD	C	2	31	265.0	- 285.0	271.0	-15	-			797	- 926	836
	RS	C	2	18	276.0	- 276.0	276.0	16	-			787	- 787	787
	FD	C	3	21	280.0	- 280.0	280.0	N/Q	-			910	- 910	910
330-400	FD	C	2	101	258.0	- 292.0	275.6	-5	-			918	- 1105	987
		C	2	17	277.0	- 294.0	287.1	26	533	- 565	552	951	- 1066	970
		C	3	103	275.0	- 299.0	291.9	-2	519	- 564	551	938	- 1157	1071
	FD	C	3	74	270.0	- 298.0	276.6	-7	-			932	- 1147	1008
400+	FD	C	2	17	260.0	- 272.0	263.5	N/Q	-			1066	- 1156	1092
	RS	C	2	8	274.0	- 274.0	274.0	N/Q	-			1165	- 1165	1165
	RS	C	3	21	279.0	- 279.0	279.0	N/Q	-			1269	- 1269	1269
	FD	C	3	22	255.0	- 284.0	268.9	-6	-			1160	- 1448	1317
		C	3	109	272.0	- 298.0	289.1	6	513	- 562	546	1191	- 1496	1264
	FD	D	3	22	235.0	- 250.0	239.8	-10	-			999	- 1138	1043
				705	230.0	299.0			513	565		541	1496	
Grown Steer														
0-400		C	2	14	258.0	- 258.0	258.0	N/Q	506	- 506	506	942	- 942	942
	FD	C	2	15	288.0	- 288.0	288.0	-2	-			994	- 994	994
	FD	C	3	5	290.0	- 290.0	290.0	N/Q	-			1117	- 1117	1117
	RS	D	2	18	236.0	- 236.0	236.0	N/Q	-			649	- 649	649
	RS	D	3	43	210.0	- 278.0	265.3	N/Q	-			709	- 725	712
400-500	FD	C	3	39	266.0	- 295.0	286.4	N/C	-			1157	- 1436	1343
		C	4	7	245.0	- 284.0	250.6	-21	462	- 536	473	1188	- 1377	1215

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
500-600	FD	D	3	10	240.0	- 240.0	240.0	N/Q	-			1044	- 1044	1044
		C	3	12	278.0	- 278.0	278.0	33	525	- 525	525	1432	- 1432	1432
		C	4	112	270.0	- 300.0	291.8	7	509	- 566	547	1418	- 1726	1589
600-750	FD	C	4	9	272.0	- 300.0	278.2	N/Q	-			1537	- 1575	1545
		D	3	15	245.0	- 245.0	245.0	N/Q	471	- 471	471	1311	- 1311	1311
		B	2	1	255.0	- 255.0	255.0	N/Q	481	- 481	481	1670	- 1670	1670
750+		C	4	33	284.0	- 285.0	284.6	-5	536	- 538	537	1775	- 1781	1779
		C	4	3	272.0	- 285.0	276.3	N/Q	513	- 538	521	2081	- 2152	2104
				336	210.0	300.0			462	566		649	2152	
Grown Heifer														
0-540		C	2	9	210.0	- 242.0	213.6	-26	412	- 465	418	872	- 1004	886
	FD	C	2	48	275.0	- 283.0	278.3	13	-			1114	- 1160	1133
		C	3	44	234.0	- 278.0	261.6	20	468	- 525	502	995	- 1305	1134
		C	4	11	230.0	- 278.0	245.8	-24	434	- 525	479	1208	- 1460	1291
	FD	C	4	29	240.0	- 278.0	268.0	N/Q	-			1284	- 1460	1420
	RS	D	2	67	166.0	- 234.0	207.5	N/Q	-			459	- 681	570
	RS	D	3	29	218.0	- 218.0	218.0	N/Q	-			600	- 600	600
	FD	D	3	9	208.0	- 208.0	208.0	N/Q	-			946	- 946	946
540+		C	4	5	275.0	- 285.0	279.0	14	519	- 538	526	1609	- 1667	1632
	FD	C	4	10	260.0	- 270.0	265.0	N/Q	-			1417	- 1580	1498
				261	166.0	285.0			412	538		459	1667	
Manufacturing Steer														
540+		D	4	8	213.0	- 213.0	213.0	N/Q	426	- 426	426	2098	- 2098	2098
				8	213.0	213.0			426	426		2098	2098	
Cows														
0-400	RS	D	2	129	164.0	- 172.0	170.1	3	-			525	- 631	589
400-520	RS	D	2	27	197.0	- 197.0	197.0	N/Q	-			955	- 955	955
		D	2	137	155.0	- 193.0	175.4	-26	352	- 432	397	656	- 897	764
		D	3	126	172.0	- 207.0	196.3	-23	366	- 440	419	817	- 1025	942
	RS	D	3	77	200.0	- 200.0	200.0	N/Q	-			970	- 970	970
		D	4	29	212.0	- 216.0	213.1	-20	426	- 441	434	1007	- 1048	1020
520+		D	2	1	180.0	- 180.0	180.0	N/Q	409	- 409	409	945	- 945	945
		D	3	122	190.0	- 212.0	203.4	-19	404	- 451	433	998	- 1134	1080
		D	4	444	196.0	- 228.0	215.6	-15	392	- 447	419	1049	- 1890	1284
				1092	155.0	228.0			352	451		525	1890	
Bulls														
0-450	RS	D	2	39	248.0	- 256.0	253.5	N/Q	-			397	- 558	446
		D	3	8	171.0	- 171.0	171.0	N/Q	342	- 342	342	607	- 607	607
450-600		C	2	2	220.0	- 220.0	220.0	N/Q	440	- 440	440	1155	- 1155	1155
600+		B	2	20	225.0	- 253.0	242.3	-9	425	- 467	452	1539	- 2940	1983
		C	2	4	215.0	- 239.0	228.5	-11	406	- 451	435	1507	- 1645	1574
				73	171.0	256.0			342	467		397	2940	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© 2016 Meat and Livestock Australia Limited

Page: 3 of 4

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.