

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 16 Jun 2016

Yarding Change ²⁷¹⁵
1326

comparison date 09/06/2016

Numbers doubled and the quality was mixed with a larger percentage of western cattle offered. Feeders were again strong on all categories and competition was strong against processors. Yearlings made up the bulk of the yarding and there was a small but better run of grown steers and bullocks. Around 400 cows were also penned before a near full buying gallery. The market trend was dearer.

Trade vealers were limited and reached 328c/kg. Light restocking steers ranged from 322c to 382c/kg. Feeder steers lifted 10c to 15c on the medium weights with heavy feeders remaining fully firm. Feeder heifers were very strong lifting 15c to 20c/kg. Steers sold from 325c to 370c/kg and heifers 311c to 339c/kg. Trade steers and heavy heifers eased as processors were pushed out by the higher feeder rates. Steers sold between 325c and 360c/kg and heifers 300c to 343c/kg.

Grown steers and bullocks gained 15c with numbers and quality improving selling from 287c to 338c/kg. Medium weight cows were 3c to 8c dearer on medium weights and were firm on the heavy cows. The 2 score medium weights ranged from 230c to 245c/kg. Heavy 3 and 4 scores 242c to 271c/kg to average 258c/kg. The best of the heavy bulls reached 275c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
0-200	RS	C	1	9	340.2	- 346.2	345.5	N/Q	-	-	-	204	- 485	454
		C	2	2	310.0	- 310.0	310.0	N/Q	596	- 596	596	496	- 496	496
	RS	D	2	7	344.2	- 344.2	344.2	-18	-	-	-	551	- 551	551
200-280	RS	C	2	27	322.0	- 382.2	371.7	38	-	-	-	831	- 994	964
280-330	RS	C	2	7	365.2	- 365.2	365.2	34	-	-	-	1096	- 1096	1096
				52	310.0	382.2			596	596		204	1096	
Vealer Heifer														
0-200		C	1	9	336.2	- 349.2	343.4	N/Q	647	- 698	675	471	- 559	520
	RS	C	1	13	357.2	- 360.2	359.3	N/Q	-	-	-	500	- 612	578
	RS	C	2	18	304.2	- 313.2	308.2	24	-	-	-	532	- 563	549
	RS	D	1	1	328.0	- 328.0	328.0	N/Q	-	-	-	607	- 607	607
	RS	D	2	4	307.2	- 307.2	307.2	N/C	-	-	-	522	- 522	522
200-280	RS	C	2	21	301.2	- 319.2	314.1	10	-	-	-	718	- 783	737
		C	2	13	295.0	- 320.0	314.2	N/Q	567	- 593	587	708	- 768	754
	FD	C	2	23	304.2	- 317.2	313.8	-1	-	-	-	821	- 856	847
280-330		C	2	4	328.2	- 328.2	328.2	N/Q	608	- 608	608	985	- 985	985
				106	295.0	360.2			567	698		471	985	
Yearling Steer														
200-280	FD	C	2	21	326.2	- 361.2	350.5	28	-	-	-	881	- 975	946
	RS	D	2	52	317.2	- 324.6	323.6	-13	-	-	-	714	- 876	855
280-330	RS	C	2	20	329.6	- 349.2	347.2	20	-	-	-	1055	- 1111	1095
	FD	C	2	76	349.2	- 363.2	359.1	31	-	-	-	995	- 1167	1091
330-400	FD	C	2	289	325.0	- 370.2	361.3	16	-	-	-	1138	- 1444	1302
		RS	C	2	22	358.2	- 358.2	358.2	34	-	-	-	1200	- 1200
		C	3	40	340.2	- 365.0	345.7	15	630	- 676	640	1248	- 1387	1280
	FD	C	3	71	358.2	- 370.2	364.8	16	-	-	-	1304	- 1425	1357

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	RS	D	2	1	315.2	- 315.2	315.2	N/Q	-			1072	- 1072	1072
	FD	D	2	6	305.2	- 305.2	305.2	35	-			1038	- 1038	1038
	FD	C	2	87	320.2	- 368.2	355.2	-3	-			1352	- 1758	1553
	FD	C	3	110	326.2	- 370.0	360.0	-2	-			1500	- 1754	1617
		C	3	43	325.2	- 338.0	334.2	-10	602	- 626	619	1387	- 1496	1444
		C	4	45	325.0	- 360.2	341.6	N/Q	602	- 667	629	1463	- 1759	1590
				883	305.2	370.2			602	676		714	1759	
Yearling Heifer														
200-280	FD	C	2	6	332.2	- 332.2	332.2	N/Q	-			897	- 897	897
	RS	D	2	113	265.0	- 329.0	308.5	-7	-			663	- 856	802
280-330	RS	C	2	13	330.2	- 336.6	336.1	N/Q	-			1024	- 1111	1104
	FD	C	2	50	313.2	- 337.2	332.2	34	-			952	- 1113	1053
		C	2	27	329.2	- 329.2	329.2	49	633	- 633	633	938	- 938	938
		C	3	2	331.6	- 331.6	331.6	N/Q	614	- 614	614	1061	- 1061	1061
	FD	D	2	27	268.2	- 311.2	286.5	-1	-			830	- 996	879
	RS	D	2	3	310.0	- 310.0	310.0	N/Q	-			884	- 884	884
330-400	RS	C	2	23	310.0	- 340.2	337.1	N/Q	-			1039	- 1266	1204
	FD	C	2	82	311.2	- 339.2	333.8	24	-			1089	- 1227	1168
	FD	C	3	21	339.2	- 339.2	339.2	8	-			1221	- 1221	1221
		C	3	73	325.0	- 343.2	337.9	9	602	- 636	626	1121	- 1283	1227
	FD	D	2	25	279.2	- 302.2	294.9	-8	-			935	- 1043	1008
		D	2	2	250.0	- 250.0	250.0	N/Q	481	- 481	481	838	- 838	838
	RS	D	2	15	306.2	- 306.2	306.2	N/Q	-			1179	- 1179	1179
		D	3	1	322.2	- 322.2	322.2	N/Q	608	- 608	608	1176	- 1176	1176
400+		C	3	63	300.0	- 338.2	319.4	-15	556	- 626	591	1357	- 1683	1531
		D	3	1	294.2	- 294.2	294.2	N/Q	555	- 555	555	1383	- 1383	1383
				547	250.0	343.2			481	636		663	1683	
Grown Steer														
0-400	FD	C	2	2	300.0	- 300.0	300.0	N/Q	-			1050	- 1050	1050
		D	2	8	229.6	- 229.6	229.6	N/Q	478	- 478	478	597	- 597	597
400-500	FD	C	2	26	280.0	- 322.2	298.7	8	-			1260	- 1482	1344
	FD	C	3	11	308.2	- 338.2	327.3	22	-			1479	- 1623	1571
500-600		C	3	15	287.2	- 309.0	304.6	15	532	- 572	564	1465	- 1777	1714
		C	4	35	324.0	- 338.2	334.6	N/Q	600	- 622	617	1717	- 1946	1895
600-750		C	2	1	325.0	- 325.0	325.0	N/Q	591	- 591	591	2015	- 2015	2015
		C	4	12	310.0	- 310.0	310.0	1	574	- 574	574	1891	- 1891	1891
				110	229.6	338.2			478	622		597	2015	
Grown Heifer														
0-540	FD	C	2	18	282.2	- 282.2	282.2	2	-			1185	- 1185	1185
		C	3	5	300.0	- 305.2	303.1	8	556	- 565	561	1260	- 1587	1456
		C	4	14	296.2	- 296.2	296.2	N/Q	549	- 549	549	1599	- 1599	1599
		D	1	1	172.2	- 172.2	172.2	N/Q	391	- 391	391	482	- 482	482
		D	2	16	244.2	- 266.2	255.2	-5	509	- 555	532	928	- 1118	1023
	RS	D	2	6	270.2	- 270.2	270.2	N/Q	-			865	- 865	865
		D	3	46	250.0	- 313.0	288.5	26	472	- 591	545	1155	- 1659	1422

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+		C	4	1	284.6	- 284.6	284.6	N/Q	527	- 527	527	1594	- 1594	1594
		D	3	2	285.2	- 285.2	285.2	N/Q	538	- 538	538	1597	- 1597	1597
				109	172.2	313.0			391	591		482	1659	
Manufacturing Steer														
0-540		C	3	1	220.0	- 220.0	220.0	N/Q	407	- 407	407	1067	- 1067	1067
				1	220.0	220.0			407	407		1067	1067	
Cows														
0-400	RS	D	1	1	238.2	- 238.2	238.2	N/Q	-	-	-	619	- 619	619
		D	1	6	200.0	- 221.2	208.6	8	444	- 492	467	760	- 841	793
		D	2	6	236.2	- 236.2	236.2	-4	514	- 514	514	898	- 898	898
400-520		C	2	1	247.2	- 247.2	247.2	N/Q	515	- 515	515	1137	- 1137	1137
		D	1	5	170.0	- 224.0	213.2	N/Q	370	- 498	472	731	- 907	872
		D	2	26	228.0	- 246.6	238.9	3	456	- 525	498	944	- 1208	1080
		D	3	94	240.6	- 265.2	251.5	8	481	- 530	504	1026	- 1322	1204
520+		D	4	3	251.0	- 251.0	251.0	N/Q	492	- 492	492	1305	- 1305	1305
		D	3	67	242.2	- 252.0	247.6	-4	484	- 504	495	1284	- 1425	1322
		D	4	126	240.2	- 271.2	258.9	N/C	480	- 525	499	1369	- 1948	1576
				335	170.0	271.2			370	530		619	1948	
Bulls														
0-450		C	2	15	235.2	- 309.2	264.8	-5	452	- 573	500	894	- 928	907
	RS	C	2	4	290.0	- 290.0	290.0	N/Q	-	-	-	1218	- 1218	1218
		D	1	8	187.6	- 187.6	187.6	N/Q	375	- 375	375	450	- 450	450
		D	2	24	226.6	- 226.6	226.6	N/Q	436	- 436	436	725	- 725	725
600+		B	2	8	245.0	- 275.6	261.9	-8	408	- 475	452	2168	- 2835	2458
	RS	B	2	3	275.6	- 275.6	275.6	N/Q	-	-	-	2646	- 2646	2646
		C	2	6	256.2	- 262.2	258.9	-9	435	- 484	456	1704	- 2246	2087
				68	187.6	309.2			375	573		450	2835	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.