

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 21 Jun 2016

Yarding Change 1560
-890

comparison date 14/06/2016

Numbers eased with good rain fall in the supply area. Quality was fair with yearlings making up the bulk of the yarding and again feeders were most active. Prime cattle still remain in short supply. Grown steers and bullocks were better supplied and around 280 cows were offered to the usual buyers and an extra export order. The market trend was dearer.

Restocking steer vealers lifted 20c reaching 378c/kg for light weights. Trade vealers gained 7c ranging from 338c to 352c/kg. Feeder steer gained 8c to 12c selling from 330c to 372c and heifers to feed lifted 11c to 13c ranging from 310c to 359c/kg. Heavy trade steer jumped 15c on a smaller number. Trade heifers gained 8c to 10c/kg. Steers sold from 325c to 353c and heifers 320c to 350c/kg.

Grown steers and bullocks ranged between 320c and 336c to exporters and grown heifers averaged 309c/kg for the better shaped lines. Both had increases of around 20c/kg. Cows were 15c to 20c stronger on the medium weights and 10c to 15c dearer on the heavy weights. Medium weight 2 score cows sold from 223c to 259c/kg and the heavy 3 and 4 scores 249c to 279.2c/kg. The best bull reached 286c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
0-200	RS	C	2	2	330.0	- 330.0	330.0	N/Q	-	-	-	624	- 624	624
200-280	RS	C	2	63	320.0	- 378.2	364.9	21	-	-	-	784	- 1050	912
330+	RS	C	2	6	370.6	- 370.6	370.6	N/Q	-	-	-	1279	- 1279	1279
				71	320.0	378.2			0	0		624	1279	
Vealer Heifer														
0-200		C	2	3	290.0	- 290.0	290.0	-30	558	- 558	558	580	- 580	580
	FD	D	2	5	287.2	- 287.2	287.2	N/Q	-	-	-	488	- 488	488
	RS	D	2	4	290.0	- 327.2	317.9	-1	-	-	-	493	- 507	504
200-280	RS	C	2	42	325.0	- 335.6	331.1	34	-	-	-	730	- 873	800
	FD	C	2	21	314.6	- 315.6	315.1	4	-	-	-	739	- 884	815
		C	2	9	325.0	- 329.2	326.9	1	602	- 610	605	765	- 889	834
280-330		C	2	8	300.0	- 337.6	332.9	N/Q	556	- 625	617	930	- 1080	1062
	RS	C	2	5	310.6	- 318.6	315.4	25	-	-	-	932	- 956	946
		C	3	12	338.6	- 352.6	340.7	7	627	- 653	631	1016	- 1111	1027
				109	287.2	352.6			556	653		488	1111	
Yearling Steer														
200-280	FD	C	2	16	348.6	- 355.6	349.0	N/Q	-	-	-	854	- 960	861
	FD	C	3	1	350.0	- 350.0	350.0	N/Q	-	-	-	875	- 875	875
280-330	FD	C	2	38	330.0	- 369.2	356.4	3	-	-	-	941	- 1200	1142
	RS	C	2	51	330.0	- 373.2	357.5	1	-	-	-	941	- 1194	1063
	FD	C	3	8	346.6	- 346.6	346.6	N/Q	-	-	-	1109	- 1109	1109
	FD	D	2	16	318.2	- 325.2	323.0	N/Q	-	-	-	1034	- 1041	1039
330-400	RS	C	2	34	355.0	- 371.2	366.9	6	-	-	-	1207	- 1336	1302
	FD	C	2	226	330.0	- 372.0	364.7	8	-	-	-	1122	- 1414	1302
	FD	C	3	4	349.6	- 370.0	362.5	12	-	-	-	1328	- 1388	1359
		C	3	1	353.2	- 353.2	353.2	N/Q	654	- 654	654	1342	- 1342	1342

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	RS	D	2	14	340.0	- 345.6	344.4	58	-			1139	- 1192	1181
		C	2	3	349.0	- 349.0	349.0	N/Q	671	- 671	671	1605	- 1605	1605
	FD	C	2	79	351.2	- 365.8	361.3	5	-			1483	- 1591	1567
	FD	C	3	125	319.6	- 370.0	360.7	14	-			1521	- 1811	1709
		C	4	14	327.6	- 348.6	338.0	15	597	- 645	623	1462	- 1813	1677
				630	318.2	373.2			597	671		854	1813	
Yearling Heifer														
200-280		D	1	1	200.0	- 200.0	200.0	N/Q	417	- 417	417	530	- 530	530
	FD	D	2	12	282.2	- 315.0	298.6	9	-			748	- 772	760
	RS	D	2	10	306.6	- 306.6	306.6	19	-			751	- 751	751
280-330	RS	C	2	26	333.2	- 333.2	333.2	28	-			1000	- 1000	1000
	FD	C	2	27	298.0	- 359.2	327.2	11	-			893	- 1149	1006
	FD	C	3	4	338.6	- 338.6	338.6	N/Q	-			965	- 965	965
		C	3	4	320.0	- 348.0	341.0	N/Q	593	- 657	641	1040	- 1079	1069
330-400	FD	D	2	1	303.6	- 303.6	303.6	N/Q	-			972	- 972	972
		C	2	2	320.0	- 320.0	320.0	N/Q	593	- 593	593	1088	- 1088	1088
	FD	C	2	89	312.2	- 347.6	333.0	13	-			1077	- 1262	1164
		C	3	12	320.0	- 350.0	339.2	8	593	- 648	628	1106	- 1330	1242
		D	2	5	288.2	- 315.0	298.9	N/Q	554	- 630	585	1038	- 1103	1064
400+	FD	C	2	1	310.0	- 310.0	310.0	N/Q	-			1318	- 1318	1318
		C	3	6	321.2	- 345.0	340.8	12	595	- 651	639	1409	- 1478	1447
	FD	D	3	2	300.0	- 300.0	300.0	N/Q	-			1260	- 1260	1260
				202	200.0	359.2			417	657		530	1478	
Grown Steer														
0-400		C	3	3	340.2	- 340.2	340.2	N/Q	630	- 630	630	1225	- 1225	1225
400-500		C	3	1	299.6	- 299.6	299.6	N/Q	555	- 555	555	1378	- 1378	1378
	FD	C	3	19	319.2	- 343.6	333.4	43	-			1516	- 1649	1595
500-600	FD	C	3	11	310.0	- 340.0	323.6	20	-			1643	- 1836	1731
		C	4	5	320.2	- 335.2	332.2	27	593	- 610	606	1697	- 1911	1868
600-750		C	4	13	336.6	- 336.6	336.6	39	612	- 612	612	2154	- 2154	2154
				52	299.6	343.6			555	630		1225	2154	
Grown Heifer														
0-540	FD	C	2	2	327.2	- 327.2	327.2	N/Q	-			1260	- 1260	1260
		C	3	30	285.0	- 315.0	309.5	24	528	- 594	582	1325	- 1638	1561
		C	4	2	322.2	- 322.2	322.2	N/Q	597	- 597	597	1708	- 1708	1708
	FD	D	2	2	288.2	- 288.2	288.2	N/Q	-			1239	- 1239	1239
		D	2	1	259.4	- 259.4	259.4	N/Q	499	- 499	499	973	- 973	973
		D	3	24	258.0	- 310.2	281.0	-8	487	- 585	530	1176	- 1537	1413
540+		D	3	9	288.0	- 288.0	288.0	N/Q	533	- 533	533	1613	- 1613	1613
		D	4	1	313.2	- 313.2	313.2	N/Q	580	- 580	580	1817	- 1817	1817
				71	258.0	327.2			487	597		973	1817	
Manufacturing Steer														
0-540		D	3	1	310.0	- 310.0	310.0	N/Q	574	- 574	574	1442	- 1442	1442
				1	310.0	310.0			574	574		1442	1442	
Cows														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-400		D	2	1	214.0	- 214.0	214.0	N/Q	455	- 455	455	813	- 813	813
400-520	RS	D	1	12	217.2	- 217.2	217.2	N/Q		-		901	- 901	901
		D	1	7	190.0	- 215.0	200.7	-4	413	- 457	432	770	- 882	818
	DA	D	2	1	243.2	- 243.2	243.2	N/Q	529	- 529	529	985	- 985	985
		D	2	104	223.2	- 259.0	243.3	20	480	- 549	512	915	- 1195	1071
	RS	D	3	10	254.6	- 254.6	254.6	N/Q		-		1197	- 1197	1197
		D	3	52	244.0	- 270.0	255.0	16	494	- 540	516	1025	- 1377	1198
		D	4	11	257.2	- 257.2	257.2	N/Q	514	- 514	514	1247	- 1247	1247
520+	DA	D	2	1	257.2	- 257.2	257.2	N/Q	536	- 536	536	1453	- 1453	1453
		D	3	12	249.2	- 256.2	255.0	10	509	- 512	512	1321	- 1435	1368
		D	4	42	254.6	- 279.2	271.2	14	509	- 548	531	1362	- 1726	1601
				253	190.0	279.2			413	549		770	1726	
Bulls														
450-600		C	2	1	230.0	- 230.0	230.0	N/Q	426	- 426	426	1242	- 1242	1242
		D	2	2	220.0	- 220.0	220.0	N/Q	407	- 407	407	1056	- 1232	1144
600+		B	2	5	258.6	- 286.0	274.8	14	446	- 477	464	1603	- 3003	2323
		C	2	5	230.0	- 252.0	242.4	-1	411	- 450	433	1560	- 1900	1702
		D	2	1	220.0	- 220.0	220.0	N/Q	407	- 407	407	1452	- 1452	1452
				14	220.0	286.0			407	477		1056	3003	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.