

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Pakenham

report date 27 Jun 2016

Yarding Change <sup>1105</sup>/<sub>145</sub>

comparison date 20/06/2016

There were approximately 500 export and 600 young cattle penned representing an increase of 150 head week-on-week. There was a full field of buyers present and competing in a dearer market. Quality improved a little on last sale with a better selection of grain assisted cattle on offer, while there were still many grass cattle lacking finish. Vealers suited to butcher orders sold 10c to 20c/kg dearer. Yearling trade cattle sold 5c to 15c/kg dearer while some feeder cattle improved up to 20c/kg. Well finished grown steers and bullocks improved 15c to 20c/kg. Heavy weight crossbred manufacturing steers jumped 30c/kg.

Heavy weight vealers suited to butcher orders sold from 340c to 368c/kg. Yearling trade steers made between 326c and 356c/kg. Yearling heifers to the trade sold between 308c and 362c/kg. Feeder steers made from 305c to 350c with the heifer portion from 286c to 341c/kg.

Grown steers sold from 310c to 357c/kg. Bullocks made between 310c to 355c/kg. Heavy weight Friesian manufacturing steers sold between 265c and 300c with the crossbred portion between 312c and 342c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Vealer Steer</b>														
200-280		B	2	6	332.0	- 360.0	349.0	N/Q	593	- 632	620	930	- 1008	971
	FD	B	2	10	349.6	- 349.6	349.6	N/Q	-	-	-	979	- 979	979
	FD	C	2	8	326.0	- 332.0	328.1	8	-	-	-	848	- 863	853
		C	2	5	310.0	- 355.0	322.0	N/Q	574	- 646	594	775	- 959	819
		C	3	1	350.6	- 350.6	350.6	N/Q	626	- 626	626	982	- 982	982
280-330		B	2	1	360.0	- 360.0	360.0	N/Q	621	- 621	621	1080	- 1080	1080
	FD	B	2	6	334.0	- 334.0	334.0	N/Q	-	-	-	1069	- 1069	1069
	FD	C	2	1	310.0	- 310.0	310.0	N/Q	-	-	-	961	- 961	961
		C	3	4	339.6	- 360.0	354.9	19	618	- 655	645	1080	- 1121	1090
330+		B	2	1	345.0	- 345.0	345.0	N/Q	616	- 616	616	1173	- 1173	1173
		B	3	16	350.0	- 365.0	357.8	11	614	- 632	627	1223	- 1367	1263
		C	2	2	320.0	- 328.0	324.0	N/Q	593	- 607	600	1104	- 1230	1167
	FD	C	2	2	327.6	- 338.0	332.8	N/C	-	-	-	1130	- 1166	1148
	FD	C	3	1	332.0	- 332.0	332.0	N/Q	-	-	-	1179	- 1179	1179
		C	3	3	345.0	- 355.6	351.9	10	627	- 646	636	1245	- 1314	1278
				<b>67</b>	<b>310.0</b>	<b>365.0</b>			<b>574</b>	<b>655</b>		<b>775</b>	<b>1367</b>	
<b>Vealer Heifer</b>														
200-280		B	2	10	340.0	- 360.6	352.4	N/Q	607	- 644	623	935	- 1010	982
		C	2	15	307.6	- 353.0	325.3	8	570	- 642	599	788	- 953	840
	FD	C	2	11	310.0	- 330.0	325.4	21	-	-	-	849	- 924	858
		C	3	8	346.0	- 346.0	346.0	N/Q	629	- 629	629	969	- 969	969
280-330		B	2	3	334.6	- 356.0	348.9	N/Q	598	- 625	616	1004	- 1139	1094
		C	2	2	332.0	- 332.0	332.0	N/Q	604	- 604	604	996	- 996	996
	RS	C	2	1	335.0	- 335.0	335.0	N/Q	-	-	-	1106	- 1106	1106
		C	3	11	340.0	- 360.0	355.3	18	618	- 655	643	1080	- 1152	1101
330+		B	3	2	337.6	- 368.0	352.8	N/Q	603	- 624	613	1198	- 1362	1280
		C	2	1	328.0	- 328.0	328.0	N/Q	607	- 607	607	1230	- 1230	1230

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	C	2	1	330.0	- 330.0	330.0	N/Q	-			1155	- 1155	1155
		C	3	12	340.0	- 366.6	354.9	18	616	- 655	636	1190	- 1338	1270
			<b>77</b>		<b>307.6</b>	<b>368.0</b>			<b>570</b>	<b>655</b>		<b>788</b>	<b>1362</b>	
<b>Yearling Steer</b>														
200-280	FD	C	2	1	281.6	- 281.6	281.6	N/Q	-			788	- 788	788
	RS	C	2	8	330.6	- 330.6	330.6	N/Q	-			860	- 860	860
280-330	RS	D	1	6	265.0	- 265.0	265.0	N/Q	-			822	- 822	822
330-400		B	3	5	342.6	- 350.0	346.9	7	601	- 613	606	1260	- 1370	1332
	FD	C	2	33	305.0	- 325.0	321.9	2	-			1083	- 1199	1167
		C	2	7	315.0	- 337.6	324.9	2	594	- 614	605	1197	- 1322	1263
		C	3	29	340.0	- 354.6	346.4	17	611	- 636	626	1224	- 1418	1266
400+		B	3	3	342.0	- 352.2	347.4	10	600	- 607	602	1505	- 1740	1610
		C	2	8	322.0	- 328.0	324.9	9	596	- 607	602	1417	- 1623	1511
	FD	C	2	23	322.0	- 336.0	329.4	13	-			1394	- 1565	1496
	FD	C	3	1	326.0	- 326.0	326.0	N/Q	-			1467	- 1467	1467
		C	3	27	326.0	- 355.6	331.6	3	582	- 635	603	1419	- 1645	1488
			<b>151</b>		<b>265.0</b>	<b>355.6</b>			<b>582</b>	<b>636</b>		<b>788</b>	<b>1740</b>	
<b>Yearling Heifer</b>														
200-280	FD	D	2	15	313.6	- 313.6	313.6	N/Q	-			847	- 847	847
280-330	FD	C	2	2	325.0	- 325.0	325.0	N/Q	-			975	- 975	975
	FD	D	2	1	289.6	- 289.6	289.6	N/Q	-			898	- 898	898
		D	2	2	270.0	- 270.0	270.0	N/Q	509	- 509	509	810	- 810	810
		D	3	3	326.0	- 326.0	326.0	-2	604	- 604	604	1043	- 1043	1043
330-400		B	3	2	350.0	- 362.0	356.0	N/Q	603	- 624	614	1267	- 1330	1299
		C	2	6	296.0	- 328.0	301.3	N/Q	559	- 607	567	1184	- 1214	1189
		C	3	17	335.0	- 346.0	344.3	16	601	- 629	625	1173	- 1384	1362
		D	2	5	288.0	- 315.0	295.2	14	554	- 594	563	1022	- 1180	1068
	FD	D	2	16	286.2	- 325.0	321.3	29	-			1030	- 1144	1103
		D	3	52	307.6	- 347.6	329.9	2	580	- 644	616	1090	- 1304	1235
	FD	D	3	11	334.6	- 340.6	337.3	18	-			1175	- 1188	1182
400+		B	3	6	354.6	- 354.6	354.6	10	611	- 611	611	1507	- 1507	1507
		C	2	29	313.6	- 325.0	323.6	39	581	- 602	599	1380	- 1463	1454
	FD	C	2	2	322.0	- 322.0	322.0	N/Q	-			1385	- 1385	1385
		C	3	12	330.0	- 355.6	351.3	19	600	- 647	639	1511	- 1551	1518
		D	2	1	289.6	- 289.6	289.6	N/Q	557	- 557	557	1303	- 1303	1303
	DA	D	2	1	265.0	- 265.0	265.0	N/Q	510	- 510	510	1219	- 1219	1219
		D	3	66	310.0	- 344.6	331.4	9	585	- 638	614	1344	- 1610	1476
		D	4	1	320.0	- 320.0	320.0	N/Q	593	- 593	593	1376	- 1376	1376
			<b>250</b>		<b>265.0</b>	<b>362.0</b>			<b>509</b>	<b>647</b>		<b>810</b>	<b>1610</b>	
<b>Grown Steer</b>														
0-400	FD	C	1	7	275.0	- 275.0	275.0	N/Q	-			1045	- 1045	1045
400-500	FD	C	2	14	315.0	- 320.0	315.4	20	-			1339	- 1472	1393
500-600		C	2	24	310.0	- 328.0	322.2	7	574	- 607	597	1612	- 1837	1738
		C	3	102	335.0	- 356.6	343.9	16	598	- 648	625	1756	- 1997	1879

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
600-750		D	3	115	330.0	- 348.6	341.2	14	611	- 646	627	1733	- 2092	1924	
		C	2	13	324.6	- 325.0	324.9	8	601	- 602	602	2048	- 2077	2057	
		C	3	2	310.0	- 310.0	310.0	N/Q	554	- 554	554	1984	- 1984	1984	
		C	4	23	354.6	- 354.6	354.6	27	645	- 645	645	2269	- 2269	2269	
750+		D	3	27	332.0	- 347.6	340.4	19	609	- 632	623	2094	- 2225	2195	
		C	4	1	319.6	- 319.6	319.6	N/Q	561	- 561	561	2717	- 2717	2717	
				<b>328</b>	<b>275.0</b>	<b>356.6</b>		<b>554</b>	<b>648</b>		<b>1045</b>	<b>2717</b>			
<b>Grown Heifer</b>															
0-540	DA	D	1	2	242.6	- 242.6	242.6	N/Q	505	- 505	505	885	- 885	885	
		D	1	8	251.6	- 251.6	251.6	N/Q	547	- 547	547	906	- 906	906	
		D	2	9	280.0	- 291.6	285.2	16	560	- 583	570	1064	- 1458	1239	
		D	3	5	297.6	- 310.0	307.5	20	562	- 574	572	1399	- 1612	1569	
		D	4	1	310.0	- 310.0	310.0	N/Q	574	- 574	574	1473	- 1473	1473	
540+		D	4	4	299.6	- 312.0	302.7	32	555	- 578	561	1716	- 2097	2002	
				<b>29</b>	<b>242.6</b>	<b>312.0</b>		<b>505</b>	<b>583</b>		<b>885</b>	<b>2097</b>			
<b>Manufacturing Steer</b>															
0-540		C	2	1	290.0	- 290.0	290.0	N/Q	537	- 537	537	1523	- 1523	1523	
		RS	D	1	2	232.6	- 232.6	232.6	N/Q	-	-	-	768	- 768	768
		DA	D	1	3	238.6	- 238.6	238.6	N/Q	497	- 497	497	883	- 883	883
		DA	D	2	8	256.6	- 275.0	258.9	-16	524	- 529	524	1026	- 1169	1044
			D	2	3	262.6	- 270.0	267.5	-3	505	- 509	508	985	- 1418	1273
			D	3	3	296.0	- 315.0	308.7	2	548	- 583	572	1184	- 1701	1529
540+	DA	D	1	5	265.0	- 265.0	265.0	N/Q	530	- 530	530	1458	- 1458	1458	
	DA	D	2	25	277.6	- 299.6	292.4	N/Q	534	- 565	560	1651	- 2097	1893	
		D	3	28	311.6	- 341.6	322.8	32	577	- 621	596	1833	- 2460	2093	
		D	4	1	240.0	- 240.0	240.0	N/Q	444	- 444	444	2520	- 2520	2520	
				<b>79</b>	<b>232.6</b>	<b>341.6</b>		<b>444</b>	<b>621</b>		<b>768</b>	<b>2520</b>			
<b>Cows</b>															
0-400	DA	D	1	6	185.0	- 185.0	185.0	N/Q	411	- 411	411	592	- 592	592	
	DA	D	2	2	240.0	- 240.0	240.0	N/Q	500	- 500	500	864	- 864	864	
520+		D	5	3	270.6	- 270.6	270.6	N/Q	541	- 541	541	1894	- 1894	1894	
				<b>11</b>	<b>185.0</b>	<b>270.6</b>		<b>411</b>	<b>541</b>		<b>592</b>	<b>1894</b>			
<b>Bulls</b>															
0-450		B	2	1	322.6	- 322.6	322.6	N/Q	576	- 576	576	1161	- 1161	1161	
		C	2	2	281.6	- 281.6	281.6	N/Q	522	- 522	522	1126	- 1126	1126	
450-600		B	2	1	290.6	- 290.6	290.6	N/Q	510	- 510	510	1627	- 1627	1627	
				<b>4</b>	<b>281.6</b>	<b>322.6</b>		<b>510</b>	<b>576</b>		<b>1126</b>	<b>1627</b>			

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.