

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Pakenham

report date 11 Jul 2016

Yarding Change 620
-381

comparison date 04/07/2016

There were approximately 340 export and 280 young cattle penned representing a decrease of 380 head week-on-week. There was a full field of buyers present but not all operating fully in a mostly dearer market. Quality improved in the larger offering of grown steers and bullocks while the limited selection of young cattle were more mixed. A handful of vealers suited to butcher orders eased a few cents with quality an issue. Yearling steers and heifers to the trade improved 5c to 10c/kg for most and more in places. Feeder cattle eased 5c to 10c/kg for most. Grown steers lifted 6c to 13c while the better quality in the bullocks saw prices jump 20c/kg.

Heavy weight vealers to butchers sold from 328c to 362c/kg. Yearling trade steers made between 346c and 369c/kg. Yearling heifers to the trade sold between 307c and 354c/kg. Feeder steers made from 312c to 336c with the heifer portion from 282c to 337c/kg.

Grown steers sold from 311c to 360c/kg. Bullocks made between 316c and 359c/kg. A handful of heavy grown heifers sold between 280c and 324c/kg. Heavy weight crossbred manufacturing steers made from 275c to 330c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280		B	2	5	338.0	- 354.0	350.8	N/Q	604	- 610	609	920	- 946	926
	FD	B	2	3	334.6	- 334.6	334.6	N/Q	-			887	- 887	887
	FD	C	2	27	322.0	- 331.6	326.2	-8	-			829	- 913	860
		C	2	2	340.0	- 340.0	340.0	N/Q	607	- 607	607	952	- 952	952
280-330		B	2	1	355.0	- 355.0	355.0	N/Q	612	- 612	612	1136	- 1136	1136
	FD	C	2	1	327.6	- 327.6	327.6	N/Q	-			1048	- 1048	1048
		C	3	1	340.0	- 340.0	340.0	N/Q	607	- 607	607	1088	- 1088	1088
330+		B	3	3	361.6	- 362.0	361.7	3	624	- 634	631	1231	- 1356	1314
	FD	C	2	1	326.0	- 326.0	326.0	N/Q	-			1141	- 1141	1141
		C	3	3	338.6	- 346.6	341.7	-10	616	- 630	621	1151	- 1248	1213
				47	322.0	362.0			604	634		829	1356	
Vealer Heifer														
200-280		B	2	4	300.0	- 355.0	341.3	N/Q	536	- 623	601	660	- 923	857
	FD	B	2	2	336.6	- 336.6	336.6	N/Q	-			741	- 741	741
	FD	C	2	4	298.0	- 315.0	302.3	-14	-			820	- 851	827
		C	2	3	318.0	- 338.6	328.9	14	589	- 627	609	858	- 890	876
280-330		B	3	3	355.0	- 355.0	355.0	-12	623	- 623	623	1136	- 1136	1136
		C	2	4	310.0	- 336.0	321.5	-1	574	- 622	595	992	- 1024	1012
	FD	C	2	1	322.0	- 322.0	322.0	N/Q	-			1030	- 1030	1030
		C	3	2	339.6	- 349.6	344.6	N/Q	606	- 624	615	1014	- 1019	1016
		D	3	2	328.0	- 330.0	329.0	N/Q	607	- 611	609	990	- 1082	1036
330+		C	3	3	338.6	- 345.6	340.9	-15	616	- 617	616	1151	- 1192	1165
				28	298.0	355.0			536	627		660	1192	
Yearling Steer														
280-330	FD	C	2	8	312.0	- 325.0	319.7	-5	-			936	- 1008	975
330-400		B	3	2	355.0	- 355.0	355.0	N/Q	623	- 623	623	1349	- 1349	1349

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head					
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg			
400+	FD	C	2	14	320.0	- 336.0	325.5	-2	-				1105	- 1304	1205		
		C	2	1	320.6	- 320.6	320.6	N/Q	594	- 594	594			1202	- 1202	1202	
		C	3	18	350.0	- 368.6	363.6	29	625	- 670	657			1260	- 1382	1362	
	FD	D	2	3	280.0	- 280.0	280.0	N/Q	-					1008	- 1008	1008	
	RS	D	2	1	282.0	- 282.0	282.0	N/Q	-					1072	- 1072	1072	
		B	1	1	315.0	- 315.0	315.0	N/Q	583	- 583	583			1481	- 1481	1481	
		B	3	13	349.6	- 362.6	353.7	N/Q	613	- 625	616			1643	- 2031	1729	
		C	2	5	322.0	- 335.0	327.8	N/Q	596	- 620	607			1463	- 1541	1501	
		FD	C	2	14	312.0	- 335.0	328.4	-10	-					1373	- 1608	1531
			C	3	1	345.6	- 345.6	345.6	N/Q	628	- 628	628			1642	- 1642	1642
		D	3	1	325.0	- 325.0	325.0	N/Q	602	- 602	602			1398	- 1398	1398	
				82	280.0	368.6			583	670			936	2031			
Yearling Heifer																	
200-280	FD	D	2	4	287.6	- 287.6	287.6	70	-				805	- 805	805		
		D	3	2	312.6	- 312.6	312.6	N/Q	590	- 590	590			844	- 844	844	
280-330	FD	C	2	1	295.0	- 295.0	295.0	N/Q	-					944	- 944	944	
		RS	D	1	1	262.0	- 262.0	262.0	N/Q	-					838	- 838	838
	DA	D	2	3	230.0	- 230.0	230.0	N/Q	442	- 442	442			690	- 690	690	
	FD	D	2	11	282.0	- 312.0	299.5	-19	-					846	- 1014	927	
		D	2	1	295.0	- 295.0	295.0	N/Q	567	- 567	567			885	- 885	885	
		D	3	4	307.2	- 329.6	324.0	N/Q	580	- 622	611			983	- 1055	1037	
330-400	FD	C	2	1	292.6	- 292.6	292.6	N/Q	-					1083	- 1083	1083	
		C	3	8	340.0	- 345.0	340.6	7	618	- 627	619			1241	- 1380	1258	
		D	3	21	308.0	- 338.0	330.0	5	581	- 626	614			1084	- 1340	1235	
400+		B	3	8	353.6	- 353.6	353.6	-9	620	- 620	620			1768	- 1768	1768	
	FD	C	2	3	305.0	- 305.0	305.0	N/Q	-					1403	- 1403	1403	
		C	3	8	347.6	- 348.6	348.0	13	621	- 623	621			1499	- 1599	1561	
		D	3	2	325.0	- 325.0	325.0	N/Q	602	- 602	602			1463	- 1463	1463	
		D	4	1	290.0	- 290.0	290.0	N/Q	537	- 537	537			1378	- 1378	1378	
				79	230.0	353.6			442	627			690	1768			
Grown Steer																	
400-500		C	2	1	325.0	- 325.0	325.0	N/Q	602	- 602	602			1625	- 1625	1625	
		D	3	5	335.0	- 335.0	335.0	N/Q	620	- 620	620			1591	- 1591	1591	
500-600		B	3	6	360.0	- 360.0	360.0	18	621	- 621	621			1980	- 1980	1980	
		C	2	39	310.6	- 328.0	320.4	1	568	- 607	592			1704	- 1956	1783	
	FD	C	2	4	318.0	- 330.0	321.0	-18	-					1717	- 1782	1733	
		C	3	75	342.6	- 358.6	353.3	6	623	- 652	642			1848	- 2044	1961	
		D	3	31	339.6	- 348.0	344.9	13	618	- 644	635			1811	- 2006	1898	
600-750		C	3	2	315.6	- 315.6	315.6	N/Q	564	- 564	564			2288	- 2288	2288	
		C	4	44	355.6	- 358.6	356.9	21	647	- 652	649			2223	- 2324	2279	
		D	3	24	330.0	- 346.6	343.8	19	600	- 641	632			2063	- 2218	2176	
				231	310.6	360.0			564	652			1591	2324			
Grown Heifer																	
0-540	DA	D	1	19	185.0	- 230.6	215.4	35	394	- 501	465			518	- 819	718	
		D	2	4	250.0	- 254.6	253.5	-15	509	- 521	512			1063	- 1273	1220	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	D	2	6	285.0	- 285.0	285.0	N/Q	-			998	- 998	998
		D	3	5	297.2	- 315.0	301.0	-2	562	- 630	577	1265	- 1512	1323
540+		C	2	1	285.0	- 285.0	285.0	N/Q	548	- 548	548	1710	- 1710	1710
		C	3	7	290.0	- 324.0	307.8	N/Q	518	- 589	553	1741	- 2100	1997
		D	3	4	280.0	- 306.0	295.7	-6	519	- 567	550	1650	- 1913	1726
		D	4	5	263.6	- 292.6	275.2	7	488	- 542	510	1713	- 1902	1799
				51	185.0	324.0			394	630		518	2100	
Manufacturing Steer														
0-540	RS	D	1	21	246.6	- 263.6	253.9	N/Q	-			888	- 1120	987
		D	1	5	249.6	- 267.2	263.7	N/Q	499	- 534	527	948	- 1283	1216
		D	2	1	250.0	- 250.0	250.0	N/Q	521	- 521	521	1063	- 1063	1063
	FD	D	2	6	302.6	- 302.6	302.6	N/Q	-			1286	- 1286	1286
		D	3	1	285.0	- 285.0	285.0	N/Q	538	- 538	538	1496	- 1496	1496
540+		C	2	2	302.0	- 302.0	302.0	N/Q	559	- 559	559	1888	- 1888	1888
		D	2	3	275.0	- 283.6	277.9	6	519	- 535	524	1645	- 1856	1786
		D	3	14	302.0	- 329.6	312.2	4	559	- 610	580	1737	- 1984	1804
		D	4	1	283.6	- 283.6	283.6	N/Q	525	- 525	525	2127	- 2127	2127
				54	246.6	329.6			499	610		888	2127	
Cows														
400-520		D	3	2	273.6	- 273.6	273.6	N/Q	547	- 547	547	1368	- 1368	1368
520+		D	3	4	264.2	- 274.6	269.4	N/Q	528	- 528	528	1519	- 1579	1549
		D	4	1	273.6	- 273.6	273.6	N/Q	547	- 547	547	1532	- 1532	1532
				7	264.2	274.6			528	547		1368	1579	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.