

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Pakenham

report date 18 Jul 2016

Yarding Change 590
-30

comparison date 11/07/2016

There were approximately 240 export and 350 young cattle penned representing a decrease of 30 head week-on-week. There was a full field of buyers present and competing in a dearer market as another domestic processor entered the gallery. Quality was good for a small winter offering with a good scattering of grain assisted cattle having an impact in most categories. A larger selection of vealers gained 5c to 10c/kg. Yearling steers and heifers to the trade lifted 10c to 15c/kg. Feeder cattle gained up to 20c/kg for a better selection. Grown steers and bullocks improved 11c to 16c/kg with most drafts between 500-600kg.

Heavy weight vealers suited to butchers sold from 336c to 370c/kg. Yearling trade steers made between 340c and 377c/kg. Yearling heifers to the trade sold between 318c and 365c/kg. Feeder steers made from 319c to 355c with the heifer portion from 318c to 344c/kg.

Grown steers sold from 320c to 377c/kg. A handful of bullocks made between 345c and 377c/kg. A couple of pens of heavy weight Friesian manufacturing steers averaged 272c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280		B	2	1	356.0	- 356.0	356.0	N/Q	636	- 636	636	997	- 997	997
	FD	B	2	1	340.0	- 340.0	340.0	N/Q	-	-	-	918	- 918	918
	FD	C	2	18	325.0	- 344.0	335.3	9	-	-	-	715	- 963	857
		C	3	1	345.0	- 345.0	345.0	N/Q	627	- 627	627	966	- 966	966
	FD	D	2	1	312.0	- 312.0	312.0	N/Q	-	-	-	811	- 811	811
280-330		B	2	2	364.6	- 364.6	364.6	N/Q	651	- 651	651	1094	- 1094	1094
		C	2	3	342.0	- 344.0	343.3	N/Q	633	- 637	636	1026	- 1135	1099
	FD	C	2	12	325.0	- 345.0	338.2	11	-	-	-	974	- 1094	1043
330+	FD	B	2	4	350.0	- 350.0	350.0	N/Q	-	-	-	1225	- 1225	1225
		B	3	10	362.0	- 370.0	366.8	5	617	- 646	634	1249	- 1306	1286
	FD	C	2	2	337.6	- 337.6	337.6	N/Q	-	-	-	1148	- 1148	1148
		C	3	2	355.0	- 360.0	357.5	N/Q	634	- 655	644	1243	- 1368	1305
				57	312.0	370.0			617	655		715	1368	
Vealer Heifer														
200-280		B	2	2	362.0	- 362.0	362.0	N/Q	646	- 646	646	1014	- 1014	1014
		B	3	1	350.0	- 350.0	350.0	N/Q	636	- 636	636	980	- 980	980
		C	2	24	305.0	- 345.0	334.3	5	565	- 627	613	716	- 948	867
	FD	C	2	10	322.6	- 343.6	329.3	27	-	-	-	774	- 962	893
		C	3	1	340.0	- 340.0	340.0	N/Q	618	- 618	618	952	- 952	952
280-330		B	2	2	340.0	- 352.0	346.0	N/Q	607	- 618	612	1056	- 1088	1072
		B	3	2	350.2	- 350.2	350.2	N/Q	604	- 604	604	1051	- 1051	1051
		C	2	5	336.0	- 338.0	336.8	15	622	- 626	624	1008	- 1014	1010
		C	3	5	336.6	- 360.0	346.4	2	612	- 655	630	1010	- 1188	1088
330+		A	2	2	362.0	- 362.0	362.0	N/Q	603	- 603	603	1231	- 1231	1231
		B	2	1	355.0	- 355.0	355.0	N/Q	634	- 634	634	2130	- 2130	2130
		B	3	11	358.0	- 370.0	361.0	N/Q	617	- 639	630	1217	- 1295	1246
		C	3	3	336.0	- 360.0	349.3	8	611	- 643	631	1193	- 1332	1241

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				69	305.0	370.0			565	655		716	2130	
Yearling Steer														
200-280	FD	C	2	11	306.6	- 340.6	332.5	N/Q	-			766	- 938	894
		D	2	1	315.6	- 315.6	315.6	N/Q	631	- 631	631	789	- 789	789
280-330	FD	C	2	5	320.0	- 340.6	336.5	17	-			1024	- 1090	1077
		C	2	1	320.0	- 320.0	320.0	N/Q	604	- 604	604	960	- 960	960
	FD	D	2	1	323.6	- 323.6	323.6	N/Q	-			1036	- 1036	1036
330-400	FD	C	2	14	318.6	- 342.0	327.6	2	-			1105	- 1344	1190
		C	3	4	339.6	- 355.0	347.1	-17	618	- 646	631	1155	- 1331	1259
	FD	D	1	4	306.0	- 306.0	306.0	N/Q	-			1071	- 1071	1071
400+		B	3	12	355.0	- 372.6	369.7	16	623	- 642	639	1562	- 1938	1875
	FD	C	2	19	344.0	- 355.0	350.3	22	-			1462	- 1562	1515
		C	3	18	376.6	- 376.6	376.6	31	673	- 673	673	1808	- 1808	1808
				90	306.0	376.6			604	673		766	1938	
Yearling Heifer														
0-200	FD	D	2	2	318.0	- 318.0	318.0	N/Q	-			636	- 636	636
200-280		D	1	1	240.0	- 240.0	240.0	N/Q	500	- 500	500	672	- 672	672
280-330		C	2	2	325.0	- 326.0	325.5	N/Q	613	- 615	614	975	- 1076	1025
	FD	C	2	5	340.6	- 340.6	340.6	46	-			1022	- 1022	1022
	FD	D	2	4	320.0	- 320.0	320.0	21	-			1056	- 1056	1056
		D	2	2	266.0	- 266.0	266.0	N/Q	512	- 512	512	798	- 851	825
		D	3	1	325.6	- 325.6	325.6	N/Q	614	- 614	614	1042	- 1042	1042
330-400		C	2	8	330.0	- 335.0	333.1	N/Q	611	- 620	617	1205	- 1223	1216
		C	3	7	340.0	- 354.6	352.5	12	618	- 645	641	1224	- 1347	1320
		D	2	5	276.0	- 328.6	292.5	N/Q	531	- 632	563	1044	- 1152	1100
	FD	D	2	2	317.6	- 317.6	317.6	N/Q	-			1143	- 1143	1143
		D	3	4	322.6	- 336.6	328.7	-1	604	- 623	614	1229	- 1318	1285
400+		B	3	2	359.6	- 364.6	362.1	N/Q	629	- 631	630	1582	- 1714	1648
		C	2	5	307.6	- 318.0	315.9	N/Q	589	- 592	589	1431	- 1538	1452
		C	3	12	350.0	- 359.6	356.0	8	634	- 642	640	1470	- 1890	1544
		D	3	56	318.2	- 349.6	333.9	9	600	- 647	620	1352	- 1608	1452
				118	240.0	364.6			500	647		636	1890	
Grown Steer														
500-600		B	2	3	350.0	- 350.0	350.0	N/Q	625	- 625	625	1995	- 1995	1995
		B	3	9	360.0	- 360.0	360.0	N/C	621	- 621	621	2016	- 2016	2016
		C	2	18	320.0	- 340.0	333.4	13	593	- 630	618	1664	- 2028	1922
	FD	C	2	2	335.0	- 335.0	335.0	N/Q	-			1809	- 1809	1809
		C	3	82	337.0	- 376.6	368.9	16	602	- 685	668	1769	- 2196	2050
		D	2	4	315.0	- 315.0	315.0	N/Q	594	- 594	594	1654	- 1654	1654
		D	3	14	352.0	- 360.0	356.1	11	646	- 655	652	1971	- 2052	2009
600-750		C	3	2	355.0	- 355.0	355.0	N/Q	634	- 634	634	2219	- 2219	2219
		C	4	5	355.0	- 376.6	363.6	7	646	- 673	656	2343	- 2410	2370
		D	3	1	345.0	- 345.0	345.0	N/Q	627	- 627	627	2156	- 2156	2156
				140	315.0	376.6			593	685		1654	2410	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Grown Heifer														
0-540		D	1	2	246.0	- 246.0	246.0	N/Q	523	- 523	523	898	- 898	898
		D	2	10	245.0	- 299.0	281.6	28	490	- 607	572	1050	- 1495	1263
		D	3	2	316.0	- 327.6	321.8	N/Q	596	- 607	601	1169	- 1704	1436
540+		C	3	1	340.0	- 340.0	340.0	N/Q	618	- 618	618	2040	- 2040	2040
		D	2	1	271.6	- 271.6	271.6	N/Q	543	- 543	543	1630	- 1630	1630
		D	3	3	295.0	- 340.0	316.1	20	567	- 630	600	1623	- 1870	1738
				19	245.0	340.0		490	630		898	2040		
Manufacturing Steer														
0-540	RS	D	2	1	270.6	- 270.6	270.6	N/Q		-		839	- 839	839
		D	2	1	300.0	- 300.0	300.0	N/Q	566	- 566	566	1350	- 1350	1350
		D	3	1	280.0	- 280.0	280.0	N/Q	519	- 519	519	1470	- 1470	1470
540+		D	1	1	236.0	- 236.0	236.0	N/Q	472	- 472	472	1475	- 1475	1475
	DA	D	2	26	270.0	- 273.6	272.1	N/Q	519	- 526	523	1485	- 1710	1615
		D	2	3	255.0	- 271.6	260.5	-17	490	- 522	501	1403	- 1793	1533
		D	3	2	312.0	- 332.0	322.0	N/Q	578	- 615	596	1794	- 1892	1843
				35	236.0	332.0		472	615		839	1892		
Cows														
400-520		D	2	2	245.0	- 245.0	245.0	N/Q	510	- 510	510	1164	- 1164	1164
520+		D	3	4	277.6	- 284.6	279.4	10	544	- 581	553	1537	- 1596	1581
		D	4	1	266.0	- 266.0	266.0	N/Q	512	- 512	512	1756	- 1756	1756
				7	245.0	284.6		510	581		1164	1756		
Bulls														
0-450		C	2	2	310.0	- 326.0	318.0	N/Q	574	- 604	589	978	- 1147	1063
		RS	C	2	1	302.0	- 302.0	302.0	N/Q		-		664	- 664
450-600		B	2	1	290.0	- 290.0	290.0	N/Q	500	- 500	500	1653	- 1653	1653
600+		B	2	3	310.0	- 310.0	310.0	N/Q	500	- 500	500	3100	- 3100	3100
			7	290.0	326.0		500	604		664	3100			

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.