

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Pakenham

report date 26 Sep 2016

Yarding Change ⁶⁶²₋₆₄

comparison date 19/09/2016

There were approximately 300 export and 360 young cattle penned representing a decrease of 60 head week-on-week. There was a full field of buyers present and competing in a dearer market. The quality of the grass finished cattle improved with a very good offering of veal while grain finished lines were in shorter supply. Heavy weight vealers suited to butchers sold up to 10c/kg dearer. A limited selection of yearling trade steers gained 4c/kg. Yearling heifers suited to the trade improved 8c to 9c/kg. Grown steers and bullocks sold mostly 3c/kg dearer for a better selection.

Heavy weight vealers suited to butchers sold from 380c to 415c/kg. Yearling trade steers made between 380c and 400c/kg. Yearling heifers suited to the trade sold between 345c and 392c/kg.

Grown steers made mostly from 350c to 372c after a top of 398c/kg for a pen of steers purchased for a domestic supermarket. Bullocks sold from 350c to 368c/kg. A couple of heavy weight grown heifers reached 350c/kg. A limited selection of heavy crossbred manufacturing steers sold up to 345c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280		C	2	2	386.0	- 386.0	386.0	N/Q	715	- 715	715	1004	- 1004	1004
	FD	C	2	4	366.6	- 366.6	366.6	N/Q	-	-	-	953	- 990	971
		C	3	5	400.0	- 400.0	400.0	N/Q	714	- 714	714	1000	- 1120	1096
280-330		B	3	11	401.0	- 414.0	407.9	N/Q	691	- 714	710	1215	- 1283	1231
		C	3	4	387.6	- 396.0	393.9	N/Q	705	- 720	716	1163	- 1267	1241
330+		B	3	12	404.0	- 415.0	409.9	2	697	- 732	711	1374	- 1494	1420
		C	3	9	385.0	- 410.0	401.8	9	700	- 732	720	1309	- 1451	1395
				47	366.6	415.0			691	732		953	1494	
Vealer Heifer														
200-280		B	2	1	395.0	- 395.0	395.0	N/Q	681	- 681	681	988	- 988	988
		B	3	1	405.0	- 405.0	405.0	N/Q	698	- 698	698	1134	- 1134	1134
	FD	C	2	2	355.0	- 355.0	355.0	N/Q	-	-	-	994	- 994	994
		C	2	6	340.0	- 386.0	374.8	N/Q	630	- 715	694	850	- 1004	957
		C	3	5	385.0	- 400.0	388.6	N/Q	700	- 714	704	1000	- 1078	1049
280-330		B	3	8	401.0	- 410.0	404.1	N/Q	691	- 719	704	1215	- 1283	1242
	FD	C	2	1	355.0	- 355.0	355.0	N/C	-	-	-	1136	- 1136	1136
		C	2	7	365.0	- 375.0	366.4	N/Q	676	- 682	677	1095	- 1125	1099
		C	3	9	390.0	- 402.0	395.6	N/Q	696	- 731	712	1187	- 1286	1246
330+		B	3	2	395.0	- 403.6	399.3	N/Q	693	- 708	701	1383	- 1453	1418
		C	3	14	380.0	- 407.0	402.0	24	691	- 727	721	1319	- 1440	1384
		D	3	1	372.0	- 372.0	372.0	N/Q	689	- 689	689	1302	- 1302	1302
				57	340.0	410.0			630	731		850	1453	
Yearling Steer														
200-280	RS	C	1	7	347.6	- 347.6	347.6	N/Q	-	-	-	904	- 904	904
280-330	FD	C	2	3	370.0	- 370.0	370.0	20	-	-	-	1110	- 1110	1110
330-400		B	3	1	400.0	- 400.0	400.0	N/C	690	- 690	690	1500	- 1500	1500
		C	3	2	385.0	- 390.0	387.5	N/Q	700	- 709	705	1425	- 1443	1434

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+		D	3	3	355.6	- 370.0	360.4	N/Q	659	- 685	667	1406	- 1422	1417
		B	3	8	399.6	- 399.6	399.6	-2	689	- 689	689	1758	- 1758	1758
		C	2	5	343.6	- 360.0	349.7	4	636	- 667	648	1477	- 1553	1528
		C	3	14	380.0	- 391.6	390.3	4	691	- 699	698	1615	- 1841	1800
		D	3	3	342.6	- 342.6	342.6	N/Q	634	- 634	634	1456	- 1456	1456
				46	342.6	400.0		634	709		904	1841		
Yearling Heifer														
200-280	RS	D	1	11	310.6	- 333.6	329.4	N/Q	-			777	- 867	851
		D	3	1	366.0	- 366.0	366.0	N/Q	678	- 678	678	1025	- 1025	1025
280-330		C	2	4	348.0	- 355.0	349.8	N/Q	644	- 657	648	1136	- 1148	1145
	FD	C	2	1	365.0	- 365.0	365.0	N/Q	-			1205	- 1205	1205
	FD	D	1	2	345.0	- 345.0	345.0	N/Q	-			1035	- 1035	1035
	FD	D	2	19	320.0	- 360.0	351.6	N/Q	-			1024	- 1188	1131
330-400		B	2	1	360.0	- 360.0	360.0	N/Q	643	- 643	643	1260	- 1260	1260
		B	3	1	392.0	- 392.0	392.0	N/Q	688	- 688	688	1490	- 1490	1490
		C	2	3	340.0	- 378.6	364.5	23	630	- 694	671	1258	- 1363	1324
	FD	D	2	1	345.0	- 345.0	345.0	N/C	-			1208	- 1208	1208
		D	2	26	318.0	- 348.0	343.6	25	624	- 657	651	1142	- 1322	1283
	FD	D	3	6	362.0	- 362.0	362.0	15	-			1303	- 1303	1303
		D	3	48	345.0	- 370.0	355.9	8	651	- 685	663	1202	- 1454	1382
400+		C	3	1	384.6	- 384.6	384.6	N/Q	687	- 687	687	1731	- 1731	1731
		D	2	3	348.6	- 348.6	348.6	N/Q	670	- 670	670	1482	- 1482	1482
		D	3	55	345.0	- 365.0	357.7	9	639	- 676	665	1496	- 1743	1573
				183	310.6	392.0		624	694		777	1743		
Grown Steer														
400-500	FD	C	2	2	340.0	- 345.0	342.5	N/Q	-			1530	- 1622	1576
		C	2	3	350.0	- 350.0	350.0	9	648	- 648	648	1663	- 1663	1663
		C	3	4	360.0	- 361.6	360.4	N/Q	658	- 667	664	1584	- 1718	1617
		D	3	1	355.0	- 355.0	355.0	N/Q	657	- 657	657	1686	- 1686	1686
500-600		C	2	2	350.0	- 350.0	350.0	N/Q	636	- 636	636	2030	- 2030	2030
		C	3	80	355.0	- 397.6	371.0	3	646	- 723	669	1980	- 2190	2100
		D	3	40	354.0	- 368.0	360.0	3	644	- 669	658	1947	- 2208	2042
600-750		C	3	14	350.0	- 366.0	361.4	12	614	- 654	642	2342	- 2363	2348
		C	4	21	364.0	- 368.0	366.5	1	657	- 662	659	2318	- 2366	2337
		D	3	8	355.0	- 358.6	358.2	6	646	- 652	651	2183	- 2295	2281
750+		C	4	2	345.0	- 345.0	345.0	N/Q	616	- 616	616	2674	- 2674	2674
				177	340.0	397.6		614	723		1530	2674		
Grown Heifer														
0-540		C	2	3	331.6	- 331.6	331.6	N/Q	638	- 638	638	1791	- 1791	1791
	DA	D	1	4	262.0	- 262.0	262.0	-8	546	- 546	546	943	- 943	943
	DA	D	2	10	308.0	- 308.0	308.0	48	604	- 604	604	1463	- 1463	1463
		D	2	2	280.0	- 312.2	296.1	N/Q	560	- 624	592	1316	- 1639	1478
		D	3	17	320.0	- 350.0	343.9	5	615	- 673	661	1591	- 1683	1645
540+		C	3	1	350.0	- 350.0	350.0	N/Q	648	- 648	648	1960	- 1960	1960

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	3	1	328.0	- 328.0	328.0	N/Q	631	- 631	631	1804	- 1804	1804
				38	262.0	350.0			546	673		943	1960	
Manufacturing Steer														
0-540		C	2	2	343.6	- 343.6	343.6	N/Q	648	- 648	648	1460	- 1460	1460
	FD	C	2	5	320.0	- 320.0	320.0	N/Q		-		1680	- 1680	1680
	DA	D	1	1	231.6	- 231.6	231.6	N/Q	493	- 493	493	1042	- 1042	1042
	DA	D	2	3	266.6	- 310.6	284.1	7	533	- 597	560	933	- 1320	1072
	FD	D	2	1	322.0	- 322.0	322.0	N/Q		-		1288	- 1288	1288
		D	3	4	310.0	- 340.0	328.4	-3	574	- 630	611	1381	- 1795	1546
540+		C	3	2	345.0	- 345.0	345.0	N/Q	627	- 627	627	2346	- 2346	2346
	DA	D	1	1	266.0	- 266.0	266.0	N/Q	554	- 554	554	1596	- 1596	1596
	DA	D	2	9	302.2	- 302.2	302.2	N/Q	581	- 581	581	1889	- 1889	1889
		D	3	5	340.0	- 344.6	340.9	12	630	- 638	631	1981	- 2210	2164
				33	231.6	345.0			493	648		933	2346	
Cows														
0-400		D	1	1	212.6	- 212.6	212.6	N/Q	483	- 483	483	744	- 744	744
520+		D	2	1	272.0	- 272.0	272.0	N/Q	567	- 567	567	1428	- 1428	1428
		D	3	3	265.0	- 280.6	270.2	-14	530	- 561	540	1543	- 1749	1680
		D	4	1	290.0	- 290.0	290.0	N/Q	580	- 580	580	1624	- 1624	1624
		D	5	1	272.0	- 272.0	272.0	N/Q	544	- 544	544	1578	- 1578	1578
				7	212.6	290.0			483	580		744	1749	
Bulls														
0-450		C	2	7	288.6	- 344.2	296.5	-52	525	- 626	539	964	- 1270	1226
	FD	C	2	1	330.0	- 330.0	330.0	N/Q		-		924	- 924	924
	DA	D	2	1	280.0	- 280.0	280.0	N/Q	519	- 519	519	1064	- 1064	1064
				9	280.0	344.2			519	626		924	1270	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.