

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Naracoorte

report date 27 Sep 2016

Yarding Change <sup>1221</sup>  
301

comparison date 20/09/2016

Numbers lifted this week with 1,221 yarded. Yearling steers, heifers and cows made up the bulk of the increase. Quality was average to good, with the regular buying group operating in a firm to slightly dearer market on the vealers and yearlings. The market was easier for the few grown steers, firm on lighter cows and easier on the heavy B and C muscle cows. The yarding was made up of 686 young cattle, 435 cows, 32 bulls and 68 open auction young cattle.

Vealer steers sold from 376c to 434c, with feeders paying from 388c to 424c/kg. Vealer heifers sold from 370c to 434c and feeders paid from 376c to 379c/kg. The yearling steers sold mostly from 340c to 391c and restockers paid from 330c to 380c/kg. The yearling heifers sold from 350c to 395c, with feeders paying from 335c to 376c/kg.

Grown steers sold a little easier, with 3 and 4 score light and medium weights selling from 330c to 360c/kg. The grown heifers sold similar with C muscle 2 and 3 scores making from 295c to 306c and a pen of D muscle heifers selling to 320c/kg. Heavier B and C muscle heifers sold from 305c to 333c/kg. Lighter C and D muscle cows sold from 210c to 258c while the heavier cows sold from 238c to 286c and heavy D muscle cows made from 229c to 283c/kg. Heavy bulls sold from 257c to 290c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Vealer Steer</b>														
280-330		B	3	16	417.0	- 425.0	424.0	N/Q	745	- 759	757	1275	- 1376	1288
	RS	C	1	10	339.0	- 339.0	339.0	N/Q	-	-	-	983	- 983	983
		C	3	13	379.0	- 434.0	404.4	4	677	- 775	722	1251	- 1302	1274
		C	4	1	415.0	- 415.0	415.0	N/Q	741	- 741	741	1224	- 1224	1224
330+	FD	B	3	3	385.0	- 385.0	385.0	N/Q	-	-	-	1290	- 1290	1290
		B	3	10	384.0	- 384.0	384.0	-26	686	- 686	686	1306	- 1306	1306
		B	4	2	410.0	- 410.0	410.0	N/Q	732	- 732	732	1394	- 1394	1394
	FD	C	2	4	388.0	- 424.0	397.0	42	-	-	-	1319	- 1908	1466
		C	3	5	376.0	- 395.0	386.8	-13	671	- 705	691	1316	- 1422	1350
				<b>64</b>	<b>339.0</b>	<b>434.0</b>			<b>671</b>	<b>775</b>		<b>983</b>	<b>1908</b>	
<b>Vealer Heifer</b>														
200-280	RS	D	1	7	379.0	- 379.0	379.0	N/Q	-	-	-	910	- 910	910
	RS	D	2	3	376.0	- 376.0	376.0	N/Q	-	-	-	940	- 940	940
280-330		B	3	1	417.0	- 417.0	417.0	N/Q	745	- 745	745	1376	- 1376	1376
		C	3	12	370.0	- 402.0	385.8	N/Q	661	- 718	689	1073	- 1222	1182
330+		B	3	15	397.0	- 434.0	421.7	N/Q	709	- 775	745	1390	- 1584	1466
		C	3	6	364.0	- 380.0	374.0	6	650	- 691	670	1275	- 1383	1296
		D	3	1	397.0	- 397.0	397.0	N/Q	709	- 709	709	1469	- 1469	1469
				<b>45</b>	<b>364.0</b>	<b>434.0</b>			<b>650</b>	<b>775</b>		<b>910</b>	<b>1584</b>	
<b>Yearling Steer</b>														
280-330	RS	D	1	2	254.0	- 300.0	277.0	N/Q	-	-	-	826	- 960	893
	FD	D	2	2	355.0	- 355.0	355.0	N/Q	-	-	-	1172	- 1172	1172
330-400		B	3	4	355.0	- 389.0	380.5	N/Q	646	- 707	692	1420	- 1556	1522
	RS	C	1	1	330.0	- 330.0	330.0	N/Q	-	-	-	1320	- 1320	1320
	FD	C	2	12	340.0	- 369.0	362.2	-5	-	-	-	1207	- 1328	1305
		C	2	5	310.0	- 380.0	358.8	5	574	- 731	662	1240	- 1398	1342

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	C	3	13	380.0	- 380.0	380.0	15	-			1520	- 1520	1520
		C	4	6	375.0	- 380.0	378.3	N/Q	679	- 682	680	1406	- 1463	1444
	FD	D	1	1	300.0	- 300.0	300.0	N/Q	-			1170	- 1170	1170
	FD	D	2	1	325.0	- 325.0	325.0	N/Q	-			1251	- 1251	1251
	RS	D	2	2	289.0	- 300.0	294.5	N/Q	-			1005	- 1084	1044
		B	3	8	382.0	- 382.0	382.0	N/Q	682	- 682	682	1719	- 1719	1719
		C	2	3	330.0	- 358.0	341.0	N/Q	600	- 651	624	1386	- 1539	1450
	FD	C	2	13	330.0	- 372.0	358.8	-6	-			1353	- 1525	1471
	FD	C	3	2	375.0	- 375.0	375.0	N/Q	-			1538	- 1538	1538
		C	3	84	355.0	- 391.0	377.1	14	646	- 698	681	1584	- 1880	1718
	FD	D	1	5	346.0	- 346.0	346.0	N/Q	-			1419	- 1419	1419
FD	D	2	3	285.0	- 315.0	305.0	-29	-			1169	- 1292	1251	
				<b>167</b>	<b>254.0</b>	<b>391.0</b>		<b>574</b>	<b>731</b>		<b>826</b>	<b>1880</b>		
<b>Yearling Heifer</b>														
200-280	RS	D	1	2	220.0	- 270.0	245.0	N/Q	-			550	- 729	640
280-330	FD	C	2	2	355.0	- 355.0	355.0	N/Q	-			1172	- 1172	1172
	RS	D	1	1	262.0	- 262.0	262.0	N/Q	-			786	- 786	786
	FD	D	1	2	290.0	- 290.0	290.0	N/Q	-			870	- 870	870
	FD	D	2	4	340.0	- 340.0	340.0	70	-			1054	- 1054	1054
	RS	D	2	17	365.0	- 365.0	365.0	N/Q	-			1168	- 1168	1168
330-400	FD	B	3	7	373.0	- 373.0	373.0	N/Q	-			1361	- 1361	1361
		B	3	2	360.0	- 360.0	360.0	N/Q	655	- 655	655	1386	- 1386	1386
		C	2	3	380.0	- 380.0	380.0	N/Q	717	- 717	717	1444	- 1444	1444
	FD	C	2	56	335.0	- 361.0	349.8	2	-			1173	- 1412	1312
		C	3	18	350.0	- 366.0	362.4	-1	648	- 666	662	1225	- 1427	1382
	FD	C	3	18	355.0	- 376.0	357.3	N/Q	-			1297	- 1385	1375
	RS	D	1	1	300.0	- 300.0	300.0	N/Q	-			1020	- 1020	1020
	FD	D	2	9	276.0	- 339.0	315.8	-19	-			966	- 1356	1105
		D	3	1	395.0	- 395.0	395.0	N/Q	718	- 718	718	1501	- 1501	1501
400+		B	3	4	357.0	- 357.0	357.0	-2	661	- 661	661	1660	- 1660	1660
		C	2	4	326.0	- 328.0	326.5	-30	607	- 615	613	1378	- 1402	1396
		C	3	108	338.0	- 387.0	369.6	19	615	- 700	675	1386	- 1811	1568
		C	4	14	348.0	- 379.0	376.8	15	644	- 702	698	1611	- 1688	1616
		D	2	3	324.0	- 324.0	324.0	-11	611	- 611	611	1328	- 1328	1328
		D	3	6	348.0	- 354.0	351.0	N/Q	621	- 656	639	1462	- 1593	1527
				<b>282</b>	<b>220.0</b>	<b>395.0</b>		<b>607</b>	<b>718</b>		<b>550</b>	<b>1811</b>		
<b>Grown Steer</b>														
400-500	FD	C	2	1	325.0	- 325.0	325.0	N/Q	-			1463	- 1463	1463
		D	2	1	338.0	- 338.0	338.0	N/Q	626	- 626	626	1572	- 1572	1572
		D	3	7	333.0	- 333.0	333.0	N/Q	617	- 617	617	1665	- 1665	1665
500-600		C	3	9	330.0	- 358.0	335.3	-20	609	- 651	615	1683	- 1880	1735
		C	4	20	355.0	- 360.0	358.0	-7	646	- 655	651	1864	- 2106	2009
				<b>38</b>	<b>325.0</b>	<b>360.0</b>		<b>609</b>	<b>655</b>		<b>1463</b>	<b>2106</b>		
<b>Grown Heifer</b>														
0-540		C	2	3	295.0	- 295.0	295.0	N/Q	567	- 567	567	1328	- 1328	1328

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+		C	3	4	306.0	- 306.0	306.0	16	577	- 577	577	1423	- 1423	1423
	FD	D	1	2	275.0	- 287.0	281.0	N/Q	-			963	- 1105	1034
	FD	D	2	3	331.0	- 345.0	335.7	N/Q	-			1175	- 1311	1220
		D	2	17	227.0	- 304.0	231.5	-44	454	- 585	462	1010	- 1155	1019
		D	3	1	320.0	- 320.0	320.0	N/Q	615	- 615	615	1360	- 1360	1360
		B	4	2	306.0	- 306.0	306.0	N/Q	556	- 556	556	1913	- 1913	1913
		C	3	5	305.0	- 333.0	321.8	N/Q	576	- 617	600	1678	- 1832	1770
				<b>37</b>	<b>227.0</b>	<b>345.0</b>		<b>454</b>	<b>617</b>		<b>963</b>	<b>1913</b>		
<b>Cows</b>														
0-400	RS	E	1	1	170.0	- 170.0	170.0	N/Q	-			595	- 595	595
	DA	E	1	1	222.0	- 222.0	222.0	N/Q	493	- 493	493	855	- 855	855
		E	2	3	218.0	- 218.0	218.0	N/Q	484	- 484	484	872	- 872	872
400-520		B	2	8	258.0	- 258.0	258.0	N/Q	538	- 538	538	1251	- 1251	1251
		C	1	3	240.0	- 240.0	240.0	10	533	- 533	533	1080	- 1080	1080
		C	2	13	232.0	- 258.0	243.7	-16	474	- 561	511	1148	- 1316	1214
		D	2	16	210.0	- 245.0	238.8	10	429	- 515	498	1071	- 1188	1134
	DA	E	1	1	223.0	- 223.0	223.0	N/Q	507	- 507	507	1037	- 1037	1037
	RS	E	1	1	220.0	- 220.0	220.0	N/Q	-			935	- 935	935
520+		B	2	19	268.0	- 275.0	270.2	N/Q	529	- 536	534	1407	- 1609	1471
		B	3	29	269.0	- 278.0	275.2	N/Q	525	- 528	525	1493	- 1668	1614
		C	2	61	238.0	- 268.0	255.4	-23	476	- 532	507	1302	- 1514	1436
		C	3	130	266.0	- 286.0	275.9	-4	512	- 553	530	1501	- 1810	1638
		C	4	63	255.0	- 282.0	274.9	-7	481	- 535	522	1608	- 1833	1752
		C	5	1	240.0	- 240.0	240.0	N/Q	453	- 453	453	1800	- 1800	1800
		D	1	1	223.0	- 223.0	223.0	N/Q	507	- 507	507	1182	- 1182	1182
		D	2	14	229.0	- 239.0	233.1	53	460	- 522	491	1208	- 1328	1268
		D	3	27	248.0	- 283.0	272.5	-2	486	- 534	515	1513	- 1738	1667
		D	4	16	260.0	- 282.0	280.6	N/Q	491	- 532	530	1690	- 1875	1864
				<b>408</b>	<b>170.0</b>	<b>286.0</b>		<b>429</b>	<b>561</b>		<b>595</b>	<b>1875</b>		
<b>Bulls</b>														
0-450		C	2	29	285.0	- 322.0	292.7	19	518	- 608	540	1105	- 1283	1147
	FD	C	2	11	262.0	- 355.0	295.8	23	-			1012	- 1048	1035
	RS	C	2	4	297.0	- 320.0	314.3	N/Q	-			1173	- 1376	1325
450-600		B	2	2	275.0	- 284.0	279.5	N/Q	500	- 516	508	1420	- 1595	1508
		C	2	11	257.0	- 290.0	278.5	16	476	- 528	510	1246	- 1650	1425
600+		B	1	1	220.0	- 220.0	220.0	N/Q	415	- 415	415	1760	- 1760	1760
		B	2	25	257.0	- 287.0	270.4	3	459	- 513	487	1643	- 3025	2398
		C	1	3	224.0	- 262.0	237.0	N/Q	417	- 476	439	1456	- 2227	1828
		C	2	4	266.0	- 266.0	266.0	N/Q	484	- 484	484	1729	- 1729	1729
				<b>90</b>	<b>220.0</b>	<b>355.0</b>		<b>415</b>	<b>608</b>		<b>1012</b>	<b>3025</b>		

**Abbreviations**

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral CATTLE SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

**Disclaimer:**

© 2016 Meat and Livestock Australia Limited

Page: 3 of 4

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.