

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Pakenham

report date 14 Nov 2016

Yarding Change $\frac{1014}{276}$

comparison date 07/11/2016

There were approximately 550 export and 450 young cattle penned representing an increase of 280 head week-on-week. The usual buying group was present but not all operating fully in a softer market. Quality was fairly good with a larger selection of well finished grown steers and bullocks on offer. Vealers sold from firm up to 10c/kg easier for the limited offering. Quality varied considerably in the yearling trade run with the steers selling from mostly firm to a few cents cheaper while the heifer portion slipped up to 10c/kg in places. Grown steers sold from mostly firm to 5c cheaper while the bullocks eased 3c to 9c/kg. Heavy weight crossbred manufacturing steers slipped 8c/kg.

Heavy weight vealers suited to butcher orders sold from 335c to 380c/kg. Yearling trade steers made between 320c and 368c/kg. Yearling heifers to the trade sold between 305c and 365c/kg.

Grown steers made from 300c to 334c/kg. Bullocks sold from 300c to 322c/kg. Heavy weight grown heifers made mostly between 262c and 312c/kg. Heavy weight crossbred manufacturing steers sold between 268c and 312c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280	FD	B	2	6	379.6	- 379.6	379.6	N/Q	-			1063	- 1063	1063
	FD	C	2	10	347.6	- 350.0	349.0	35	-			928	- 980	955
280-330	FD	B	2	4	342.6	- 376.6	359.6	N/Q	-			1096	- 1243	1170
		C	2	1	330.6	- 330.6	330.6	N/Q	612	- 612	612	1091	- 1091	1091
	FD	C	2	3	332.6	- 345.0	339.2	-14	-			986	- 1098	1040
	RS	C	2	1	316.0	- 316.0	316.0	N/Q	-			948	- 948	948
		C	3	2	350.0	- 350.0	350.0	N/Q	636	- 636	636	1120	- 1120	1120
	FD	C	3	1	345.0	- 345.0	345.0	N/Q	-			1104	- 1104	1104
330+		B	2	2	360.0	- 360.0	360.0	N/C	632	- 632	632	1332	- 1332	1332
		B	3	3	355.0	- 366.0	358.7	-16	623	- 642	629	1278	- 1318	1291
		C	3	5	340.0	- 351.6	346.6	-9	607	- 636	626	1207	- 1295	1262
				38	316.0	379.6			607	642		928	1332	
Vealer Heifer														
200-280	FD	B	2	5	379.6	- 379.6	379.6	N/Q	-			1063	- 1063	1063
		C	2	8	330.0	- 342.0	337.9	N/Q	611	- 629	619	889	- 946	929
280-330		B	3	1	374.6	- 374.6	374.6	N/Q	646	- 646	646	1199	- 1199	1199
		C	2	3	324.6	- 324.6	324.6	N/Q	601	- 601	601	941	- 941	941
	FD	C	2	2	346.6	- 346.6	346.6	N/Q	-			1144	- 1144	1144
		C	3	5	335.0	- 365.0	353.0	-5	609	- 652	637	1005	- 1155	1101
330+		B	3	3	355.0	- 355.0	355.0	-27	623	- 623	623	1278	- 1278	1278
	RS	C	2	2	330.0	- 330.0	330.0	N/Q	-			1122	- 1122	1122
		C	3	6	335.6	- 365.0	355.2	1	610	- 652	638	1175	- 1242	1230
				35	324.6	379.6			601	652		889	1278	
Yearling Steer														
200-280	RS	C	2	2	324.6	- 324.6	324.6	N/Q	-			909	- 909	909
	FD	C	2	2	328.6	- 328.6	328.6	N/Q	-			920	- 920	920
330-400		B	2	9	355.0	- 360.0	356.1	-12	632	- 634	633	1314	- 1332	1318

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+		B	3	2	361.6	- 361.6	361.6	N/Q	623	- 623	623	1338	- 1338	1338
	FD	C	2	15	323.6	- 349.6	337.7	N/Q	-			1189	- 1311	1249
		C	3	7	327.6	- 352.0	347.9	-3	596	- 629	623	1245	- 1408	1382
	FD	C	3	8	330.0	- 348.6	343.8	N/Q	-			1185	- 1307	1262
	RS	D	2	2	316.0	- 316.0	316.0	N/Q	-			1169	- 1169	1169
	FD	B	2	3	311.6	- 311.6	311.6	N/Q	-			1433	- 1433	1433
		B	2	1	300.0	- 300.0	300.0	N/Q	536	- 536	536	1560	- 1560	1560
		B	3	19	332.6	- 368.0	355.2	N/C	584	- 635	617	1509	- 1676	1639
		C	2	1	316.0	- 316.0	316.0	N/Q	575	- 575	575	1454	- 1454	1454
	RS	C	2	9	302.6	- 315.0	310.8	N/Q	-			1331	- 1418	1395
	FD	C	3	13	320.0	- 327.6	325.3	N/Q	-			1474	- 1600	1513
		C	3	8	319.6	- 350.0	328.6	-18	581	- 625	593	1374	- 1574	1462
	D	3	4	306.0	- 306.0	306.0	N/Q	567	- 567	567	1408	- 1408	1408	
				105	300.0	368.0		536	635		909	1676		
Yearling Heifer														
200-280		C	2	1	300.0	- 300.0	300.0	N/Q	556	- 556	556	780	- 780	780
		D	2	4	330.0	- 330.0	330.0	26	623	- 623	623	924	- 924	924
280-330		D	3	1	314.6	- 314.6	314.6	N/C	583	- 583	583	1007	- 1007	1007
330-400		B	2	9	345.0	- 345.0	345.0	N/Q	616	- 616	616	1242	- 1242	1242
	RS	B	2	1	352.6	- 352.6	352.6	N/Q	-			1252	- 1252	1252
	FD	C	2	4	318.0	- 335.0	326.5	4	-			1177	- 1256	1216
		C	2	4	308.0	- 308.0	308.0	-17	570	- 570	570	1155	- 1155	1155
		C	3	4	325.0	- 352.0	344.8	-2	591	- 636	621	1170	- 1408	1312
	FD	C	3	4	336.6	- 336.6	336.6	N/Q	-			1212	- 1212	1212
	RS	D	2	2	305.0	- 305.0	305.0	N/Q	-			1129	- 1129	1129
		D	2	1	285.0	- 285.0	285.0	N/Q	548	- 548	548	998	- 998	998
	FD	D	3	2	320.0	- 320.0	320.0	N/Q	-			1088	- 1088	1088
	RS	D	3	1	309.6	- 309.6	309.6	N/Q	-			1053	- 1053	1053
		D	3	33	306.6	- 322.0	316.9	-5	568	- 597	591	1047	- 1278	1175
400+		B	3	5	330.0	- 365.0	345.0	-14	579	- 640	605	1551	- 1825	1705
		C	2	1	302.0	- 302.0	302.0	N/Q	570	- 570	570	1359	- 1359	1359
		C	3	12	318.0	- 345.0	338.0	-10	578	- 627	615	1428	- 1553	1468
		D	3	75	305.0	- 326.6	318.9	4	565	- 605	591	1335	- 1458	1397
		D	4	12	313.6	- 313.6	313.6	N/Q	581	- 581	581	1631	- 1631	1631
				176	285.0	365.0		548	640		780	1825		
Grown Steer														
400-500		C	3	2	325.0	- 325.0	325.0	N/Q	591	- 591	591	1560	- 1625	1593
		D	3	1	305.0	- 305.0	305.0	N/Q	565	- 565	565	1449	- 1449	1449
500-600		C	2	4	300.0	- 313.6	306.8	-3	556	- 581	566	1646	- 1767	1698
	FD	C	2	5	319.6	- 320.0	319.9	N/Q	-			1680	- 1758	1696
	FD	C	3	1	320.0	- 320.0	320.0	N/Q	-			1728	- 1728	1728
		C	3	107	312.0	- 333.6	325.0	-1	567	- 607	589	1723	- 1923	1817
		D	3	44	307.6	- 319.2	314.3	-5	559	- 591	577	1703	- 1844	1760
600-750		C	3	27	305.6	- 317.0	312.3	N/Q	546	- 572	556	1895	- 2106	2039

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
750+		C	4	66	310.0	- 322.0	317.6	-3	554	- 575	567	1997	- 2281	2123	
		D	3	58	300.0	- 312.2	308.5	-9	546	- 568	561	1971	- 2248	2062	
		C	4	19	285.0	- 309.6	296.2	N/C	500	- 553	524	2379	- 2423	2404	
				334	285.0	333.6		500	607		1449	2423			
Grown Heifer															
0-540	DA	D	1	5	186.0	- 233.0	204.8	N/Q	404	- 496	441	632	- 839	715	
		DA	D	2	2	242.0	- 248.6	245.3	N/Q	497	- 504	501	1016	- 1144	1080
540+		D	2	4	242.0	- 254.0	248.9	-10	484	- 529	508	953	- 1307	1085	
		D	3	36	271.6	- 318.0	300.2	2	522	- 600	568	1080	- 1647	1428	
		D	4	43	286.6	- 310.2	307.4	N/Q	531	- 574	570	1308	- 1644	1601	
		C	4	5	285.0	- 285.0	285.0	N/Q	509	- 509	509	1995	- 1995	1995	
		C	5	3	256.6	- 256.6	256.6	N/Q	458	- 458	458	2053	- 2053	2053	
		D	2	1	258.6	- 258.6	258.6	N/Q	479	- 479	479	1746	- 1746	1746	
		D	3	7	290.0	- 310.0	292.9	-9	547	- 574	551	1624	- 1705	1636	
		D	4	27	261.6	- 312.0	299.6	N/Q	484	- 586	557	1601	- 1918	1758	
		D	5	4	262.0	- 266.6	264.3	22	485	- 494	489	1624	- 1933	1779	
				137	186.0	318.0		404	600		632	2053			
Manufacturing Steer															
0-540		C	3	1	305.0	- 305.0	305.0	N/Q	565	- 565	565	1464	- 1464	1464	
		RS	D	1	2	254.6	- 254.6	254.6	N/Q		-		1018	- 1018	1018
540+		D	3	6	282.6	- 301.6	288.7	-16	533	- 559	541	1342	- 1629	1406	
		C	2	4	300.0	- 300.0	300.0	N/Q	556	- 556	556	2040	- 2040	2040	
		C	5	1	240.0	- 240.0	240.0	N/Q	421	- 421	421	2400	- 2400	2400	
		FD	D	2	2	266.0	- 266.0	266.0	N/Q		-		1463	- 1463	1463
		DA	D	2	4	260.0	- 260.0	260.0	-4	500	- 500	500	1690	- 1690	1690
			D	3	20	267.6	- 312.0	286.0	-8	502	- 578	530	1678	- 2135	1916
		RS	D	3	11	308.6	- 308.6	308.6	N/Q		-		1759	- 1759	1759
		D	4	16	270.0	- 300.0	289.1	N/Q	500	- 556	535	2040	- 2295	2130	
				67	240.0	312.0		421	578		1018	2400			
Cows															
520+		D	4	3	256.0	- 256.0	256.0	3	512	- 512	512	1382	- 1382	1382	
				3	256.0	256.0		512	512		1382	1382			

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.