

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Pakenham

report date 21 Nov 2016

Yarding Change 859
-155

comparison date 14/11/2016

There were approximately 500 export and 360 young cattle penned representing a decrease of 150 head week-on-week. The usual buying group was present and operating in a solid market. Quality was fairly mixed with a larger proportion of the yarding being secondary and plainer lines. A good selection of heavy weight vealers sold to strong competition with prices up to 10c/kg dearer. Yearling cattle suited to the trade sold generally firm with the odd cheaper sale. Grown steers and bullocks sold mostly firm with the best grown steers off 7c/kg. Heavy weight crossbred manufacturing steers gained 11c/kg.

Heavy weight vealers to butchers sold from 341c to 381c/kg. Yearling trade steers made between 322c and 364c/kg. Yearling heifers to the trade sold between 302c and 360c/kg.

Grown steers made from 308c to 320c/kg. Bullocks sold from 300c to 320c/kg. Heavy weight Friesian manufacturing steers made between 250c and 270c for a larger offering with the crossbred portion between 270c and 309c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
280-330		B	2	1	350.0	- 350.0	350.0	N/Q	614	- 614	614	1155	- 1155	1155
	FD	B	2	1	353.6	- 353.6	353.6	N/Q		-		1167	- 1167	1167
		B	3	4	376.0	- 381.6	378.8	N/Q	658	- 660	659	1203	- 1240	1222
	FD	C	2	1	317.6	- 317.6	317.6	N/Q		-		953	- 953	953
	RS	C	2	1	336.0	- 336.0	336.0	N/Q		-		1109	- 1109	1109
		C	3	1	340.0	- 340.0	340.0	N/Q	618	- 618	618	1088	- 1088	1088
330+		B	2	1	356.6	- 356.6	356.6	N/Q	637	- 637	637	1248	- 1248	1248
	RS	B	2	2	345.0	- 362.6	353.8	N/Q		-		1173	- 1305	1239
		B	3	12	355.0	- 380.0	368.0	9	612	- 656	641	1278	- 1488	1398
		C	2	1	330.0	- 330.0	330.0	N/Q	611	- 611	611	1122	- 1122	1122
	FD	C	2	2	325.0	- 325.0	325.0	N/Q		-		1105	- 1105	1105
	FD	C	3	1	350.0	- 350.0	350.0	N/Q		-		1190	- 1190	1190
		C	3	12	350.0	- 375.0	364.6	18	625	- 670	651	1260	- 1320	1291
				40	317.6	381.6			611	670		953	1488	
Vealer Heifer														
200-280	FD	C	2	4	315.0	- 330.0	326.3	N/Q		-		858	- 882	864
280-330		B	3	1	376.0	- 376.0	376.0	N/Q	660	- 660	660	1203	- 1203	1203
	FD	C	2	2	332.0	- 345.6	338.8	N/Q		-		1062	- 1140	1101
		C	2	3	332.0	- 332.0	332.0	7	604	- 604	604	1096	- 1096	1096
		C	3	10	352.6	- 366.0	363.6	11	641	- 654	652	1128	- 1208	1193
		D	3	4	332.0	- 332.0	332.0	N/Q	615	- 615	615	1096	- 1096	1096
330+		B	3	5	355.0	- 380.0	365.0	10	612	- 667	634	1278	- 1368	1314
	RS	C	2	3	340.0	- 340.0	340.0	10		-		1173	- 1173	1173
		C	3	9	340.6	- 375.0	361.7	7	619	- 670	647	1192	- 1296	1270
		D	3	1	317.0	- 317.0	317.0	N/Q	587	- 587	587	1110	- 1110	1110
				42	315.0	380.0			587	670		858	1368	

Yearling Steer

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
200-280	RS	C	2	7	331.6	- 340.0	336.4	12	-			884	- 912	896
280-330	RS	B	2	2	369.6	- 369.6	369.6	N/Q	-			1183	- 1183	1183
	RS	C	2	4	371.6	- 371.6	371.6	N/Q	-			1152	- 1152	1152
330-400		B	3	1	350.0	- 350.0	350.0	N/Q	603	- 603	603	1400	- 1400	1400
	RS	C	2	14	315.0	- 375.6	356.5	N/Q	-			1197	- 1352	1301
		C	2	13	300.6	- 330.0	322.3	N/Q	557	- 604	590	1022	- 1320	1223
	FD	C	2	9	300.0	- 322.0	311.6	-26	-			1050	- 1240	1142
	FD	C	3	1	332.0	- 332.0	332.0	N/Q	-			1162	- 1162	1162
		C	3	12	330.0	- 360.0	343.7	-4	600	- 643	623	1141	- 1314	1261
		D	3	1	322.0	- 322.0	322.0	N/Q	596	- 596	596	1224	- 1224	1224
400+		B	2	1	325.0	- 325.0	325.0	N/Q	580	- 580	580	1706	- 1706	1706
		B	3	12	348.0	- 363.6	350.6	-5	599	- 627	612	1663	- 1750	1716
	FD	C	2	1	297.6	- 297.6	297.6	N/Q	-			1265	- 1265	1265
		C	3	15	322.0	- 355.0	341.6	13	586	- 634	614	1369	- 1622	1545
				93	297.6	375.6			557	643		884	1750	
Yearling Heifer														
200-280	RS	C	2	3	328.6	- 328.6	328.6	N/Q	-			854	- 854	854
		D	1	1	305.0	- 305.0	305.0	N/Q	610	- 610	610	793	- 793	793
280-330	FD	C	2	2	333.6	- 333.6	333.6	N/Q	-			1101	- 1101	1101
		D	2	4	270.0	- 288.0	274.5	N/Q	519	- 554	528	864	- 950	886
330-400		B	3	1	360.0	- 360.0	360.0	N/Q	621	- 621	621	1314	- 1314	1314
		C	2	1	322.6	- 322.6	322.6	N/Q	597	- 597	597	1129	- 1129	1129
	FD	C	2	1	325.0	- 325.0	325.0	N/Q	-			1105	- 1105	1105
		C	3	5	340.0	- 355.0	349.0	4	618	- 634	628	1156	- 1314	1251
		D	2	2	240.0	- 288.0	264.0	N/Q	462	- 543	503	840	- 1008	924
	RS	D	2	1	290.0	- 290.0	290.0	N/Q	-			986	- 986	986
		D	3	13	302.0	- 332.6	310.1	-7	559	- 616	577	1087	- 1330	1127
		D	4	2	298.6	- 298.6	298.6	N/Q	553	- 553	553	1194	- 1194	1194
400+		B	2	1	310.0	- 310.0	310.0	N/Q	554	- 554	554	1705	- 1705	1705
		B	3	1	320.0	- 320.0	320.0	N/Q	561	- 561	561	1520	- 1520	1520
		C	2	2	295.0	- 296.0	295.5	N/Q	546	- 559	552	1243	- 1593	1418
		C	3	3	345.0	- 355.0	351.7	14	616	- 634	628	1553	- 1633	1606
		D	2	10	295.6	- 295.6	295.6	N/Q	569	- 569	569	1256	- 1256	1256
		D	3	77	308.0	- 319.6	313.7	-5	570	- 592	582	1355	- 1463	1396
		D	4	16	300.0	- 302.0	301.1	-12	556	- 559	558	1500	- 1510	1506
				146	240.0	360.0			462	634		793	1705	
Grown Steer														
0-400		C	2	1	306.6	- 306.6	306.6	N/Q	558	- 558	558	1226	- 1226	1226
400-500	RS	C	2	24	313.0	- 316.6	315.6	N/Q	-			1471	- 1488	1483
		C	3	5	335.0	- 335.0	335.0	10	609	- 609	609	1508	- 1508	1508
		D	3	13	324.6	- 324.6	324.6	20	601	- 601	601	1558	- 1558	1558
500-600		B	2	1	311.6	- 311.6	311.6	N/Q	556	- 556	556	1714	- 1714	1714
		B	3	1	320.0	- 320.0	320.0	N/Q	561	- 561	561	1824	- 1824	1824
		C	2	1	310.0	- 310.0	310.0	N/Q	574	- 574	574	1705	- 1705	1705
	RS	C	2	1	295.0	- 295.0	295.0	N/Q	-			1623	- 1623	1623

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600-750		C	3	33	310.0	- 320.0	317.9	-7	564	- 582	574	1680	- 1829	1770
	RS	D	3	2	305.0	- 310.0	307.5	N/Q	-			1612	- 1647	1630
		D	3	52	308.0	- 320.0	312.9	-1	564	- 593	574	1628	- 1908	1758
		C	2	6	301.2	- 301.2	301.2	N/Q	548	- 548	548	1883	- 1883	1883
		C	3	19	312.0	- 316.6	314.0	2	541	- 567	560	1950	- 2355	2116
		C	4	61	310.0	- 319.6	315.9	-2	554	- 581	567	2035	- 2363	2133
750+	FD	D	3	4	312.0	- 312.0	312.0	N/Q	-			2028	- 2028	2028
		D	3	15	300.0	- 311.6	308.2	N/C	546	- 567	562	1906	- 2325	2173
		C	4	17	290.0	- 310.6	302.1	6	527	- 555	543	2233	- 2392	2326
				256	290.0	335.0		527	609		1226	2392		
Grown Heifer														
0-540		D	2	1	246.0	- 246.0	246.0	N/Q	513	- 513	513	1230	- 1230	1230
	DA	D	2	6	240.0	- 256.6	253.8	9	500	- 513	511	960	- 1026	1015
		D	3	14	262.0	- 300.0	286.2	-14	504	- 566	541	1261	- 1415	1362
	DA	E	3	1	212.0	- 212.0	212.0	N/Q	442	- 442	442	1113	- 1113	1113
540+	DA	D	3	1	223.6	- 223.6	223.6	N/Q	438	- 438	438	1252	- 1252	1252
		D	3	2	300.0	- 300.0	300.0	N/Q	556	- 556	556	1680	- 1680	1680
		D	4	5	267.6	- 267.6	267.6	-32	496	- 496	496	1472	- 1472	1472
		D	5	1	246.6	- 246.6	246.6	N/Q	457	- 457	457	1603	- 1603	1603
				31	212.0	300.0		438	566		960	1680		
Manufacturing Steer														
0-540		D	1	1	246.0	- 246.0	246.0	N/Q	492	- 492	492	1169	- 1169	1169
		D	2	2	242.0	- 243.6	242.8	N/Q	465	- 469	467	901	- 1089	995
	RS	D	2	3	265.0	- 295.0	285.0	N/Q	-			1391	- 1593	1526
	RS	D	3	2	285.0	- 285.0	285.0	N/Q	-			1311	- 1311	1311
		D	3	13	290.0	- 309.6	296.0	7	537	- 573	548	1254	- 1580	1326
540+		C	3	1	295.6	- 295.6	295.6	N/Q	538	- 538	538	1774	- 1774	1774
	DA	D	1	2	250.0	- 250.0	250.0	N/Q	500	- 500	500	1450	- 1450	1450
	DA	D	2	60	252.6	- 270.0	264.4	4	486	- 512	505	1516	- 1822	1688
		D	2	11	269.6	- 275.6	270.3	N/Q	509	- 520	510	1550	- 1860	1628
		D	3	24	290.0	- 308.6	297.3	11	537	- 565	550	1697	- 2074	1860
	DA	D	3	1	280.0	- 280.0	280.0	N/Q	519	- 519	519	1820	- 1820	1820
				120	242.0	309.6		465	573		901	2074		
Cows														
400-520		D	3	1	240.0	- 240.0	240.0	N/Q	480	- 480	480	1140	- 1140	1140
520+		D	3	1	241.6	- 241.6	241.6	N/Q	465	- 465	465	1329	- 1329	1329
				2	240.0	241.6		465	480		1140	1329		
Bulls														
0-450		B	2	1	317.6	- 317.6	317.6	N/Q	548	- 548	548	1207	- 1207	1207
	RS	C	2	1	301.6	- 301.6	301.6	N/Q	-			965	- 965	965
450-600		B	2	1	268.6	- 268.6	268.6	N/Q	480	- 480	480	1343	- 1343	1343
	DA	D	3	1	220.0	- 220.0	220.0	N/Q	440	- 440	440	1155	- 1155	1155
				4	220.0	317.6		440	548		965	1343		

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.