

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 03 Jun 2014

Yarding Change ¹²⁰⁹
62

comparison date 27/05/2014

The supply of stock experienced very little change and young cattle were in the largest numbers, along with a reasonable sample of cows and virtually no heavy grown steers and bullocks. A fair panel of buyers was present and operating in the young cattle section and once again there was limited export processor attendance. Good quality vealers and yearling steers and heifers suitable for the butcher trade improved by 6c to 10c/kg. Medium and heavy weight yearling steers to feed sold to solid demand and poor quality lines tended to lose ground in price. Plain condition cows managed to hold onto the improvements of the previous week, while good heavy cows gained 3c/kg against the losses experienced last week.

Calves returning to the paddock averaged 141c and made to 170.2c/kg. Vealer steers to slaughter made to 205.2c to average 195c/kg. The largest number of vealer heifers averaged 138c and feeders 153c, while a handful to local butchers reached 204.2c/kg. Lightweight yearling steers to restockers averaged 170c/kg. Medium weights to feed averaged 172c and made to 185.2c and D muscle lines averaged 135c/kg. Local trade lines averaged 186c and sold to 191.2c/kg. Heavyweights to feed averaged in the early 180c range with isolated sales to 195c/kg. Medium weight yearling heifers to feed averaged 154c, while local trade lines mostly sold around 166c with sales to 188.2c/kg.

Medium weight plain cows averaged 75c and the 2 scores averaged 95c and sold to 113.2c/kg. Good heavy cows made from 120c to 128.2c to average 123c/kg. Heavy bulls made to 134.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	2	32	114.2	- 170.2	141.8	-1	-	-	-	132	- 280	225
	RS	D	2	2	100.2	- 100.2	100.2	N/Q	-	-	-	185	- 185	185
				34	100.2	170.2			0	0		132	280	
Vealer Steer														
200-280	FD	C	2	18	165.2	- 169.2	167.9	-18	-	-	-	372	- 381	378
280-330		C	3	19	183.2	- 205.2	195.3	7	333	- 373	355	550	- 605	582
330+		D	3	1	165.0	- 165.0	165.0	N/Q	300	- 300	300	553	- 553	553
				38	165.0	205.2			300	373		372	605	
Vealer Heifer														
200-280		C	2	44	136.2	- 150.0	138.1	-3	252	- 278	256	313	- 375	334
	FD	C	2	14	130.2	- 150.0	143.9	1	-	-	-	312	- 398	365
		C	3	6	160.2	- 204.2	191.2	N/Q	297	- 378	354	376	- 562	509
	FD	C	3	5	160.0	- 160.0	160.0	N/Q	-	-	-	376	- 376	376
280-330		C	2	6	138.2	- 138.2	138.2	-7	256	- 256	256	394	- 394	394
	FD	C	2	26	141.2	- 163.2	152.9	13	-	-	-	402	- 465	436
		C	3	3	189.2	- 201.2	197.2	7	350	- 373	365	558	- 573	568
330+	FD	C	3	5	176.2	- 176.2	176.2	N/Q	-	-	-	590	- 590	590
				109	130.2	204.2			252	378		312	590	
Yearling Steer														
0-330	RS	C	2	40	155.0	- 174.2	169.8	5	-	-	-	318	- 454	394
	FD	C	2	6	170.2	- 170.2	170.2	1	-	-	-	366	- 366	366
		C	3	3	188.2	- 188.2	188.2	N/Q	342	- 342	342	565	- 565	565
	RS	D	1	2	80.0	- 80.0	80.0	N/Q	-	-	-	228	- 228	228
	RS	D	2	13	120.0	- 152.0	143.4	13	-	-	-	246	- 312	294

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	FD	D	2	9	140.0	- 146.2	144.8	N/Q	-			344	- 441	365
	RS	E	1	1	74.2	- 74.2	74.2	N/Q	-			211	- 211	211
	FD	C	2	78	158.2	- 185.2	172.0	-9	-			546	- 683	614
	FD	C	3	11	165.2	- 170.0	166.5	-16	-			620	- 621	620
		C	3	33	175.2	- 191.2	186.6	10	319	- 348	339	613	- 736	683
400+	FD	D	2	31	130.2	- 147.2	135.5	-8	-			452	- 539	484
	RS	D	2	38	115.2	- 153.2	141.6	13	-			403	- 559	502
	FD	C	2	19	160.0	- 176.2	173.3	13	-			696	- 745	719
	RS	C	3	9	180.2	- 180.2	180.2	N/Q	-			793	- 793	793
	FD	C	3	40	172.2	- 195.0	182.5	4	-			744	- 868	796
	C	3	16	164.2	- 190.6	187.1	6	299	- 347	340	783	- 827	807	
	FD	D	2	11	133.0	- 155.0	145.6	49	-			552	- 659	614
	RS	D	2	3	147.2	- 147.2	147.2	N/Q	-			611	- 611	611
				363	74.2	195.0			299	348		211	868	
Yearling Heifer														
0-330		C	2	3	143.2	- 143.2	143.2	N/Q	265	- 265	265	337	- 337	337
	FD	C	2	12	130.2	- 148.2	135.4	N/C	-			306	- 348	318
		C	3	5	187.2	- 187.2	187.2	N/Q	347	- 347	347	562	- 562	562
	FD	D	2	15	114.2	- 121.2	119.8	8	-			268	- 285	282
330-400	FD	C	2	36	130.0	- 156.2	145.1	-2	-			436	- 586	510
	RS	C	2	10	139.2	- 145.0	143.3	N/Q	-			500	- 508	503
	FD	C	3	63	143.2	- 160.0	154.2	-10	-			480	- 616	549
		C	3	55	140.0	- 188.2	166.5	N/C	259	- 349	308	469	- 725	583
	FD	D	2	15	80.2	- 120.0	107.8	-3	-			269	- 402	368
		D	2	4	100.0	- 100.0	100.0	N/Q	185	- 185	185	345	- 345	345
400+	FD	C	2	9	145.2	- 151.2	149.2	5	-			588	- 643	621
		C	3	1	154.2	- 154.2	154.2	N/Q	286	- 286	286	671	- 671	671
				228	80.2	188.2			185	349		268	725	
Grown Steer														
0-400	RS	D	2	3	104.2	- 104.2	104.2	N/Q	-			365	- 365	365
400-500	FD	C	3	2	161.2	- 161.2	161.2	N/Q	-			685	- 685	685
		C	3	2	155.2	- 160.2	157.7	N/Q	282	- 291	287	681	- 722	701
		D	2	3	120.0	- 120.0	120.0	N/Q	218	- 218	218	510	- 510	510
	RS	D	2	2	103.2	- 103.2	103.2	N/Q	-			428	- 428	428
500-600		C	3	1	152.2	- 152.2	152.2	N/Q	277	- 277	277	814	- 814	814
		D	2	1	136.2	- 136.2	136.2	N/Q	248	- 248	248	715	- 715	715
600-750		C	3	1	140.2	- 140.2	140.2	N/Q	255	- 255	255	876	- 876	876
		D	2	1	129.2	- 129.2	129.2	N/Q	235	- 235	235	782	- 782	782
		D	3	1	136.2	- 136.2	136.2	N/Q	248	- 248	248	824	- 824	824
				17	103.2	161.2			218	291		365	876	
Grown Heifer														
0-540		C	3	3	131.2	- 143.2	135.2	N/Q	252	- 270	258	649	- 766	688
	FD	D	2	2	64.2	- 64.2	64.2	N/Q	-			228	- 228	228
		D	2	9	83.2	- 112.2	102.9	N/Q	173	- 234	214	362	- 488	436
		D	3	2	117.2	- 117.2	117.2	N/Q	225	- 225	225	510	- 510	510

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	5	2	120.2	- 120.2	120.2	N/Q	236	- 236	236	643	- 643	643
				18	64.2	143.2			173	270		228	766	
Manufacturing Steer														
540+		C	3	5	138.2	- 138.2	138.2	7	251	- 251	251	926	- 926	926
				5	138.2	138.2			251	251		926	926	
Cows														
0-400		D	1	6	55.2	- 73.2	63.0	4	126	- 166	143	213	- 282	243
	RS	E	1	2	28.2	- 28.2	28.2	N/Q	-	-	-	85	- 85	85
400-520	DA	D	1	6	65.0	- 97.2	70.7	8	148	- 221	161	292	- 462	340
	RS	D	1	6	75.2	- 75.2	75.2	11	-	-	-	327	- 327	327
		D	1	28	72.2	- 78.2	75.2	-7	164	- 178	171	314	- 348	327
		D	2	84	78.2	- 113.2	94.9	-3	170	- 246	206	348	- 514	433
	RS	D	2	3	83.2	- 83.2	83.2	N/Q	-	-	-	387	- 387	387
		D	3	19	105.0	- 116.2	111.1	1	214	- 237	227	471	- 565	531
		E	1	1	40.0	- 40.0	40.0	N/Q	91	- 91	91	174	- 174	174
520+	DA	D	1	11	88.2	- 92.0	91.3	2	201	- 209	208	472	- 520	511
		D	2	5	102.2	- 109.2	105.0	1	222	- 237	228	542	- 584	559
		D	3	14	114.2	- 119.2	116.4	5	233	- 253	242	611	- 657	629
		D	4	24	120.0	- 128.2	123.0	3	235	- 251	241	642	- 738	679
		D	5	4	99.2	- 114.2	106.7	-8	202	- 233	218	541	- 679	610
				213	28.2	128.2			91	253		85	738	
Bulls														
0-450	FD	C	2	10	155.2	- 155.2	155.2	3	-	-	-	365	- 365	365
		C	2	2	113.2	- 119.2	116.2	N/Q	206	- 217	211	459	- 481	470
		C	3	6	127.2	- 133.2	130.2	-21	231	- 242	237	475	- 599	538
		D	1	1	50.0	- 50.0	50.0	N/Q	91	- 91	91	163	- 163	163
		D	2	1	95.2	- 95.2	95.2	N/Q	173	- 173	173	357	- 357	357
450-600		C	3	6	125.2	- 129.2	127.9	-1	224	- 231	228	640	- 664	648
	RS	C	3	1	141.2	- 141.2	141.2	N/Q	-	-	-	755	- 755	755
600+		C	2	5	108.2	- 110.0	109.6	-6	197	- 200	199	676	- 715	707
		C	3	8	110.0	- 134.2	123.2	-14	196	- 240	220	825	- 1188	967
		D	1	1	80.0	- 80.0	80.0	N/Q	146	- 146	146	484	- 484	484
		D	2	2	96.2	- 100.2	98.2	N/Q	175	- 182	179	582	- 636	609
				43	50.0	155.2			91	242		163	1188	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.