

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Warwick

report date 15 Jul 2014

Yarding Change <sup>1405</sup>  
103

comparison date 08/07/2014

The cold, dry weather increased supply and the deteriorating conditions were reflected in the overall quality of the yarding, especially in the cow section. A reduced field of export buyers was present and some buyers were also absent in the young cattle section. The large supply of lightweight young cattle exceeded demand and prices eased by 10c to 20c/kg. Medium and heavy weight yearling steers to feed sold to strong demand and in places improved in price, while a few local trade classes also experienced stronger competition. Cows sold to a cheaper trend, with losses of 15c to 20c/kg.

A large supply of calves returned to the paddock at 145c and poor condition lines averaged 95c/kg. Vealer steers to feeder operators averaged in the 150c range and poor quality lines 115c/kg. Medium weight yearling steers to feed averaged from 176c to 189c, with some to 203.2c and some D muscle classes sold to restockers at 114c/kg. Heavyweights to feed averaged 186c and made to 198.2c, while the small selection to the trade made to 193.2c/kg. Medium weight yearling heifers to feed averaged 153c and some heavyweights to the trade made to 207.2c to average 169c/kg.

Lightweight plain cows to restockers averaged 56c and medium weights 75c/kg. Medium weight 2 scores to processors averaged 96c and good heavy cows made to 125.2c to average 15c less at 119c/kg. Heavy bulls made to 160c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
0-80	RS	C	1	8	103.2	- 103.2	103.2	N/Q	-			52	- 52	52
	RS	D	1	12	88.2	- 88.2	88.2	N/Q	-			44	- 44	44
80+	RS	C	2	130	110.0	- 163.2	145.3	-7	-			138	- 302	206
	RS	D	2	73	84.2	- 95.2	94.9	N/Q	-			105	- 167	127
				<b>223</b>	<b>84.2</b>	<b>163.2</b>			<b>0</b>	<b>0</b>		<b>44</b>	<b>302</b>	
<b>Vealer Steer</b>														
200-280	FD	C	2	43	150.2	- 170.2	157.5	-10	-			353	- 426	385
	RS	C	2	18	139.2	- 145.0	141.8	-20	-			327	- 384	353
	RS	D	2	14	100.0	- 132.2	115.2	N/Q	-			225	- 364	273
		D	2	1	100.0	- 100.0	100.0	N/Q	182	- 182	182	235	- 235	235
280-330	FD	C	2	13	147.2	- 190.2	172.3	2	-			420	- 561	501
	RS	C	2	2	168.2	- 168.2	168.2	N/Q	-			496	- 496	496
		C	3	19	180.0	- 192.2	188.6	16	327	- 350	343	531	- 599	568
	FD	D	2	3	125.2	- 125.2	125.2	N/Q	-			369	- 369	369
				<b>113</b>	<b>100.0</b>	<b>192.2</b>			<b>182</b>	<b>350</b>		<b>225</b>	<b>599</b>	
<b>Vealer Heifer</b>														
200-280	FD	C	2	8	129.2	- 130.0	129.6	-16	-			304	- 306	305
		C	3	5	174.2	- 185.0	178.5	10	323	- 343	331	462	- 490	473
	RS	D	2	5	115.2	- 115.2	115.2	N/Q	-			259	- 259	259
280-330		C	2	1	168.2	- 168.2	168.2	N/Q	312	- 312	312	513	- 513	513
	FD	C	2	12	149.2	- 149.2	149.2	2	-			425	- 425	425
		C	3	12	178.2	- 179.2	178.5	1	330	- 332	331	526	- 529	527
				<b>43</b>	<b>115.2</b>	<b>185.0</b>			<b>312</b>	<b>343</b>		<b>259</b>	<b>529</b>	
<b>Yearling Steer</b>														
0-330	RS	C	2	14	153.2	- 170.2	160.5	N/Q	-			406	- 451	425
	RS	D	2	11	130.0	- 130.0	130.0	-8	-			306	- 306	306

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	RS	C	2	7	155.2	- 155.2	155.2	5	-			543	- 543	543
	FD	C	2	54	160.0	- 201.2	176.8	7	-			568	- 775	650
	FD	C	3	26	164.2	- 203.2	189.5	N/C	-			616	- 742	698
		C	3	13	172.2	- 184.2	180.0	N/Q	313	- 335	327	646	- 709	686
	FD	D	2	20	140.0	- 150.0	143.4	3	-			483	- 544	512
	RS	D	2	20	100.0	- 145.0	113.9	-28	-			345	- 515	413
400+	FD	C	2	4	160.0	- 175.0	167.5	-13	-			680	- 744	712
	FD	C	3	81	165.0	- 198.2	186.1	-1	-			765	- 953	837
		C	3	18	170.2	- 193.2	181.7	11	310	- 351	330	740	- 840	783
	FD	D	2	3	140.0	- 140.0	140.0	N/Q	-			581	- 581	581
	RS	D	2	1	130.0	- 130.0	130.0	N/Q	-			540	- 540	540
				<b>272</b>	<b>100.0</b>	<b>203.2</b>			<b>310</b>	<b>351</b>		<b>306</b>	<b>953</b>	
<b>Yearling Heifer</b>														
0-330		D	2	8	81.2	- 107.2	103.6	N/C	150	- 199	192	215	- 281	258
	FD	D	2	5	110.2	- 110.2	110.2	N/Q	-			259	- 259	259
	RS	D	2	21	110.0	- 118.2	112.8	N/Q	-			226	- 268	238
330-400	FD	C	2	31	130.0	- 175.2	152.5	-1	-			455	- 603	535
	RS	C	2	12	138.2	- 138.2	138.2	N/Q	-			463	- 463	463
	FD	C	3	19	139.2	- 165.2	153.7	-2	-			480	- 570	530
		C	3	27	157.2	- 189.2	181.6	27	291	- 350	336	542	- 728	639
		D	2	8	70.0	- 110.0	91.9	N/Q	130	- 204	170	235	- 369	308
	FD	D	2	14	94.2	- 128.2	118.6	2	-			316	- 468	417
	RS	D	2	10	120.2	- 120.2	120.2	N/Q	-			403	- 403	403
400+		B	3	1	207.2	- 207.2	207.2	N/Q	384	- 384	384	901	- 901	901
	FD	C	2	4	157.2	- 159.2	158.7	N/C	-			668	- 772	746
	FD	C	3	2	163.2	- 163.2	163.2	N/Q	-			694	- 694	694
		C	3	10	154.2	- 181.2	168.9	10	286	- 336	313	702	- 846	758
				<b>172</b>	<b>70.0</b>	<b>207.2</b>			<b>130</b>	<b>384</b>		<b>215</b>	<b>901</b>	
<b>Grown Steer</b>														
0-400	FD	D	2	8	80.0	- 80.0	80.0	-54	-			308	- 308	308
400-500	FD	C	2	5	150.0	- 150.0	150.0	N/Q	-			653	- 653	653
	RS	D	2	5	114.2	- 114.2	114.2	23	-			468	- 468	468
	FD	D	2	19	125.2	- 139.2	135.7	N/Q	-			564	- 620	584
		D	3	2	129.2	- 129.2	129.2	N/Q	235	- 235	235	601	- 601	601
500-600		C	3	4	150.2	- 153.2	151.0	N/Q	273	- 279	275	849	- 912	864
	FD	C	3	2	160.0	- 160.0	160.0	N/Q	-			856	- 856	856
	FD	D	3	5	138.2	- 138.2	138.2	N/Q	-			808	- 808	808
		D	3	3	132.2	- 132.2	132.2	N/Q	240	- 240	240	707	- 707	707
600-750		C	3	2	142.2	- 149.2	145.7	N/Q	259	- 271	265	903	- 947	925
				<b>55</b>	<b>80.0</b>	<b>160.0</b>			<b>235</b>	<b>279</b>		<b>308</b>	<b>947</b>	
<b>Grown Heifer</b>														
0-540		D	1	4	52.2	- 52.2	52.2	N/Q	114	- 114	114	222	- 222	222
		D	2	3	78.0	- 103.2	93.8	-7	163	- 215	195	332	- 480	416
		D	3	5	115.2	- 128.2	122.8	-15	222	- 247	236	568	- 656	599

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				<b>12</b>	<b>52.2</b>	<b>128.2</b>			<b>114</b>	<b>247</b>		<b>222</b>	<b>656</b>	
<b>Manufacturing Steer</b>														
540+		C	3	10	129.2	- 137.2	133.6	N/Q	235	- 250	243	871	- 943	927
				<b>10</b>	<b>129.2</b>	<b>137.2</b>			<b>235</b>	<b>250</b>		<b>871</b>	<b>943</b>	
<b>Cows</b>														
0-400	RS	D	1	90	53.2	- 70.0	56.6	-19	-	-	-	178	- 280	203
	DA	D	1	1	64.2	- 64.2	64.2	N/Q	146	- 146	146	257	- 257	257
		D	1	29	50.0	- 68.2	59.7	-1	114	- 155	136	200	- 273	239
	RS	E	1	34	20.2	- 40.0	30.3	-2	-	-	-	68	- 140	106
		E	1	12	29.2	- 45.0	40.4	16	66	- 102	92	105	- 169	151
400-520	RS	D	1	47	49.2	- 87.2	75.8	3	-	-	-	199	- 379	328
	DA	D	1	2	80.0	- 80.0	80.0	N/Q	182	- 182	182	372	- 372	372
		D	1	6	60.0	- 80.2	69.2	-2	136	- 182	157	261	- 361	305
		D	2	59	80.0	- 110.2	96.6	4	174	- 240	210	348	- 523	440
	RS	D	2	6	96.2	- 96.2	96.2	5	-	-	-	476	- 476	476
		D	3	19	105.0	- 115.2	112.4	N/C	214	- 235	230	473	- 559	533
520+	RS	D	1	1	90.2	- 90.2	90.2	N/Q	-	-	-	492	- 492	492
		D	2	12	99.2	- 112.2	103.2	-1	216	- 244	224	536	- 611	559
		D	3	26	104.2	- 117.2	113.1	-4	213	- 239	231	574	- 691	627
		D	4	19	114.2	- 125.2	118.9	-15	224	- 246	233	628	- 751	713
		D	5	2	110.0	- 114.2	112.1	N/Q	225	- 233	229	622	- 644	633
		D	6	5	90.0	- 90.0	90.0	N/Q	184	- 184	184	509	- 509	509
				<b>370</b>	<b>20.2</b>	<b>125.2</b>			<b>66</b>	<b>246</b>		<b>68</b>	<b>751</b>	
<b>Bulls</b>														
0-450		C	2	1	105.0	- 105.0	105.0	N/Q	191	- 191	191	446	- 446	446
		C	3	1	133.2	- 133.2	133.2	N/Q	242	- 242	242	466	- 466	466
		D	2	1	100.2	- 100.2	100.2	N/Q	182	- 182	182	426	- 426	426
	RS	D	2	1	101.2	- 101.2	101.2	N/Q	-	-	-	455	- 455	455
450-600		C	2	2	103.2	- 124.2	113.7	N/Q	188	- 226	207	604	- 677	640
		C	3	4	120.0	- 133.2	125.9	-18	218	- 238	227	605	- 713	660
600+		C	2	1	105.0	- 105.0	105.0	N/Q	191	- 191	191	635	- 635	635
		C	3	19	124.2	- 160.0	143.7	-7	222	- 286	257	807	- 1474	1089
		D	2	1	98.2	- 98.2	98.2	N/Q	179	- 179	179	737	- 737	737
				<b>31</b>	<b>98.2</b>	<b>160.0</b>			<b>179</b>	<b>286</b>		<b>426</b>	<b>1474</b>	

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.