

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Roma Store

report date 05 Aug 2014

Yarding Change 5500
-19

comparison date 29/07/2014

Numbers remained steady with a good selection of both steers and heifers. The quality of the young cattle was very mixed and comprised both yearlings and weaners. There were good lines available from local, western regions and areas further north, while there was limited southern restocker activity with most buyers coming from local, central and Darling Downs areas. Good quality cattle sold strongly to show a slightly dearer trend. Processors were active on the good conditioned vealers and lightweight yearlings, along with a number of well finished yearling heifers.

Vealer steers to restock sold from 140c to 174c for the plainer D muscled categories, while those displaying a stronger C muscle pattern made from 146c to 197c/kg. Light and medium weight yearling steers to restock and feed sold from 132c to 197c, depending on muscle and breed quality. Heavy yearling steers to feed sold from 178c to 185c/kg. Good quality yearling heifers to restock and feed sold to a top of 162c for C muscled lines, with the majority of the plainer D muscled lines making between 123c and 144c/kg.

The quality of the grown steers was very mixed with this reflected in the price range. Plainer quality steers sold from 118c to 192c for well-bred heavy feeders. Grown heifers made from 118c to 159c/kg, with processors active on the well finished lots. There was a full complement of processors in attendance and restocker demand increased. Trends were dearer, with the 3 and 4 scores to slaughter up to 4c dearer, while plain conditioned cows to restock experienced stronger gains. PTIC cows sold to restockers to a top of 139c/kg. There was a limited supply of cow and calf units and they sold to a top of \$560/unit.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
0-200	RS	D	1	58	167.2	- 173.2	171.3	N/Q	-			284	- 346	317
	RS	D	2	137	144.2	- 174.2	157.3	N/Q	-			252	- 340	306
200-280	RS	C	2	339	146.2	- 197.2	183.9	N/Q	-			322	- 523	462
		C	2	4	140.0	- 140.0	140.0	N/Q	280	- 280	280	378	- 378	378
	RS	D	2	11	174.2	- 174.2	174.2	N/Q	-			357	- 357	357
280-330	RS	C	2	58	165.0	- 190.2	184.0	N/Q	-			470	- 583	568
				607	140.0	197.2			280	280		252	583	
Vealer Heifer														
0-200	RS	D	1	6	110.2	- 110.2	110.2	N/Q	-			220	- 220	220
	RS	D	2	65	112.2	- 142.2	133.6	N/Q	-			185	- 249	237
		D	2	8	138.2	- 138.2	138.2	N/Q	276	- 276	276	256	- 256	256
200-280		C	2	55	138.2	- 142.2	139.6	N/Q	269	- 284	279	304	- 322	308
	FD	C	2	6	148.2	- 148.2	148.2	N/Q	-			333	- 333	333
	RS	C	2	129	143.2	- 156.2	149.1	N/Q	-			332	- 398	365
	RS	D	2	78	118.2	- 152.2	145.4	N/Q	-			272	- 388	329
		D	2	17	140.2	- 140.2	140.2	N/Q	280	- 280	280	308	- 308	308
280-330	FD	C	2	3	160.2	- 160.2	160.2	N/Q	-			481	- 481	481
				367	110.2	160.2			269	284		185	481	
Yearling Steer														
0-330	FD	C	2	38	184.2	- 184.2	184.2	N/Q	-			608	- 608	608
	RS	C	2	471	132.2	- 199.2	177.9	-10	-			331	- 634	528
	RS	D	1	38	106.2	- 153.2	142.1	N/Q	-			244	- 352	327
		D	1	9	110.0	- 110.0	110.0	N/Q	220	- 220	220	253	- 253	253
		D	2	10	120.0	- 120.0	120.0	15	240	- 240	240	342	- 342	342

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	FD	D	2	10	128.0	- 171.2	162.6	N/Q	-			339	- 548	506
	RS	D	2	414	112.2	- 192.2	156.5	-3	-			269	- 598	409
	FD	C	2	26	170.0	- 186.2	183.3	N/Q	-			670	- 713	691
	RS	C	2	301	157.2	- 196.2	181.8	N/Q	-			542	- 711	645
	RS	D	2	46	158.2	- 190.2	177.7	N/Q	-			554	- 761	643
400+	FD	D	2	53	134.2	- 156.2	135.4	N/Q	-			456	- 547	461
	FD	C	2	17	178.0	- 185.2	183.0	N/Q	-			730	- 806	776
					1433	106.2	199.2		220	240		244	806	
Yearling Heifer														
0-330		C	2	101	143.2	- 150.2	148.0	N/Q	275	- 289	285	404	- 496	449
	FD	C	2	217	144.2	- 158.2	149.7	N/Q	-			389	- 498	446
330-400	RS	C	2	75	144.2	- 150.0	145.1	N/Q	-			433	- 488	441
	RS	D	2	362	120.2	- 150.2	135.9	-18	-			266	- 473	347
	FD	D	2	104	130.2	- 146.2	140.8	11	-			345	- 433	403
		D	2	54	132.2	- 142.2	139.8	4	264	- 284	280	311	- 405	390
		C	2	1	140.2	- 140.2	140.2	N/Q	270	- 270	270	484	- 484	484
	FD	C	2	158	148.2	- 158.2	150.5	N/Q	-			511	- 556	535
	RS	C	2	8	143.2	- 150.2	149.3	N/Q	-			501	- 511	510
		C	3	15	156.2	- 162.2	161.7	N/Q	295	- 306	305	568	- 645	574
		D	3	8	145.0	- 145.0	145.0	N/Q	290	- 290	290	493	- 493	493
						1103	120.2	162.2		264	306		266	645
Grown Steer														
0-400	FD	C	2	3	168.0	- 168.0	168.0	N/Q	-			638	- 638	638
	RS	C	2	22	176.2	- 176.2	176.2	N/Q	-			643	- 643	643
	RS	D	1	12	138.2	- 138.2	138.2	N/Q	-			401	- 401	401
	RS	D	2	32	115.0	- 178.2	154.6	N/Q	-			420	- 677	557
	FD	D	2	5	159.0	- 159.0	159.0	N/Q	-			636	- 636	636
400-500		D	2	32	134.2	- 146.2	138.7	N/Q	268	- 292	277	517	- 563	534
	FD	C	2	31	165.0	- 192.2	181.1	N/Q	-			726	- 865	811
	RS	C	2	10	182.2	- 182.2	182.2	N/Q	-			838	- 838	838
	RS	D	2	21	128.2	- 170.0	149.4	N/Q	-			538	- 723	654
	FD	D	2	72	173.2	- 173.2	173.2	N/Q	-			727	- 727	727
500-600		D	2	8	166.2	- 166.2	166.2	N/Q	332	- 332	332	698	- 698	698
	FD	C	2	19	152.2	- 188.2	173.3	N/Q	-			791	- 988	900
	FD	C	3	2	190.2	- 190.2	190.2	N/Q	-			980	- 980	980
		C	3	2	158.2	- 158.2	158.2	N/Q	293	- 293	293	870	- 870	870
		D	2	10	160.2	- 160.2	160.2	N/Q	308	- 308	308	817	- 817	817
					281	115.0	192.2		268	332		401	988	
Grown Heifer														
0-540		C	2	6	140.2	- 140.2	140.2	N/Q	270	- 270	270	512	- 512	512
		C	3	44	148.2	- 155.2	151.4	N/Q	285	- 299	291	571	- 647	607
	FD	D	2	24	136.2	- 136.2	136.2	N/Q	-			436	- 436	436
	RS	D	2	68	133.2	- 159.2	149.1	N/Q	-			544	- 599	573
		D	2	33	118.2	- 136.2	127.8	N/Q	236	- 272	256	353	- 524	444

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	3	39	134.2	- 153.2	147.8	9	263	- 300	287	497	- 651	553
	PT	D	3	11	149.2	- 149.2	149.2	N/Q	298	- 298	298	634	- 634	634
				225	118.2	159.2			236	300		353	651	
Cows														
0-400	RS	D	1	10	80.2	- 106.2	95.8	N/Q	-			305	- 393	358
	RS	D	2	8	105.2	- 105.2	105.2	N/Q	-			400	- 400	400
		D	2	5	102.2	- 102.2	102.2	N/Q	227	- 227	227	393	- 393	393
400-520		D	2	142	102.2	- 119.2	114.0	25	227	- 265	253	439	- 566	517
	RS	D	2	87	102.2	- 121.2	109.9	N/Q	-			427	- 554	474
	PT	D	2	11	122.2	- 122.2	122.2	N/Q	272	- 272	272	562	- 562	562
	PT	D	3	61	139.2	- 139.2	139.2	N/Q	296	- 296	296	647	- 647	647
		D	3	131	116.2	- 133.2	125.2	6	247	- 281	266	532	- 661	601
520+		D	3	16	125.2	- 138.2	129.6	N/Q	266	- 276	274	676	- 760	700
		D	4	2	133.2	- 133.2	133.2	N/C	266	- 266	266	753	- 753	753
				473	80.2	139.2			227	296		305	760	
Bulls														
0-450	RS	C	2	24	136.2	- 146.2	144.1	N/Q	-			387	- 524	416
		C	2	12	142.2	- 142.2	142.2	12	284	- 284	284	569	- 569	569
	RS	D	1	10	104.2	- 104.2	104.2	N/Q	-			271	- 271	271
	RS	D	2	29	116.2	- 122.2	120.1	N/Q	-			209	- 354	304
		D	2	28	127.2	- 140.2	131.4	N/Q	254	- 280	263	324	- 561	400
600+		B	2	3	165.2	- 168.2	166.2	N/Q	295	- 300	297	1239	- 1598	1359
		C	2	4	149.2	- 164.2	153.0	N/Q	276	- 293	281	1044	- 1232	1091
				110	104.2	168.2			254	300		209	1598	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.