

Over the hooks report - cattle

Market information provided by MLA's National Livestock Reporting Service

Queensland

report date 22 Aug 2014

Cattle over-the-hooks rates remained mostly firm to slightly dearer across the state this week, with trade steers and heifers up 2¢, while all weights of cows and bulls averaged 3¢/kg cwt higher week-on-week.

| Grade | Weight Range (cwt kg) | Dentition | Muscle Score | Fat Score | Average (c/kg cwt) | Trend |
|---------------------|-----------------------|-----------|--------------|-----------|--------------------|-------|
| - | | | | | | |
| Yearlings | | | | | | |
| Steers | 220-240 | 0-2 (YG) | A-C | 5-22 | 308 | 2 |
| | 240-260 | 0-2 (YG) | A-C | 5-22 | 313 | 2 |
| | 260-280 | 0-2 (YG) | A-C | 5-22 | 317 | 2 |
| | 280-300 | 0-2 (YG) | A-C | 5-22 | 321 | 2 |
| | 300-320 | 0-2 (YG) | A-C | 5-22 | 325 | 2 |
| Heifers | 220-240 | 0-2 (YG) | A-C | 5-22 | 303 | 2 |
| | 240-260 | 0-2 (YG) | A-C | 5-22 | 308 | 2 |
| | 260-280 | 0-2 (YG) | A-C | 5-22 | 312 | 2 |
| | 280-300 | 0-2 (YG) | A-C | 5-22 | 316 | 2 |
| | 300-320 | 0-2 (YG) | A-C | 5-22 | 320 | 2 |
| Grown Steers | | | | | | |
| 240-260 | 0-4 (YP) | A-C | 5-22 | 293 | 3 | |
| | 0-6 (PR) | A-C | 5-22 | 288 | 3 | |
| | 0-8 (S) | A-C | 5-22 | 281 | 3 | |
| 260-280 | 0-4 (YP) | A-C | 5-22 | 301 | 3 | |
| | 0-6 (PR) | A-C | 5-22 | 296 | 3 | |
| | 0-8 (S) | A-C | 5-22 | 289 | 3 | |
| 280-300 | 0-4 (YP) | A-C | 5-22 | 309 | 3 | |
| | 0-6 (PR) | A-C | 5-22 | 304 | 3 | |
| | 0-8 (S) | A-C | 5-22 | 294 | 3 | |
| 300-400 | 0-4 (YP) | A-C | 5-22 | 314 | 3 | |
| | 0-6 (PR) | A-C | 5-22 | 309 | 3 | |
| | 0-8 (S) | A-C | 5-22 | 299 | 3 | |
| Cows | | | | | | |
| 180-200 | 0-8 (C) | A-D | 13-22 | 251 | 3 | |
| | 0-8 (C) | A-D | 3-12 | 256 | 3 | |
| | 0-8 (C) | A-E | 0-32 | 236 | 3 | |
| 200-220 | 0-8 (C) | A-D | 13-22 | 258 | 3 | |
| | 0-8 (C) | A-D | 3-12 | 263 | 3 | |
| | 0-8 (C) | A-E | 0-32 | 245 | 3 | |
| 220-240 | 0-8 (C) | A-D | 13-22 | 263 | 3 | |
| | 0-8 (C) | A-D | 3-12 | 268 | 3 | |
| | 0-8 (C) | A-E | 0-32 | 253 | 3 | |
| 240-260 | 0-8 (C) | A-D | 13-22 | 268 | 3 | |
| | 0-8 (C) | A-D | 3-12 | 273 | 3 | |

| Grade | Weight Range (cwt kg) | Dentition | Muscle Score | Fat Score | Average (c/kg cwt) | Trend |
|------------------------------|--------------------------|-----------|-----------------|--------------|-----------------------|-------|
| | | 0-8 (C) | A-E | 0-32 | 258 | 3 |
| | 260-280 | 0-8 (C) | A-D | 13-22 | 273 | 3 |
| | | 0-8 (C) | A-D | 3-12 | 278 | 3 |
| | | 0-8 (C) | A-E | 0-32 | 263 | 3 |
| | 280-300 | 0-8 (C) | A-D | 13-22 | 278 | 3 |
| | | 0-8 (C) | A-D | 3-12 | 283 | 3 |
| | | 0-8 (C) | A-E | 0-32 | 268 | 3 |
| | 300-400 | 0-8 (C) | A-D | 13-22 | 283 | 3 |
| | | 0-8 (C) | A-D | 3-12 | 288 | 3 |
| | | 0-8 (C) | A-E | 0-32 | 272 | 3 |
| Bulls | | | | | | |
| | 260-280 | 0-8 (B) | A-E | 0-32 | 257 | 3 |
| | 280-300 | 0-8 (B) | A-E | 0-32 | 249 | 3 |
| | 300-320 | 0-8 (B) | A-E | 0-32 | 250 | 3 |
| | 320-440 | 0-8 (B) | A-E | 0-32 | 256 | 3 |
| Grainfed 100 Days | | | | | | |
| Steers | 220-240 | 0-2 (YG) | A-C | 5-22 | 369 | NC |
| | 240-260 | 0-2 (YG) | A-C | 5-22 | 374 | NC |
| | 260-280 | 0-2 (YG) | A-C | 5-22 | 378 | NC |
| | 280-300 | 0-2 (YG) | A-C | 5-22 | 381 | NC |
| | 300-320 | 0-2 (YG) | A-C | 5-22 | 384 | NC |
| Heifers | 220-240 | 0-2 (YG) | A-C | 5-22 | 364 | NC |
| | 240-260 | 0-2 (YG) | A-C | 5-22 | 369 | NC |
| | 260-280 | 0-2 (YG) | A-C | 5-22 | 373 | NC |
| | 280-300 | 0-2 (YG) | A-C | 5-22 | 376 | NC |
| | 300-320 | 0-2 (YG) | A-C | 5-22 | 379 | NC |
| MSA Yearlings | | | | | | |
| Steers | 220-240 | 0-2 (YG) | A-C | 5-22 | 372 | NC |
| | 240-260 | 0-2 (YG) | A-C | 5-22 | 380 | NC |
| | 260-280 | 0-2 (YG) | A-C | 5-22 | 385 | NC |
| | 280-300 | 0-2 (YG) | A-C | 5-22 | 387 | NC |
| | 300-320 | 0-2 (YG) | A-C | 5-22 | 388 | NC |
| Heifers | 220-240 | 0-2 (YG) | A-C | 5-22 | 370 | NC |
| | 240-260 | 0-2 (YG) | A-C | 5-22 | 375 | NC |
| | 260-280 | 0-2 (YG) | A-C | 5-22 | 380 | NC |
| | 280-300 | 0-2 (YG) | A-C | 5-22 | 382 | NC |
| | 300-320 | 0-2 (YG) | A-C | 5-22 | 383 | NC |
| MSA Grainfed 100 Days | | | | | | |
| Steers | 220-240 | 0-2 (YG) | A-C | 5-22 | 369 | NC |
| | 240-260 | 0-2 (YG) | A-C | 5-22 | 377 | NC |
| | 260-280 | 0-2 (YG) | A-C | 5-22 | 382 | NC |
| | 280-300 | 0-2 (YG) | A-C | 5-22 | 384 | NC |
| | 300-320 | 0-2 (YG) | A-C | 5-22 | 386 | NC |
| Heifers | 220-240 | 0-2 (YG) | A-C | 5-22 | 364 | NC |
| | 240-260 | 0-2 (YG) | A-C | 5-22 | 372 | NC |
| | 260-280 | 0-2 (YG) | A-C | 5-22 | 377 | NC |

| Grade | Weight Range (cwt kg) | Dentition | Muscle Score | Fat Score | Average (c/kg cwt) | Trend |
|-------|--------------------------|-----------|-----------------|--------------|-----------------------|-------|
| | 280-300 | 0-2 (YG) | A-C | 5-22 | 379 | NC |
| | 300-320 | 0-2 (YG) | A-C | 5-22 | 381 | NC |

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.