

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Warwick

report date 14 Apr 2015

Yarding Change <sup>1331</sup>/<sub>593</sub>

comparison date 07/04/2015

The supply of stock almost doubled the previous week's level and the increased numbers contained a good mix of most classes. A full panel of exporters was present and operating, along with the usual feed and trade buyers, plus some restockers. Medium and heavy weight yearling steers to feed gained 4c to 6c/kg and local trade lines improved a similar amount. Cows lifted in price by 4c to 10c/kg, with the plain condition lines receiving the largest gains.

Calves to the trade averaged 192c, while those returning to the paddock averaged 213c and made to 235.2c/kg. A few vealer steers to the trade made to 259c and vealer heifers made to 238.2c, with the largest numbers close to 215c/kg. Light weight yearling steers to restockers made to 261.2c to average 240c, with the lesser quality lines around 211c/kg. Plain condition medium weight lines to feed averaged 236c and the better classes averaged 246c and made to 250.2c/kg. Heavy weights to feed generally sold around 250c, with some to 253.2c/kg. The best of the light weight yearling heifers averaged 200c, with some to 210.2c/kg. Medium weights to feed averaged 207c and local trade lines averaged 237c and made to 244.2c/kg.

Heavy grown steers averaged 224c and made to 239.2c and bullocks averaged 225c, with some weighing over 750kg reaching to 234.2c/kg. A handful of full mouth bullocks made to 216.2c/kg. Medium weight 2 score cows averaged 163c and the 3 scores 174c/kg. The best of the medium weights made to 200.2c and good heavy cows made to 211.2c to average 197c/kg. Heavy bulls made to 245.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
80+		C	2	25	175.2	- 203.2	191.9	N/Q	331	- 383	362	237	- 396	337
	RS	C	2	56	198.2	- 235.2	213.1	-5	-	-	-	257	- 445	369
				<b>81</b>	<b>175.2</b>	<b>235.2</b>			<b>331</b>	<b>383</b>		<b>237</b>	<b>445</b>	
<b>Vealer Steer</b>														
200-280		C	2	4	259.0	- 259.0	259.0	46	471	- 471	471	660	- 660	660
	FD	C	2	18	226.2	- 250.0	231.5	N/C	-	-	-	582	- 663	611
	RS	C	2	8	221.2	- 255.2	234.0	N/C	-	-	-	520	- 600	550
	RS	C	3	6	234.2	- 234.2	234.2	N/Q	-	-	-	621	- 621	621
	RS	D	2	3	217.2	- 217.2	217.2	N/Q	-	-	-	554	- 554	554
280-330	FD	C	2	5	226.2	- 226.2	226.2	-5	-	-	-	656	- 656	656
		C	3	2	241.2	- 241.2	241.2	N/Q	439	- 439	439	687	- 687	687
				<b>46</b>	<b>217.2</b>	<b>259.0</b>			<b>439</b>	<b>471</b>		<b>520</b>	<b>687</b>	
<b>Vealer Heifer</b>														
200-280		C	2	67	200.0	- 220.2	214.8	-3	370	- 408	398	450	- 586	511
	FD	C	2	26	207.2	- 216.2	214.7	-2	-	-	-	508	- 575	532
		C	3	22	220.0	- 237.2	226.9	-6	407	- 439	420	557	- 619	594
280-330		C	3	8	221.2	- 238.2	226.6	-10	410	- 441	420	630	- 703	657
				<b>123</b>	<b>200.0</b>	<b>238.2</b>			<b>370</b>	<b>441</b>		<b>450</b>	<b>703</b>	
<b>Yearling Steer</b>														
200-280	FD	C	2	3	225.2	- 225.2	225.2	-16	-	-	-	495	- 495	495
	RS	C	2	37	220.2	- 261.2	240.6	N/Q	-	-	-	451	- 666	570
	RS	D	2	5	211.2	- 211.2	211.2	-3	-	-	-	475	- 475	475
280-330	RS	D	2	24	189.2	- 220.2	211.8	17	-	-	-	568	- 649	616
	FD	D	2	5	210.0	- 210.0	210.0	-7	-	-	-	630	- 630	630

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	FD	C	2	61	220.0	- 250.2	236.8	-1	-			761	- 959	850
	FD	C	3	35	230.2	- 250.2	246.1	4	-			862	- 968	927
	RS	D	2	7	185.2	- 190.0	187.9	-23	-			648	- 732	696
	FD	D	2	2	200.0	- 200.0	200.0	N/Q	-			700	- 700	700
400+	FD	C	2	20	240.0	- 253.2	249.1	N/Q	-			1020	- 1101	1062
	FD	C	3	24	250.0	- 252.2	250.6	6	-			1088	- 1126	1100
		C	3	4	243.2	- 255.2	246.2	N/Q	434	- 464	442	1110	- 1350	1290
	RS	D	2	10	173.2	- 173.2	173.2	N/Q	-			840	- 840	840
		D	2	5	184.2	- 184.2	184.2	N/Q	335	- 335	335	893	- 893	893
				<b>242</b>	<b>173.2</b>	<b>261.2</b>			<b>335</b>	<b>464</b>		<b>451</b>	<b>1350</b>	
<b>Yearling Heifer</b>														
200-280		C	2	19	200.0	- 205.2	202.8	N/Q	370	- 380	376	450	- 518	485
	FD	C	2	6	205.0	- 210.2	207.6	N/Q	-			543	- 557	550
	RS	C	2	23	198.2	- 203.2	200.8	N/Q	-			446	- 457	452
	RS	D	2	7	188.2	- 188.2	188.2	-6	-			442	- 442	442
		D	2	4	185.0	- 185.0	185.0	-18	343	- 343	343	416	- 416	416
330-400	RS	C	2	7	200.0	- 200.0	200.0	N/Q	-			670	- 670	670
	FD	C	2	42	200.0	- 230.2	207.6	-14	-			670	- 886	723
		C	3	14	216.2	- 244.2	237.1	5	400	- 452	439	748	- 940	905
		D	2	14	131.2	- 165.2	153.6	-60	243	- 306	285	440	- 553	515
	FD	D	2	2	160.2	- 160.2	160.2	N/Q	-			537	- 537	537
	RS	D	2	11	172.0	- 229.2	197.0	-8	-			576	- 768	660
	D	3	2	195.0	- 199.2	197.1	N/Q	361	- 369	365	653	- 687	670	
400+	FD	C	2	4	200.0	- 200.0	200.0	N/Q	-			850	- 850	850
		C	3	11	211.2	- 233.2	227.5	6	391	- 432	421	919	- 991	973
				<b>166</b>	<b>131.2</b>	<b>244.2</b>			<b>243</b>	<b>452</b>		<b>416</b>	<b>991</b>	
<b>Grown Steer</b>														
0-400	RS	D	1	6	100.2	- 100.2	100.2	N/Q	-			301	- 301	301
	FD	D	2	1	169.2	- 169.2	169.2	N/Q	-			567	- 567	567
400-500	FD	C	2	6	211.2	- 211.2	211.2	N/Q	-			898	- 898	898
	FD	C	3	10	225.0	- 225.2	225.0	-7	-			979	- 1013	986
		C	3	1	228.2	- 228.2	228.2	N/Q	415	- 415	415	970	- 970	970
	RS	D	2	5	138.2	- 138.2	138.2	N/Q	-			670	- 670	670
500-600		C	4	53	214.2	- 239.2	224.6	N/Q	383	- 427	401	1189	- 1382	1255
	RS	D	2	3	168.2	- 168.2	168.2	N/Q	-			925	- 925	925
600-750		C	3	6	198.2	- 198.2	198.2	N/Q	360	- 360	360	1239	- 1239	1239
		C	4	31	217.2	- 233.0	225.3	-3	388	- 416	402	1376	- 1631	1487
750+		C	4	3	226.2	- 234.2	228.9	N/Q	404	- 418	409	1730	- 1780	1747
				<b>125</b>	<b>100.2</b>	<b>239.2</b>			<b>360</b>	<b>427</b>		<b>301</b>	<b>1780</b>	
<b>Grown Heifer</b>														
0-540		C	3	19	185.2	- 213.2	202.4	N/Q	349	- 402	383	867	- 1114	970
		C	4	6	211.2	- 211.2	211.2	-10	399	- 399	399	1130	- 1130	1130
	FD	D	2	1	138.2	- 138.2	138.2	N/Q	-			484	- 484	484
	RS	D	2	3	136.0	- 136.0	136.0	N/Q	-			524	- 524	524
		D	2	8	163.2	- 183.2	173.2	10	340	- 382	361	641	- 710	676

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	3	1	185.2	- 185.2	185.2	N/Q	356	- 356	356	991	- 991	991
				<b>38</b>	<b>136.0</b>	<b>213.2</b>			<b>340</b>	<b>402</b>		<b>484</b>	<b>1130</b>	
<b>Manufacturing Steer</b>														
0-540		C	4	1	202.2	- 202.2	202.2	N/Q	368	- 368	368	1082	- 1082	1082
	RS	D	2	1	167.2	- 167.2	167.2	N/Q		-		811	- 811	811
540+		C	4	9	213.2	- 216.2	213.5	12	381	- 386	381	1351	- 1364	1363
				<b>11</b>	<b>167.2</b>	<b>216.2</b>			<b>368</b>	<b>386</b>		<b>811</b>	<b>1364</b>	
<b>Cows</b>														
0-400		D	1	21	130.0	- 145.2	137.8	38	296	- 330	313	513	- 581	546
	RS	D	1	6	142.2	- 142.2	142.2	N/Q		-		569	- 569	569
		D	2	3	143.2	- 158.2	148.2	8	311	- 344	322	551	- 633	578
	DA	E	1	3	90.2	- 90.2	90.2	N/Q	205	- 205	205	347	- 347	347
400-520		D	1	4	143.2	- 146.2	144.7	7	326	- 332	329	609	- 709	659
	RS	D	1	16	145.0	- 155.0	146.7	N/Q		-		631	- 694	660
	RS	D	2	36	155.0	- 168.2	159.9	3		-		674	- 799	737
		D	2	37	151.2	- 169.2	163.7	11	329	- 368	356	643	- 821	764
	DA	D	2	1	160.2	- 160.2	160.2	N/Q	348	- 348	348	785	- 785	785
		D	3	23	170.0	- 178.2	174.4	-5	347	- 379	357	802	- 846	819
		D	4	61	182.2	- 200.2	192.3	2	357	- 393	377	865	- 951	918
520+	DA	D	1	2	145.0	- 145.0	145.0	N/Q	330	- 330	330	776	- 776	776
		D	3	29	175.0	- 189.2	186.0	7	357	- 386	380	996	- 1088	1053
		D	4	33	186.2	- 211.2	197.4	4	365	- 414	387	1066	- 1412	1156
				<b>275</b>	<b>90.2</b>	<b>211.2</b>			<b>205</b>	<b>414</b>		<b>347</b>	<b>1412</b>	
<b>Bulls</b>														
0-450		C	2	20	170.0	- 200.2	186.7	N/Q	309	- 364	340	366	- 509	411
	FD	C	2	3	190.0	- 190.0	190.0	N/Q		-		447	- 447	447
		C	3	1	192.2	- 192.2	192.2	N/Q	350	- 350	350	865	- 865	865
		D	2	1	151.2	- 151.2	151.2	N/Q	275	- 275	275	529	- 529	529
	FD	D	2	1	175.2	- 175.2	175.2	N/Q		-		745	- 745	745
	RS	D	3	1	177.2	- 177.2	177.2	N/Q		-		797	- 797	797
		D	3	1	178.2	- 178.2	178.2	N/Q	324	- 324	324	802	- 802	802
450-600		D	2	1	166.2	- 166.2	166.2	N/Q	302	- 302	302	939	- 939	939
600+		B	3	1	245.2	- 245.2	245.2	N/Q	438	- 438	438	1655	- 1655	1655
		C	2	1	171.2	- 171.2	171.2	N/Q	306	- 306	306	1113	- 1113	1113
		C	3	15	193.2	- 233.2	213.9	-9	345	- 416	383	1208	- 2215	1576
				<b>46</b>	<b>151.2</b>	<b>245.2</b>			<b>275</b>	<b>438</b>		<b>366</b>	<b>2215</b>	

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.