

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 23 Jun 2015

Yarding Change ¹²⁰²
152

comparison date 16/06/2015

Numbers experience a small increase and young cattle were in the largest numbers along with a fair selection of cows and a few pens of bullocks. Most of the usual buyers competed in a generally dearer market. Restockers were very active on light weight young cattle and average prices improved by 10c to 20c/kg. Increased demand from local feedlots, combined with stronger support from interstate feeder operators, lifted prices on medium weight yearling steers by around 12c and close to 30c/kg on the medium weight yearling heifers. Heavy grown steers and bullocks sold to a dearer trend and cows lifted in price by 5c/kg and more on light weight lines.

Calves returning to the paddock made to 295.2c to average 244c/kg. Vealer steers also to restockers made to 290.2c to average 279c/kg. Vealer heifers lifted in price by 2c to 5c, with slaughter lines averaging 228c and feeder classes 232c with some to local butchers reaching 250c/kg. Well-bred light weight yearling steers sold to restockers at 300.2c with a fair supply averaging 272c/kg. Medium weight yearling steers to feed averaged 273c and made to 286.2c/kg. Light weight yearling heifers mostly sold in the 220c/kg range. Medium weights to feed sold around 261c, with sales to 275.2c and a few to the trade averaged 256c and made to 263.2c/kg.

Heavy grown steers and bullocks averaged in the 240c range and sold to 257.2c and full mouth bullocks made to 241.2c/kg. Medium weight 2 score cows averaged 175c and good heavy cows made to 219.2c to average 211c/kg. Heavy bulls made to 236.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
Calves															
0-80	RS	C	2	1	220.2	- 220.2	220.2	N/Q	-	-	-	99	- 99	99	
80+	RS	C	2	49	210.0	- 295.2	244.8	N/C	-	-	-	289	- 576	456	
		C	2	6	200.2	- 219.2	216.0	-8	378	- 414	408	190	- 427	388	
	RS	C	3	12	231.2	- 231.2	231.2	N/Q	-	-	-	451	- 451	451	
	RS	D	2	4	198.0	- 198.0	198.0	10	-	-	-	366	- 366	366	
				72	198.0	295.2			378	414		99	576		
Vealer Steer															
200-280	RS	C	2	35	246.2	- 290.2	279.4	26	-	-	-	616	- 726	690	
				35	246.2	290.2			0	0		616	726		
Vealer Heifer															
200-280		C	2	23	223.2	- 232.0	228.6	N/C	413	- 430	423	525	- 615	575	
		C	3	2	235.0	- 235.0	235.0	N/Q	435	- 435	435	623	- 623	623	
280-330	FD	C	2	22	231.2	- 233.2	232.1	2	-	-	-	659	- 665	662	
		C	3	11	240.0	- 250.0	244.5	5	444	- 463	453	684	- 723	708	
				58	223.2	250.0			413	463		525	723		
Yearling Steer															
200-280		C	2	4	231.2	- 269.2	250.2	18	-	-	-	613	- 713	663	
		RS	C	2	79	238.2	- 300.2	272.5	19	-	-	-	560	- 776	659
		RS	D	1	5	120.0	- 120.0	120.0	-19	-	-	-	282	- 282	282
		RS	D	2	47	180.0	- 233.2	209.5	45	-	-	-	417	- 548	485
280-330	FD	C	2	27	260.2	- 294.2	282.6	47	-	-	-	768	- 878	820	
		RS	C	2	46	244.2	- 276.2	255.6	N/Q	-	-	-	696	- 787	736
330-400	FD	C	2	53	245.2	- 286.2	273.2	12	-	-	-	821	- 1098	979	
		C	3	1	266.2	- 266.2	266.2	N/Q	484	- 484	484	972	- 972	972	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	D	2	7	210.0	- 226.2	221.6	12	-			704	- 758	742
	RS	D	2	4	210.0	- 210.0	210.0	N/Q	-			704	- 704	704
	FD	C	2	6	242.2	- 259.2	251.7	19	-			1042	- 1166	1106
	FD	C	3	3	241.2	- 241.2	241.2	-13	-			1025	- 1025	1025
		C	3	2	243.2	- 243.2	243.2	N/Q	442	- 442	442	1094	- 1094	1094
	FD	D	2	2	194.2	- 194.2	194.2	N/Q	-			825	- 825	825
				286	120.0	300.2			442	484		282	1166	
Yearling Heifer														
200-280	FD	C	2	6	229.2	- 229.2	229.2	2	-			607	- 607	607
		C	2	11	223.2	- 223.2	223.2	N/Q	413	- 413	413	480	- 480	480
	RS	C	2	28	220.0	- 235.2	227.9	9	-			495	- 529	511
	RS	D	2	21	205.0	- 217.2	212.1	N/Q	-			441	- 565	511
	FD	D	2	18	190.0	- 197.2	193.2	N/Q	-			447	- 473	458
280-330		C	2	2	213.2	- 213.2	213.2	N/Q	395	- 395	395	608	- 608	608
	FD	C	2	11	208.2	- 233.2	230.9	11	-			593	- 665	658
	FD	D	2	3	169.2	- 169.2	169.2	N/Q	-			482	- 482	482
330-400	FD	C	2	120	230.0	- 275.2	262.6	27	-			771	- 1032	926
		C	3	27	230.0	- 263.2	256.6	21	426	- 487	475	771	- 1028	949
		D	2	3	192.2	- 192.2	192.2	6	356	- 356	356	702	- 702	702
	FD	D	2	23	200.0	- 227.2	219.1	N/Q	-			700	- 822	763
400+	FD	C	2	5	225.2	- 229.2	227.6	N/Q	-			957	- 997	981
	FD	C	3	9	236.2	- 247.2	246.0	20	-			1026	- 1169	1042
		C	3	6	247.2	- 250.0	248.6	N/Q	458	- 463	460	1088	- 1224	1156
				293	169.2	275.2			356	487		441	1224	
Grown Steer														
0-400		C	2	1	198.2	- 198.2	198.2	N/Q	360	- 360	360	763	- 763	763
	RS	D	2	18	166.2	- 181.2	173.7	N/Q	-			590	- 680	635
400-500		D	2	2	200.2	- 200.2	200.2	N/Q	364	- 364	364	851	- 851	851
500-600		C	4	10	237.2	- 257.2	247.1	N/Q	424	- 459	441	1352	- 1487	1400
600-750		C	4	5	241.2	- 248.2	242.6	-2	431	- 443	433	1512	- 1551	1520
				36	166.2	257.2			360	459		590	1551	
Grown Heifer														
0-540		C	3	7	206.2	- 213.2	212.2	3	397	- 410	408	1000	- 1034	1029
	RS	C	3	4	211.2	- 211.2	211.2	N/Q	-			919	- 919	919
		C	4	2	215.2	- 220.2	217.7	N/Q	414	- 416	415	1044	- 1068	1056
		D	2	1	160.0	- 160.0	160.0	N/Q	333	- 333	333	680	- 680	680
		D	3	1	181.2	- 181.2	181.2	N/Q	349	- 349	349	843	- 843	843
540+		C	4	10	225.2	- 235.2	226.7	N/Q	425	- 444	429	1295	- 1411	1323
				25	160.0	235.2			333	444		680	1411	
Manufacturing Steer														
540+		C	3	3	228.2	- 228.2	228.2	N/Q	415	- 415	415	1335	- 1335	1335
		C	4	4	239.2	- 241.2	240.7	22	427	- 431	430	1495	- 1508	1504
		D	3	4	199.2	- 213.2	206.2	N/Q	362	- 388	375	1265	- 1386	1325
				11	199.2	241.2			362	431		1265	1508	
Cows														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-400		D	1	10	120.0	- 146.2	131.2	-2	273	- 332	298	408	- 585	481
	RS	D	1	11	134.2	- 148.2	143.3	16		-		537	- 593	573
		D	2	4	158.2	- 162.0	160.4	18	344	- 352	349	633	- 648	641
	RS	E	1	3	90.0	- 100.0	93.3	-16		-		329	- 365	341
		E	1	1	40.0	- 40.0	40.0	N/Q	91	- 91	91	148	- 148	148
400-520	DA	D	1	5	174.2	- 174.2	174.2	20	396	- 396	396	862	- 862	862
		D	1	13	147.2	- 166.2	153.0	6	335	- 378	348	633	- 723	663
		D	2	51	159.2	- 183.2	175.0	-2	346	- 398	379	693	- 832	784
		D	3	10	189.2	- 195.2	192.1	6	386	- 398	392	874	- 941	900
		D	4	24	199.2	- 214.2	208.5	13	391	- 420	409	932	- 1029	979
520+	DA	D	1	12	176.2	- 185.2	179.0	N/Q	401	- 421	407	943	- 1048	972
	DA	D	3	6	191.2	- 191.2	191.2	-2	390	- 390	390	1243	- 1243	1243
		D	3	18	187.2	- 204.2	195.7	2	382	- 417	399	1002	- 1195	1080
		D	4	35	205.2	- 219.2	211.5	5	402	- 430	415	1098	- 1304	1159
				203	40.0	219.2		91	430		148	1304		
Bulls														
0-450		C	2	1	200.0	- 200.0	200.0	N/Q	364	- 364	364	700	- 700	700
	FD	C	2	1	209.2	- 209.2	209.2	N/Q		-		889	- 889	889
	RS	C	2	1	207.2	- 207.2	207.2	N/Q		-		881	- 881	881
	FD	C	3	2	220.0	- 233.2	226.6	N/Q		-		898	- 990	944
		C	3	1	216.2	- 216.2	216.2	N/Q	393	- 393	393	973	- 973	973
		D	2	1	183.2	- 183.2	183.2	N/Q	333	- 333	333	705	- 705	705
450-600		C	3	1	226.2	- 226.2	226.2	N/Q	404	- 404	404	1278	- 1278	1278
		D	2	1	177.2	- 177.2	177.2	N/Q	322	- 322	322	895	- 895	895
600+		C	3	4	221.2	- 236.2	231.7	18	395	- 422	414	1383	- 2327	1940
				13	177.2	236.2		322	422		700	2327		

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.