

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Toowoomba Landmark

report date 29 Jun 2015

Yarding Change 388
-25

comparison date 22/06/2015

Numbers remained close to the previous week's level and overall quality was very mixed however there was some very well bred lines penned in the young light weight cattle section. Buyer attendance was generally good and all were operating in a generally dearer market. Young cattle experienced price improvements of 10c to 20c and considerably more on some well-bred lines with stronger demand from restockers, feeder operators and the trade. The small sample of cows averaged 6c to 12c dearer and heavy bulls also experienced a much stronger market.

Some well-bred calves with show ring potential made to 320.2c, with a few well-bred vealer steers making to 299.2c/kg. Vealer heifers averaged up to 10c dearer with most in the 230c range and some to 239.2c/kg. Light weight yearling steers to feed averaged 256c and made to 277.2c while those returning to the paddock averaged 263c/kg. Medium weight yearling steers to feed improved the most with sales to 298.2c with a fair sample averaging 278c/kg. The occasional pen of heavy weights to feed made to 280.2c/kg.

Medium weight grown steers to feed averaged 243c and made to 247.2c/kg. A couple of bullocks made to 251.2c/kg. Good heavy cows made to 224.2c to average 221c/kg. Heavy bulls made to 244.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	B	2	1	320.2	- 320.2	320.2	N/Q	-			567	- 567	567
	RS	C	2	3	228.2	- 228.2	228.2	26	-			422	- 422	422
		C	2	3	230.2	- 230.2	230.2	18	434	- 434	434	426	- 426	426
				7	228.2	320.2			434	434		422	567	
Vealer Steer														
280-330	FD	C	2	7	259.2	- 259.2	259.2	N/Q	-			739	- 739	739
	RS	C	2	2	284.2	- 299.2	291.7	N/Q	-			810	- 853	831
				9	259.2	299.2			0	0		739	853	
Vealer Heifer														
200-280		C	2	13	225.0	- 233.2	228.4	3	417	- 432	423	529	- 582	558
	FD	C	2	12	239.2	- 239.2	239.2	10	-			562	- 634	574
	RS	C	2	12	237.2	- 237.2	237.2	10	-			534	- 534	534
				37	225.0	239.2			417	432		529	634	
Yearling Steer														
200-280	FD	C	2	28	247.2	- 277.2	256.6	12	-			655	- 735	680
	RS	C	2	28	242.2	- 273.2	263.5	15	-			581	- 724	690
	RS	D	2	3	229.2	- 229.2	229.2	22	-			516	- 516	516
	FD	D	2	5	234.2	- 234.2	234.2	8	-			621	- 621	621
280-330	RS	C	2	1	265.0	- 265.0	265.0	N/Q	-			755	- 755	755
	FD	C	2	8	243.2	- 243.2	243.2	-42	-			693	- 693	693
	FD	D	2	3	194.2	- 231.2	218.9	9	-			553	- 659	624
		D	3	3	235.0	- 235.0	235.0	N/Q	427	- 427	427	693	- 693	693
330-400	FD	C	2	35	245.2	- 298.2	278.5	35	-			878	- 1043	989
	FD	C	3	6	287.2	- 287.2	287.2	N/Q	-			1063	- 1063	1063
		C	3	1	268.2	- 268.2	268.2	N/Q	488	- 488	488	925	- 925	925
	FD	D	2	2	220.0	- 220.0	220.0	N/Q	-			792	- 792	792

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	RS	D	2	1	189.2	- 189.2	189.2	N/Q	-			653	- 653	653
	FD	C	3	10	280.2	- 280.2	280.2	N/Q	-			1359	- 1359	1359
		C	3	2	266.2	- 266.2	266.2	N/Q	484	- 484	484	1238	- 1238	1238
	FD	D	2	29	235.2	- 239.2	238.6	16	-			1000	- 1017	1014
				165	189.2	298.2			427	488		516	1359	
Yearling Heifer														
200-280	FD	C	2	6	230.2	- 230.2	230.2	-1	-			610	- 610	610
		C	2	9	220.0	- 228.2	224.5	14	407	- 423	416	517	- 605	550
280-330	FD	C	2	14	227.2	- 227.2	227.2	-14	-			648	- 648	648
330-400	FD	C	2	1	246.2	- 246.2	246.2	N/Q	-			825	- 825	825
	FD	C	3	10	249.2	- 260.2	254.6	N/Q	-			890	- 976	932
		C	3	1	237.2	- 237.2	237.2	N/Q	439	- 439	439	818	- 818	818
	FD	D	2	3	224.2	- 224.2	224.2	34	-			751	- 751	751
	RS	D	2	1	210.2	- 210.2	210.2	N/Q	-			767	- 767	767
400+	FD	C	2	8	224.2	- 230.0	225.7	N/Q	-			932	- 1087	1048
		C	3	1	230.0	- 230.0	230.0	N/Q	426	- 426	426	1001	- 1001	1001
				54	210.2	260.2			407	439		517	1087	
Grown Steer														
0-400		D	2	4	180.2	- 180.2	180.2	N/Q	328	- 328	328	649	- 649	649
400-500		C	3	2	235.2	- 235.2	235.2	N/Q	428	- 428	428	1023	- 1023	1023
	FD	C	3	48	240.2	- 247.2	243.2	N/Q	-			1081	- 1112	1094
500-600	FD	C	3	8	246.2	- 246.2	246.2	N/Q	-			1280	- 1280	1280
600-750		C	4	2	251.2	- 251.2	251.2	N/Q	449	- 449	449	1520	- 1520	1520
				64	180.2	251.2			328	449		649	1520	
Grown Heifer														
0-540	RS	C	3	3	208.2	- 208.2	208.2	N/Q	-			968	- 968	968
		C	4	2	243.2	- 243.2	243.2	N/Q	459	- 459	459	1301	- 1301	1301
540+		C	3	1	216.2	- 216.2	216.2	N/Q	408	- 408	408	1265	- 1265	1265
				6	208.2	243.2			408	459		968	1301	
Cows														
400-520		D	1	1	136.2	- 136.2	136.2	N/Q	310	- 310	310	592	- 592	592
		D	2	5	169.2	- 195.0	181.9	6	368	- 424	396	779	- 913	842
		D	3	1	199.2	- 199.2	199.2	N/Q	407	- 407	407	926	- 926	926
		D	4	1	212.0	- 212.0	212.0	N/Q	416	- 416	416	986	- 986	986
520+		C	3	1	211.2	- 211.2	211.2	N/Q	399	- 399	399	1162	- 1162	1162
		D	2	4	187.2	- 195.2	192.9	N/Q	407	- 424	419	1002	- 1064	1037
		D	3	4	200.2	- 208.2	202.7	-1	409	- 425	414	1071	- 1135	1095
		D	4	12	213.2	- 224.2	221.0	12	418	- 440	433	1151	- 1199	1186
				29	136.2	224.2			310	440		592	1199	
Bulls														
0-450	FD	C	2	12	213.2	- 215.2	214.2	N/Q	-			753	- 821	787
		C	3	1	228.2	- 228.2	228.2	N/Q	415	- 415	415	970	- 970	970
600+		C	2	1	190.2	- 190.2	190.2	N/Q	346	- 346	346	1189	- 1189	1189
		C	3	3	230.2	- 244.2	237.2	17	411	- 436	424	1692	- 2552	2126
				17	190.2	244.2			346	436		753	2552	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
 FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.