

Over the hooks report - cattle

Market information provided by MLA's National Livestock Reporting Service

Queensland

report date 14 Aug 2015

After six weeks of consecutive increases, the Queensland over-the-hook indicators have finally steadied. The grassfed indicators are now 59-77¢/kg cwt above where they were in min-June while the grainfed portion is 31-51¢/kg cwt higher.

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend	
-							
Yearlings							
Steers	220-240	0-2 (YG)	A-C	5-22	491	NC	
	240-260	0-2 (YG)	A-C	5-22	496	NC	
	260-280	0-2 (YG)	A-C	5-22	500	NC	
	280-300	0-2 (YG)	A-C	5-22	504	NC	
	300-320	0-2 (YG)	A-C	5-22	508	NC	
Heifers	220-240	0-2 (YG)	A-C	5-22	487	NC	
	240-260	0-2 (YG)	A-C	5-22	491	NC	
	260-280	0-2 (YG)	A-C	5-22	496	NC	
	280-300	0-2 (YG)	A-C	5-22	500	NC	
	300-320	0-2 (YG)	A-C	5-22	503	NC	
MSA Yearlings							
Steers	220-240	0-2 (YG)	A-C	5-22	530	NC	
	240-260	0-2 (YG)	A-C	5-22	538	NC	
	260-280	0-2 (YG)	A-C	5-22	543	NC	
	280-300	0-2 (YG)	A-C	5-22	545	NC	
	300-320	0-2 (YG)	A-C	5-22	547	NC	
Heifers	220-240	0-2 (YG)	A-C	5-22	528	NC	
	240-260	0-2 (YG)	A-C	5-22	533	NC	
	260-280	0-2 (YG)	A-C	5-22	538	NC	
	280-300	0-2 (YG)	A-C	5-22	540	NC	
	300-320	0-2 (YG)	A-C	5-22	542	NC	
Grown Steers							
EU Steer	300 - 340	0 - 4	A-C	5-22	583	NC	
		240-260	0-4 (YP)	A-C	5-22	481	NC
			0-6 (PR)	A-C	5-22	476	NC
	260-280	0-8 (S)	A-C	5-22	469	NC	
		0-4 (YP)	A-C	5-22	488	NC	
		0-6 (PR)	A-C	5-22	483	NC	
	280-300	0-8 (S)	A-C	5-22	477	NC	
		0-4 (YP)	A-C	5-22	496	NC	
		0-6 (PR)	A-C	5-22	492	NC	
	300-400	0-8 (S)	A-C	5-22	482	NC	
		0-4 (YP)	A-C	5-22	502	NC	
		0-6 (PR)	A-C	5-22	497	NC	
			0-8 (S)	A-C	5-22	487	NC

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend
Cows						
	180-200	0-8 (C)	A-D	13-22	449	NC
		0-8 (C)	A-D	3-12	454	NC
		0-8 (C)	A-E	0-32	435	NC
	200-220	0-8 (C)	A-D	13-22	456	NC
		0-8 (C)	A-D	3-12	461	NC
		0-8 (C)	A-E	0-32	444	NC
	220-240	0-8 (C)	A-D	13-22	461	NC
		0-8 (C)	A-D	3-12	466	NC
		0-8 (C)	A-E	0-32	451	NC
	240-260	0-8 (C)	A-D	13-22	466	NC
		0-8 (C)	A-D	3-12	472	NC
		0-8 (C)	A-E	0-32	456	NC
	260-280	0-8 (C)	A-D	13-22	471	NC
		0-8 (C)	A-D	3-12	476	NC
		0-8 (C)	A-E	0-32	461	NC
	280-300	0-8 (C)	A-D	13-22	476	NC
		0-8 (C)	A-D	3-12	481	NC
		0-8 (C)	A-E	0-32	466	NC
	300-400	0-8 (C)	A-D	13-22	481	NC
		0-8 (C)	A-D	3-12	486	NC
		0-8 (C)	A-E	0-32	471	NC
Bulls						
	260-280	0-8 (B)	A-E	0-32	422	NC
	280-300	0-8 (B)	A-E	0-32	427	NC
	300-320	0-8 (B)	A-E	0-32	429	NC
	320-440	0-8 (B)	A-E	0-32	435	NC
Grainfed 70 Days						
Steers	220-240	0-2 (YG)	A-C	5-22	507	NC
	240-260	0-2 (YG)	A-C	5-22	511	NC
	260-280	0-2 (YG)	A-C	5-22	516	NC
	280-300	0-2 (YG)	A-C	5-22	519	NC
	300-320	0-2 (YG)	A-C	5-22	520	NC
Heifers	220-240	0-2 (YG)	A-C	5-22	502	NC
	240-260	0-2 (YG)	A-C	5-22	506	NC
	260-280	0-2 (YG)	A-C	5-22	511	NC
	280-300	0-2 (YG)	A-C	5-22	514	NC
	300-320	0-2 (YG)	A-C	5-22	515	NC
MSA Grainfed 70 Days						
Steers	220-240	0-2 (YG)	A-C	5-22	533	NC
	240-260	0-2 (YG)	A-C	5-22	541	NC
	260-280	0-2 (YG)	A-C	5-22	545	NC
	280-300	0-2 (YG)	A-C	5-22	547	NC
	300-320	0-2 (YG)	A-C	5-22	549	NC
Heifers	220-240	0-2 (YG)	A-C	5-22	531	NC
	240-260	0-2 (YG)	A-C	5-22	536	NC

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend
	260-280	0-2 (YG)	A-C	5-22	540	NC
	280-300	0-2 (YG)	A-C	5-22	542	NC
	300-320	0-2 (YG)	A-C	5-22	544	NC
Grainfed 100 Days						
Steers	220-240	0-2 (YG)	A-C	5-22	510	NC
	240-260	0-2 (YG)	A-C	5-22	515	NC
	260-280	0-2 (YG)	A-C	5-22	520	NC
	280-300	0-2 (YG)	A-C	5-22	525	NC
	300-320	0-2 (YG)	A-C	5-22	530	NC
Heifers	220-240	0-2 (YG)	A-C	5-22	505	NC
	240-260	0-2 (YG)	A-C	5-22	510	NC
	260-280	0-2 (YG)	A-C	5-22	515	NC
	280-300	0-2 (YG)	A-C	5-22	520	NC
	300-320	0-2 (YG)	A-C	5-22	525	NC
MSA Grainfed 100 Days						
Steers	220-240	0-2 (YG)	A-C	5-22	530	NC
	240-260	0-2 (YG)	A-C	5-22	538	NC
	260-280	0-2 (YG)	A-C	5-22	543	NC
	280-300	0-2 (YG)	A-C	5-22	545	NC
	300-320	0-2 (YG)	A-C	5-22	547	NC
Heifers	220-240	0-2 (YG)	A-C	5-22	525	NC
	240-260	0-2 (YG)	A-C	5-22	533	NC
	260-280	0-2 (YG)	A-C	5-22	538	NC
	280-300	0-2 (YG)	A-C	5-22	540	NC
	300-320	0-2 (YG)	A-C	5-22	542	NC

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.