

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Toowoomba Landmark

report date 10 Aug 2015

Yarding Change $\frac{512}{-3}$

comparison date 03/08/2015

The similar size yarding to the previous week contained a good mix of young cattle, along with a relatively small selection of bullocks and cows. A good panel of buyers was present, with representatives covering all classes. Some very good lines of young cattle were penned and buyers appreciated the better quality and lifted prices accordingly. Bullocks generally sold to a firm market and most of the cows sold to solid demand however some good-quality heavy cows improved in price.

A few calves returning to the paddock made to 311.2c to average 273c/kg. A good line up of light weight yearling steers to feed made to 315c in pen lots to average 308c/kg. Medium weights to feed made to 308.2c to average 299c/kg. A fair selection of heavy weights to feed consistently sold in the 290c range with the occasional pen to 305.2c/kg. Medium weight yearling heifers to the trade averaged 280c and made to 296.2c/kg.

Bullocks mostly sold around 283c, with some to 284.2c/kg. Medium weight 2 score cows averaged 203c and sold to 218.2c/kg. Good heavy cows made to 256.2c to average 250c/kg. Heavy bulls made to a high of 266.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	2	1	222.2	- 222.2	222.2	N/Q	419	- 419	419	122	- 122	122
80+		C	2	3	229.2	- 250.0	243.1	-17	433	- 472	459	401	- 438	425
	RS	C	2	17	216.2	- 311.2	273.7	-23	-	-	-	378	- 576	482
	RS	D	2	1	174.2	- 174.2	174.2	N/Q	-	-	-	322	- 322	322
				22	174.2	311.2			419	472		122	576	
Vealer Heifer														
280-330		C	2	12	263.2	- 263.2	263.2	N/Q	487	- 487	487	750	- 750	750
				12	263.2	263.2			487	487		750	750	
Yearling Steer														
0-200	RS	D	2	2	213.2	- 213.2	213.2	N/Q	-	-	-	352	- 352	352
200-280	RS	C	2	5	290.2	- 290.2	290.2	-4	-	-	-	740	- 740	740
	FD	C	2	1	265.2	- 265.2	265.2	N/Q	-	-	-	703	- 703	703
	FD	D	2	4	260.0	- 260.2	260.2	5	-	-	-	689	- 690	689
280-330	FD	C	2	39	295.0	- 315.0	308.5	15	-	-	-	870	- 904	889
	RS	C	2	5	274.2	- 274.2	274.2	1	-	-	-	781	- 781	781
330-400	FD	C	2	41	260.0	- 308.2	299.5	12	-	-	-	938	- 1136	1088
	FD	C	3	7	285.0	- 304.2	294.8	4	-	-	-	1040	- 1095	1067
		C	3	2	270.0	- 304.2	287.1	N/Q	491	- 553	522	959	- 1171	1065
	FD	D	2	4	224.2	- 250.0	243.6	12	-	-	-	838	- 841	838
400+	FD	C	2	24	270.0	- 300.0	291.9	3	-	-	-	1175	- 1305	1258
	FD	C	3	25	285.0	- 305.2	296.8	8	-	-	-	1236	- 1446	1322
		C	3	1	277.2	- 277.2	277.2	N/Q	504	- 504	504	1344	- 1344	1344
				160	213.2	315.0			491	553		352	1446	
Yearling Heifer														
0-200	RS	D	2	3	141.2	- 141.2	141.2	N/Q	-	-	-	233	- 233	233
200-280	FD	C	2	2	255.2	- 255.2	255.2	N/Q	-	-	-	676	- 676	676
	FD	D	2	2	220.0	- 220.0	220.0	N/Q	-	-	-	583	- 583	583

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	FD	C	2	9	253.2	- 257.2	255.0	12	-			722	- 772	744
330-400	FD	C	2	2	246.2	- 246.2	246.2	N/Q	-			899	- 899	899
	FD	C	3	3	250.0	- 270.0	256.7	-6	-			863	- 1040	922
		C	3	13	261.2	- 296.2	280.3	N/Q	484	- 549	519	901	- 1140	995
	FD	D	2	1	232.2	- 232.2	232.2	N/Q	-			778	- 778	778
400+		C	3	16	248.2	- 277.2	267.4	-10	460	- 513	495	1055	- 1193	1151
	FD	D	2	1	220.0	- 220.0	220.0	N/Q	-			990	- 990	990
	FD	D	3	2	230.0	- 230.0	230.0	N/Q	-			978	- 978	978
		D	3	1	230.0	- 230.0	230.0	N/Q	426	- 426	426	1001	- 1001	1001
				55	141.2	296.2			426	549		233	1193	
Grown Steer														
400-500	FD	C	2	2	260.0	- 260.0	260.0	N/Q	-			1131	- 1131	1131
	FD	C	3	2	276.2	- 276.2	276.2	N/Q	-			1243	- 1243	1243
		D	3	1	220.0	- 220.0	220.0	N/Q	400	- 400	400	990	- 990	990
600-750		C	4	29	280.2	- 284.2	283.0	N/Q	500	- 508	505	1695	- 1847	1800
				34	220.0	284.2			400	508		990	1847	
Grown Heifer														
0-540		D	2	1	200.0	- 200.0	200.0	N/Q	417	- 417	417	930	- 930	930
		D	3	3	249.2	- 249.2	249.2	3	479	- 479	479	1209	- 1209	1209
				4	200.0	249.2			417	479		930	1209	
Manufacturing Steer														
540+		C	2	2	229.2	- 236.2	232.7	N/Q	417	- 430	423	1433	- 1476	1454
		C	5	3	169.2	- 169.2	169.2	N/Q	308	- 308	308	1184	- 1184	1184
				5	169.2	236.2			308	430		1184	1476	
Cows														
0-400	RS	D	1	7	172.2	- 172.2	172.2	N/Q	-			680	- 680	680
400-520	RS	C	1	5	202.2	- 202.2	202.2	N/Q	-			981	- 981	981
	DA	D	1	1	160.2	- 160.2	160.2	N/Q	364	- 364	364	745	- 745	745
		D	1	2	171.2	- 171.2	171.2	N/Q	389	- 389	389	770	- 770	770
		D	2	15	195.2	- 218.2	203.3	-4	424	- 474	442	849	- 1015	916
		D	3	10	228.2	- 230.2	228.8	N/C	466	- 470	467	1027	- 1107	1080
		D	4	2	237.2	- 241.2	239.2	N/Q	465	- 473	469	1146	- 1150	1148
520+		C	1	5	215.0	- 215.0	215.0	N/Q	489	- 489	489	1150	- 1150	1150
		C	2	7	233.2	- 237.2	234.9	N/Q	507	- 516	511	1248	- 1269	1257
		D	3	6	230.0	- 237.2	232.0	-4	469	- 484	474	1231	- 1269	1241
		D	4	15	247.2	- 256.2	250.7	8	485	- 502	492	1358	- 1934	1430
		D	6	3	100.0	- 100.0	100.0	N/Q	217	- 217	217	600	- 600	600
				78	100.0	256.2			217	516		600	1934	
Bulls														
0-450		C	3	1	294.2	- 294.2	294.2	N/Q	535	- 535	535	1133	- 1133	1133
450-600		B	3	1	298.2	- 298.2	298.2	N/Q	542	- 542	542	1476	- 1476	1476
		C	3	19	238.2	- 254.2	250.2	N/Q	433	- 462	455	1108	- 1411	1355
600+		C	3	38	202.2	- 266.2	254.4	N/C	361	- 475	454	1381	- 2549	1820
				59	202.2	298.2			361	542		1108	2549	

Abbreviations

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
 FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.