

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 29 Sep 2015

Yarding Change ¹⁴³⁰/₂₂₅

comparison date 22/09/2015

Numbers increased by 18% and a full panel of export buyers was present and operating along with the usual feed and trade buyers plus restockers. Young cattle continued to receive very strong demand from all sections of the market, with some well-bred light weight calves and vealer steers selling to a new high. Vealer heifers to the trade averaged 11c dearer and yearling steers and heifers to feed improved 6c to 10c/kg. Heavy grown steers and bullocks sold to solid demand. Plain condition cows averaged 15c dearer, pushed on by stronger support from restockers as well as export processors.

Calves returning to the paddock averaged close to 340c, with special sales to 397.2c/kg. The occasional vealer steer with show ring potential made to 408.2c/kg. Vealer heifers to the trade mostly sold around 304c with some to 308.2c/kg. Light weight yearling steers returning to the paddock averaged 320c and made to 349.2c/kg. The largest number of medium weights to feed averaged 310c while the better classes averaged 330c and made to 332c/kg. A couple of heavy weights to the trade made to 333.2c, with most around 319c/kg. Most of the light weight yearling heifers averaged in the mid-to high 280c range with a few well-bred classes to 309.2c/kg. Medium weights to feed averaged 292c and made to 315.2c while a small selection to the trade averaged 301c and made to 313.2c/kg.

Heavy grown steers to export slaughter averaged 306c and bullocks averaged 315c and made to 319.2c/kg. A fair sample of medium weight 2 score cows averaged 236c and made to 243.2c/kg. Good heavy cows made to 277.2c to average 265c/kg. Heavy bulls made to 290c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	2	12	366.2	- 380.2	373.2	N/Q	-			171	- 238	205
80+	RS	C	2	27	251.2	- 397.2	339.9	42	-			278	- 555	422
		C	2	6	294.2	- 294.2	294.2	7	555	- 555	555	544	- 544	544
				45	251.2	397.2			555	555		171	555	
Vealer Steer														
200-280	RS	C	2	16	331.2	- 352.2	344.3	17	-			828	- 881	861
280-330	RS	B	2	1	408.2	- 408.2	408.2	N/Q	-			1347	- 1347	1347
		C	2	18	305.0	- 305.2	305.1	N/Q	555	- 555	555	900	- 900	900
	RS	C	2	6	320.2	- 320.2	320.2	N/Q	-			945	- 945	945
				41	305.0	408.2			555	555		828	1347	
Vealer Heifer														
200-280		C	2	67	297.2	- 307.2	304.5	11	550	- 569	564	763	- 811	798
	FD	C	2	5	293.2	- 293.2	293.2	-3	-			660	- 660	660
280-330		C	2	17	295.2	- 303.2	298.8	N/Q	547	- 562	553	841	- 910	874
		C	3	25	281.2	- 308.2	295.9	-6	521	- 571	548	830	- 1002	890
				114	281.2	308.2			521	571		660	1002	
Yearling Steer														
200-280	FD	C	2	10	310.2	- 325.0	319.1	22	-			822	- 829	826
	RS	C	2	43	290.2	- 349.2	320.4	2	-			710	- 960	832
	RS	D	2	2	288.2	- 288.2	288.2	N/Q	-			706	- 706	706
	FD	D	2	3	285.2	- 285.2	285.2	N/Q	-			727	- 727	727
280-330	FD	C	2	37	296.2	- 332.2	317.6	28	-			844	- 997	935
	RS	C	2	8	290.2	- 290.2	290.2	N/Q	-			827	- 827	827
		C	2	12	306.2	- 332.2	330.0	N/O	557	- 604	600	873	- 997	986

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	RS	D	2	6	265.2	- 265.2	265.2	N/Q	-			796	- 796	796
	FD	D	2	8	250.0	- 250.0	250.0	N/Q	-			713	- 713	713
	FD	C	2	102	291.0	- 330.2	313.0	-4	-			1004	- 1223	1103
	RS	C	2	24	289.0	- 318.2	306.1	N/Q	-			1012	- 1098	1062
	FD	C	3	44	326.2	- 332.0	330.3	6	-			1159	- 1278	1222
400+		C	3	14	308.0	- 325.2	312.7	3	560	- 591	569	1186	- 1244	1195
	RS	D	2	6	267.2	- 267.2	267.2	N/Q	-			935	- 935	935
	FD	D	2	7	243.2	- 274.2	265.3	-7	-			815	- 946	908
		B	3	2	333.2	- 333.2	333.2	N/Q	575	- 575	575	2049	- 2049	2049
	FD	C	2	3	287.2	- 287.2	287.2	-36	-			1163	- 1163	1163
	FD	C	3	9	314.2	- 325.2	319.2	-7	-			1335	- 1577	1378
		C	3	21	316.2	- 324.2	319.1	5	575	- 590	580	1293	- 1787	1511
	FD	D	2	1	280.0	- 280.0	280.0	N/Q	-			1218	- 1218	1218
					362	243.2	349.2		557	604		706	2049	
Yearling Heifer														
200-280	RS	C	2	45	268.2	- 304.2	288.8	-2	-			673	- 803	719
		C	2	27	273.2	- 295.2	284.9	N/Q	506	- 547	528	706	- 777	728
	FD	C	2	39	282.2	- 309.2	296.4	4	-			723	- 819	771
		D	2	5	260.2	- 277.2	267.0	N/Q	482	- 513	494	679	- 690	685
	RS	D	2	20	259.2	- 260.2	259.6	32	-			648	- 690	665
280-330	RS	C	2	12	302.2	- 302.2	302.2	N/Q	-			891	- 891	891
	FD	C	2	39	270.0	- 297.2	289.7	N/Q	-			810	- 892	844
		C	2	11	294.2	- 305.2	297.2	15	545	- 565	550	868	- 900	877
		C	3	3	300.0	- 300.0	300.0	N/Q	556	- 556	556	900	- 900	900
		D	2	2	269.2	- 269.2	269.2	N/Q	499	- 499	499	794	- 794	794
330-400	RS	D	2	17	215.2	- 226.2	221.7	-30	-			613	- 645	632
	FD	C	2	3	281.2	- 281.2	281.2	2	-			942	- 942	942
		C	3	15	280.0	- 313.2	301.5	15	519	- 580	558	1022	- 1206	1125
	FD	C	3	105	271.2	- 315.2	292.4	11	-			936	- 1245	1100
	RS	D	2	8	246.2	- 246.2	246.2	N/Q	-			948	- 948	948
400+	FD	D	2	22	214.2	- 268.2	240.0	-13	-			718	- 925	827
		D	3	14	240.0	- 244.2	242.4	-22	444	- 452	449	804	- 818	812
	FD	C	2	2	275.0	- 275.0	275.0	N/Q	-			1169	- 1169	1169
		C	3	2	286.2	- 286.2	286.2	N/Q	530	- 530	530	1331	- 1331	1331
	FD	C	3	3	304.2	- 304.2	304.2	7	-			1293	- 1293	1293
					394	214.2	315.2		444	580		613	1331	
Grown Steer														
0-400	FD	D	2	4	227.2	- 227.2	227.2	N/Q	-			875	- 875	875
500-600	FD	C	3	2	287.2	- 287.2	287.2	N/Q	-			1537	- 1537	1537
		C	3	2	292.2	- 292.2	292.2	N/Q	531	- 531	531	1739	- 1739	1739
		C	4	35	296.2	- 317.2	306.8	N/Q	529	- 566	548	1602	- 1799	1733
600-750		C	4	26	311.2	- 319.2	315.0	N/C	556	- 570	562	1995	- 2027	2018
					69	227.2	319.2		529	570		875	2027	
Grown Heifer														
0-540		C	3	1	267.2	- 267.2	267.2	N/Q	514	- 514	514	1136	- 1136	1136

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+	RS	C	4	4	279.2	- 279.2	279.2	N/Q	527	- 527	527	1298	- 1298	1298
		D	1	1	217.2	- 217.2	217.2	N/Q		-		945	- 945	945
		D	2	7	218.2	- 248.2	231.1	N/Q	455	- 477	464	764	- 1080	899
	RS	E	1	6	166.2	- 166.2	166.2	N/Q		-		623	- 623	623
		C	3	1	289.2	- 289.2	289.2	N/Q	546	- 546	546	1822	- 1822	1822
		C	4	1	297.2	- 297.2	297.2	N/Q	561	- 561	561	1783	- 1783	1783
				21	166.2	297.2		455	561		623	1822		
Cows														
0-400		D	1	6	169.2	- 183.2	178.5	8	368	- 416	400	677	- 705	696
		D	2	9	204.2	- 210.2	208.2	-2	444	- 457	453	817	- 841	833
400-520	RS	C	2	8	250.2	- 250.2	250.2	N/Q		-		1126	- 1126	1126
	RS	D	1	15	210.2	- 226.2	219.7	1		-		893	- 984	947
	DA	D	1	7	209.2	- 229.2	218.3	19	476	- 521	496	949	- 1112	1056
	RS	D	2	2	230.0	- 230.0	230.0	N/Q		-		1001	- 1001	1001
		D	2	81	219.2	- 243.2	235.9	15	477	- 529	513	986	- 1155	1081
		D	3	12	246.2	- 256.2	248.7	11	502	- 523	508	1145	- 1243	1178
	DA	D	3	1	242.0	- 242.0	242.0	N/Q	494	- 494	494	1198	- 1198	1198
		D	4	14	254.2	- 259.2	258.4	9	498	- 508	507	1233	- 1283	1261
520+	DA	E	1	3	160.0	- 170.2	163.4	N/Q	364	- 387	371	696	- 825	739
		D	2	19	234.2	- 249.2	243.6	N/Q	509	- 542	530	1253	- 1323	1297
		D	3	4	247.2	- 260.2	253.7	N/C	505	- 531	518	1392	- 1397	1394
		D	4	58	250.2	- 277.2	265.7	4	491	- 544	521	1456	- 1996	1559
				239	160.0	277.2		364	544		677	1996		
Bulls														
0-450		C	2	6	227.2	- 240.0	237.9	-36	406	- 436	431	636	- 1022	700
	FD	C	2	2	220.0	- 255.0	237.5	N/Q		-		676	- 891	783
	RS	C	2	22	240.0	- 310.2	286.5	36		-		680	- 876	723
	FD	C	3	3	258.0	- 258.2	258.1	-9		-		942	- 942	942
450-600	FD	C	3	2	264.2	- 264.2	264.2	N/Q		-		1281	- 1281	1281
		C	3	1	288.2	- 288.2	288.2	N/C	515	- 515	515	1686	- 1686	1686
600+		C	3	25	230.0	- 290.0	263.2	-3	411	- 518	470	1495	- 2750	2012
				61	220.0	310.2		406	518		636	2750		

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.