

Over the hooks report - cattle

Market information provided by MLA's National Livestock Reporting Service

Queensland

report date

22 Jan 2016

Queensland over-the-hook indicators were mixed, with the majority of quotes decreasing week-on-week, in what was the second report for the year. The medium weight (260-280kg, A-E muscle) cow and yearling steer (240-260kg, A-C muscle) indicators both eased, averaging 466 c and 514c/kg cwt, respectively. Please note, trends are not included due to some contributors still returning to quote.

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend	
-							
Yearlings							
Steers	220-240	0-2 (YG)	A-C	5-22	509	NQ	
		0-2 (YG)	A-C	5-22	509	NQ	
	240-260	0-2 (YG)	A-C	5-22	514	NQ	
		0-2 (YG)	A-C	5-22	514	NQ	
	260-280	0-2 (YG)	A-C	5-22	518	NQ	
		0-2 (YG)	A-C	5-22	518	NQ	
	280-300	0-2 (YG)	A-C	5-22	522	NQ	
		0-2 (YG)	A-C	5-22	522	NQ	
	300-320	0-2 (YG)	A-C	5-22	526	NQ	
		0-2 (YG)	A-C	5-22	526	NQ	
	Heifers	220-240	0-2 (YG)	A-C	5-22	505	NQ
			0-2 (YG)	A-C	5-22	505	NQ
		240-260	0-2 (YG)	A-C	5-22	509	NQ
			0-2 (YG)	A-C	5-22	509	NQ
260-280		0-2 (YG)	A-C	5-22	514	NQ	
		0-2 (YG)	A-C	5-22	514	NQ	
280-300		0-2 (YG)	A-C	5-22	517	NQ	
		0-2 (YG)	A-C	5-22	517	NQ	
300-320	0-2 (YG)	A-C	5-22	521	NQ		
	0-2 (YG)	A-C	5-22	521	NQ		
MSA Yearlings							
Steers	220-240	0-2 (YG)	A-C	5-22	498	NQ	
		0-2 (YG)	A-C	5-22	523	NQ	
	240-260	0-2 (YG)	A-C	5-22	531	NQ	
		0-2 (YG)	A-C	5-22	506	NQ	
	260-280	0-2 (YG)	A-C	5-22	511	NQ	
		0-2 (YG)	A-C	5-22	536	NQ	
	280-300	0-2 (YG)	A-C	5-22	538	NQ	
		0-2 (YG)	A-C	5-22	513	NQ	
	300-320	0-2 (YG)	A-C	5-22	515	NQ	
		0-2 (YG)	A-C	5-22	540	NQ	
Heifers	220-240	0-2 (YG)	A-C	5-22	496	NQ	
		0-2 (YG)	A-C	5-22	521	NQ	
	240-260	0-2 (YG)	A-C	5-22	526	NQ	
		0-2 (YG)	A-C	5-22	501	NQ	

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend	
	260-280	0-2 (YG)	A-C	5-22	506	NQ	
		0-2 (YG)	A-C	5-22	531	NQ	
	280-300	0-2 (YG)	A-C	5-22	533	NQ	
		0-2 (YG)	A-C	5-22	508	NQ	
	300-320	0-2 (YG)	A-C	5-22	510	NQ	
		0-2 (YG)	A-C	5-22	535	NQ	
Grown Steers							
EU Steer	300 - 340	0 - 4	A-C	5-22	548	NQ	
		0 - 4	A-C	5-22	548	NQ	
	240-260	0-4 (YP)	A-C	5-22	503	NQ	
		0-4 (YP)	A-C	5-22	503	NQ	
		0-6 (PR)	A-C	5-22	498	NQ	
		0-6 (PR)	A-C	5-22	498	NQ	
		0-8 (S)	A-C	5-22	491	NQ	
		0-8 (S)	A-C	5-22	491	NQ	
	260-280	0-4 (YP)	A-C	5-22	508	NQ	
		0-4 (YP)	A-C	5-22	508	NQ	
		0-6 (PR)	A-C	5-22	503	NQ	
		0-6 (PR)	A-C	5-22	503	NQ	
		0-8 (S)	A-C	5-22	496	NQ	
		0-8 (S)	A-C	5-22	496	NQ	
	280-300	0-4 (YP)	A-C	5-22	513	NQ	
		0-4 (YP)	A-C	5-22	513	NQ	
		0-6 (PR)	A-C	5-22	508	NQ	
		0-6 (PR)	A-C	5-22	508	NQ	
		0-8 (S)	A-C	5-22	501	NQ	
		0-8 (S)	A-C	5-22	501	NQ	
	300-400	0-4 (YP)	A-C	5-22	518	NQ	
		0-4 (YP)	A-C	5-22	518	NQ	
		0-6 (PR)	A-C	5-22	513	NQ	
		0-6 (PR)	A-C	5-22	513	NQ	
		0-8 (S)	A-C	5-22	506	NQ	
		0-8 (S)	A-C	5-22	506	NQ	
	Cows						
		180-200	0-8 (C)	A-D	13-22	454	NQ
			0-8 (C)	A-D	13-22	454	NQ
			0-8 (C)	A-D	3-12	459	NQ
			0-8 (C)	A-D	3-12	459	NQ
			0-8 (C)	A-E	0-32	439	NQ
0-8 (C)			A-E	0-32	439	NQ	
200-220		0-8 (C)	A-D	13-22	461	NQ	
		0-8 (C)	A-D	13-22	461	NQ	
		0-8 (C)	A-D	3-12	466	NQ	
		0-8 (C)	A-D	3-12	466	NQ	
		0-8 (C)	A-E	0-32	448	NQ	
		0-8 (C)	A-E	0-32	448	NQ	
220-240		0-8 (C)	A-D	13-22	466	NQ	
		0-8 (C)	A-D	13-22	466	NQ	

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend
		0-8 (C)	A-D	3-12	471	NQ
		0-8 (C)	A-D	3-12	471	NQ
		0-8 (C)	A-E	0-32	456	NQ
		0-8 (C)	A-E	0-32	456	NQ
	240-260	0-8 (C)	A-D	13-22	472	NQ
		0-8 (C)	A-D	13-22	472	NQ
		0-8 (C)	A-D	3-12	476	NQ
		0-8 (C)	A-D	3-12	476	NQ
		0-8 (C)	A-E	0-32	461	NQ
		0-8 (C)	A-E	0-32	461	NQ
	260-280	0-8 (C)	A-D	13-22	476	NQ
		0-8 (C)	A-D	13-22	476	NQ
		0-8 (C)	A-D	3-12	481	NQ
		0-8 (C)	A-D	3-12	481	NQ
		0-8 (C)	A-E	0-32	466	NQ
		0-8 (C)	A-E	0-32	466	NQ
	280-300	0-8 (C)	A-D	13-22	481	NQ
		0-8 (C)	A-D	13-22	481	NQ
		0-8 (C)	A-D	3-12	486	NQ
		0-8 (C)	A-D	3-12	486	NQ
		0-8 (C)	A-E	0-32	471	NQ
		0-8 (C)	A-E	0-32	471	NQ
	300-400	0-8 (C)	A-D	13-22	486	NQ
		0-8 (C)	A-D	13-22	486	NQ
		0-8 (C)	A-D	3-12	491	NQ
		0-8 (C)	A-D	3-12	491	NQ
		0-8 (C)	A-E	0-32	476	NQ
		0-8 (C)	A-E	0-32	476	NQ
Bulls						
	260-280	0-8 (B)	A-E	0-32	433	NQ
		0-8 (B)	A-E	0-32	433	NQ
	280-300	0-8 (B)	A-E	0-32	438	NQ
		0-8 (B)	A-E	0-32	438	NQ
	300-320	0-8 (B)	A-E	0-32	440	NQ
		0-8 (B)	A-E	0-32	440	NQ
	320-440	0-8 (B)	A-E	0-32	446	NQ
		0-8 (B)	A-E	0-32	446	NQ
Grainfed 70 Days						
Steers						
	220-240	0-2 (YG)	A-C	5-22	526	NQ
		0-2 (YG)	A-C	5-22	526	NQ
	240-260	0-2 (YG)	A-C	5-22	531	NQ
		0-2 (YG)	A-C	5-22	531	NQ
	260-280	0-2 (YG)	A-C	5-22	535	NQ
		0-2 (YG)	A-C	5-22	535	NQ
	280-300	0-2 (YG)	A-C	5-22	539	NQ
		0-2 (YG)	A-C	5-22	539	NQ
	300-320	0-2 (YG)	A-C	5-22	540	NQ
		0-2 (YG)	A-C	5-22	540	NQ

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend
Heifers	220-240	0-2 (YG)	A-C	5-22	521	NQ
		0-2 (YG)	A-C	5-22	521	NQ
	240-260	0-2 (YG)	A-C	5-22	526	NQ
		0-2 (YG)	A-C	5-22	526	NQ
	260-280	0-2 (YG)	A-C	5-22	530	NQ
		0-2 (YG)	A-C	5-22	530	NQ
	280-300	0-2 (YG)	A-C	5-22	534	NQ
		0-2 (YG)	A-C	5-22	534	NQ
	300-320	0-2 (YG)	A-C	5-22	535	NQ
		0-2 (YG)	A-C	5-22	535	NQ
MSA Grainfed 70 Days						
Steers	220-240	0-2 (YG)	A-C	5-22	537	NQ
		0-2 (YG)	A-C	5-22	537	NQ
	240-260	0-2 (YG)	A-C	5-22	545	NQ
		0-2 (YG)	A-C	5-22	545	NQ
	260-280	0-2 (YG)	A-C	5-22	549	NQ
		0-2 (YG)	A-C	5-22	549	NQ
	280-300	0-2 (YG)	A-C	5-22	551	NQ
		0-2 (YG)	A-C	5-22	551	NQ
	300-320	0-2 (YG)	A-C	5-22	553	NQ
		0-2 (YG)	A-C	5-22	553	NQ
Heifers	220-240	0-2 (YG)	A-C	5-22	535	NQ
		0-2 (YG)	A-C	5-22	535	NQ
	240-260	0-2 (YG)	A-C	5-22	540	NQ
		0-2 (YG)	A-C	5-22	540	NQ
	260-280	0-2 (YG)	A-C	5-22	544	NQ
		0-2 (YG)	A-C	5-22	544	NQ
	280-300	0-2 (YG)	A-C	5-22	546	NQ
		0-2 (YG)	A-C	5-22	546	NQ
	300-320	0-2 (YG)	A-C	5-22	548	NQ
		0-2 (YG)	A-C	5-22	548	NQ
Grainfed 100 Days						
Steers	220-240	0-2 (YG)	A-C	5-22	527	NQ
		0-2 (YG)	A-C	5-22	527	NQ
	240-260	0-2 (YG)	A-C	5-22	532	NQ
		0-2 (YG)	A-C	5-22	532	NQ
	260-280	0-2 (YG)	A-C	5-22	537	NQ
		0-2 (YG)	A-C	5-22	537	NQ
	280-300	0-2 (YG)	A-C	5-22	542	NQ
		0-2 (YG)	A-C	5-22	542	NQ
	300-320	0-2 (YG)	A-C	5-22	547	NQ
		0-2 (YG)	A-C	5-22	547	NQ
Heifers	220-240	0-2 (YG)	A-C	5-22	522	NQ
		0-2 (YG)	A-C	5-22	522	NQ
	240-260	0-2 (YG)	A-C	5-22	527	NQ
		0-2 (YG)	A-C	5-22	527	NQ
	260-280	0-2 (YG)	A-C	5-22	532	NQ
		0-2 (YG)	A-C	5-22	532	NQ

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend
	280-300	0-2 (YG)	A-C	5-22	537	NQ
		0-2 (YG)	A-C	5-22	537	NQ
	300-320	0-2 (YG)	A-C	5-22	542	NQ
		0-2 (YG)	A-C	5-22	542	NQ
MSA Grainfed 100 Days						
Steers	220-240	0-2 (YG)	A-C	5-22	541	NQ
		0-2 (YG)	A-C	5-22	541	NQ
	240-260	0-2 (YG)	A-C	5-22	549	NQ
		0-2 (YG)	A-C	5-22	549	NQ
	260-280	0-2 (YG)	A-C	5-22	554	NQ
		0-2 (YG)	A-C	5-22	554	NQ
	280-300	0-2 (YG)	A-C	5-22	556	NQ
		0-2 (YG)	A-C	5-22	556	NQ
	300-320	0-2 (YG)	A-C	5-22	558	NQ
		0-2 (YG)	A-C	5-22	558	NQ
Heifers	220-240	0-2 (YG)	A-C	5-22	536	NQ
		0-2 (YG)	A-C	5-22	536	NQ
	240-260	0-2 (YG)	A-C	5-22	544	NQ
		0-2 (YG)	A-C	5-22	544	NQ
	260-280	0-2 (YG)	A-C	5-22	549	NQ
		0-2 (YG)	A-C	5-22	549	NQ
	280-300	0-2 (YG)	A-C	5-22	551	NQ
		0-2 (YG)	A-C	5-22	551	NQ
	300-320	0-2 (YG)	A-C	5-22	553	NQ
		0-2 (YG)	A-C	5-22	553	NQ

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.