

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 15 Mar 2016

Yarding Change $\frac{1651}{54}$

comparison date 08/03/2016

Numbers remained close to the previous weeks, with most of the usual buyers present and operating in a generally cheaper market. The trend of young cattle dominating the pens continued and only a handful of heavy grown steers and bullocks were penned along with a fair selection of cows.

Vealer heifers and lightweight yearling heifers experienced strong demand for the quality penned however all other classes of young cattle were cheaper. Lightweight yearling steers returning to the paddock averaged 20c less, while medium and heavy weight yearling steers to feed lost 5c to 7c/kg. Medium weight yearling heifers to feed fell in price by 12c/kg. The handful of heavy grown steers and bullocks were cheaper and the fair sample of cows sold to a market 5c to 10c/kg less. Vealer steers averaged 328c, with the occasional sale to 346c/kg. Vealer heifers were well supplied and most sold around 316c, with some to 327c/kg. Lightweight yearling steers returning to the paddock averaged 325c and made to 331c/kg. Medium weights to feed averaged 319c and sold to 330c/kg. A relatively small supply of heavyweights to feed averaged 317c, with some to 322c/kg. The best of the lightweight yearling heifers made to 315c to average 307c/kg. Medium weights to feed mostly sold around 296c, with some to 308c/kg. A few pens of local trade lines of yearling heifers made to 315c to average 306c/kg.

The few heavy grown steers made to 291c to average 281c/kg. Medium weight 2 score cows averaged close to 209c and good heavy cows made to the occasional 241c with most around 231c/kg. Heavy bulls made to 257c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	2	3	320.0	- 320.0	320.0	N/Q	-	-	-	256	- 256	256
80+	RS	C	2	16	306.2	- 338.2	325.8	-53	-	-	-	340	- 626	526
				19	306.2	338.2			0	0		256	626	
Vealer Steer														
200-280	RS	C	2	33	321.2	- 335.2	328.0	-24	-	-	-	723	- 894	843
280-330	FD	B	2	1	346.2	- 346.2	346.2	N/Q	-	-	-	1039	- 1039	1039
	FD	C	2	12	331.2	- 331.2	331.2	N/Q	-	-	-	944	- 944	944
	RS	C	2	3	326.2	- 326.2	326.2	N/Q	-	-	-	979	- 979	979
		C	3	1	324.2	- 324.2	324.2	N/Q	590	- 590	590	956	- 956	956
				50	321.2	346.2			590	590		723	1039	
Vealer Heifer														
200-280		C	2	44	302.0	- 324.2	316.7	-5	559	- 600	587	744	- 875	833
	FD	C	2	6	316.2	- 316.2	316.2	N/Q	-	-	-	743	- 743	743
	RS	C	2	60	314.2	- 320.2	316.2	-8	-	-	-	741	- 849	819
		C	3	8	316.2	- 320.2	319.2	-6	586	- 593	591	801	- 870	818
		D	2	1	270.0	- 270.0	270.0	N/Q	500	- 500	500	716	- 716	716
280-330		C	2	36	311.2	- 323.2	317.5	-12	576	- 599	588	910	- 929	917
	FD	C	2	23	312.2	- 327.2	317.9	N/Q	-	-	-	890	- 982	935
		C	3	5	319.2	- 320.2	319.8	N/Q	591	- 593	592	945	- 958	950
				183	270.0	327.2			500	600		716	982	
Yearling Steer														
200-280	FD	C	2	12	310.0	- 315.2	311.7	-22	-	-	-	729	- 867	775
	RS	C	2	50	312.2	- 331.2	324.9	-24	-	-	-	741	- 861	789
	RS	D	2	14	273.2	- 294.2	287.8	N/Q	-	-	-	628	- 662	650

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	RS	C	2	38	300.2	- 330.2	319.1	N/Q	-			901	- 944	932
	FD	C	2	32	304.2	- 330.2	320.4	-24	-			913	- 991	959
	RS	D	2	4	277.2	- 280.0	279.3	N/Q	-			790	- 798	796
330-400	FD	C	2	164	293.2	- 330.2	318.8	-5	-			1039	- 1273	1154
		C	3	5	316.2	- 316.2	316.2	N/Q	575	- 575	575	1154	- 1154	1154
	FD	C	3	1	322.2	- 322.2	322.2	N/Q	-			1208	- 1208	1208
	RS	D	2	14	285.0	- 296.2	291.4	6	-			955	- 992	976
	FD	D	2	10	285.2	- 295.2	289.1	-19	-			998	- 1117	1061
		D	2	2	254.2	- 254.2	254.2	N/Q	462	- 462	462	890	- 890	890
400+	FD	C	2	39	300.0	- 319.2	313.0	-7	-			1275	- 1509	1387
		C	3	3	296.2	- 301.2	297.9	-17	539	- 548	542	1259	- 1611	1376
	FD	C	3	39	310.0	- 322.2	317.4	-4	-			1450	- 1548	1511
	FD	D	2	8	291.2	- 291.2	291.2	-12	-			1238	- 1238	1238
	FD	E	2	1	217.2	- 217.2	217.2	N/Q	-			923	- 923	923
				436	217.2	331.2			462	575		628	1611	
Yearling Heifer														
200-280		C	2	28	299.2	- 315.2	307.2	1	554	- 584	569	687	- 793	751
	FD	C	2	33	301.2	- 311.2	305.4	5	-			678	- 808	724
		D	2	13	264.2	- 285.0	273.5	N/Q	489	- 528	506	621	- 713	655
	FD	D	2	6	264.0	- 264.0	264.0	N/Q	-			620	- 620	620
280-330		C	2	34	290.0	- 307.2	300.0	-13	537	- 569	556	827	- 906	883
	FD	C	2	8	207.2	- 312.2	256.7	-53	-			622	- 921	766
330-400	FD	C	2	109	279.2	- 308.2	296.0	-12	-			952	- 1156	1040
		C	3	20	297.2	- 315.0	306.8	9	550	- 583	568	996	- 1163	1093
	FD	C	3	24	280.0	- 315.0	300.2	3	-			980	- 1103	1055
	FD	D	2	2	260.0	- 260.0	260.0	N/Q	-			975	- 975	975
400+	FD	C	2	20	270.0	- 293.2	285.2	N/Q	-			1148	- 1246	1210
		C	3	15	278.2	- 290.0	281.1	-21	515	- 537	521	1182	- 1407	1251
	FD	D	2	5	240.0	- 240.0	240.0	N/Q	-			1020	- 1020	1020
				317	207.2	315.2			489	584		620	1407	
Grown Steer														
400-500		C	3	2	270.0	- 270.0	270.0	N/Q	491	- 491	491	1310	- 1310	1310
	FD	C	3	11	285.2	- 285.2	285.2	-21	-			1383	- 1383	1383
	RS	E	1	2	175.2	- 175.2	175.2	N/Q	-			745	- 745	745
500-600		C	3	3	254.2	- 283.2	263.9	N/Q	462	- 506	477	1487	- 1657	1544
		C	4	11	275.0	- 291.2	281.0	-8	491	- 520	502	1504	- 1631	1535
600-750		C	3	3	261.2	- 261.2	261.2	-10	475	- 475	475	1633	- 1633	1633
		C	4	3	288.2	- 288.2	288.2	7	515	- 515	515	1801	- 1801	1801
				35	175.2	291.2			462	520		745	1801	
Grown Heifer														
0-540	FD	C	3	2	250.0	- 250.0	250.0	N/Q	-			1125	- 1125	1125
		C	3	3	253.2	- 253.2	253.2	-3	478	- 478	478	1114	- 1114	1114
		D	2	6	194.2	- 214.2	208.9	-5	405	- 446	435	750	- 825	780
		D	3	10	238.2	- 251.2	246.1	N/Q	458	- 474	468	1012	- 1068	1046
540+		C	4	1	257.2	- 257.2	257.2	N/Q	485	- 485	485	1530	- 1530	1530

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
				22	194.2	257.2			405	485		750	1530		
Manufacturing Steer															
540+		C	3	2	263.2	- 263.2	263.2	N/Q	479	- 479	479	1540	- 1540	1540	
		C	4	1	271.2	- 271.2	271.2	N/Q	493	- 493	493	1858	- 1858	1858	
				3	263.2	271.2			479	493		1540	1858		
Cows															
0-400		D	1	33	150.0	- 185.2	165.2	-20	341	- 421	376	566	- 741	643	
		RS	D	1	25	158.2	- 190.2	187.6	-1	-	-	633	- 761	751	
		RS	D	2	4	199.2	- 199.2	199.2	N/Q	-	-	797	- 797	797	
			D	2	4	195.2	- 195.2	195.2	-2	424	- 424	424	781	- 781	781
			E	1	3	131.2	- 131.2	131.2	N/Q	298	- 298	298	426	- 426	426
400-520		RS	D	1	12	205.0	- 208.0	206.1	N/C	-	-	892	- 905	897	
		DA	D	1	3	170.0	- 170.0	170.0	N/Q	386	- 386	386	740	- 740	740
			D	1	4	160.0	- 171.2	162.8	-22	364	- 389	370	696	- 745	708
			D	2	24	200.0	- 217.2	208.8	-1	435	- 472	454	870	- 1028	926
		RS	D	2	17	199.2	- 208.2	203.3	-10	-	-	847	- 906	891	
		FD	D	2	3	208.2	- 208.2	208.2	N/Q	-	-	937	- 937	937	
			D	3	16	217.2	- 219.2	218.3	-7	443	- 447	446	977	- 986	982
			D	4	20	218.2	- 227.2	221.3	-20	428	- 446	434	958	- 1102	1012
520+		DA	D	1	7	179.2	- 183.2	180.9	N/Q	407	- 416	411	977	- 980	978
		DA	D	2	4	191.2	- 212.2	205.2	-3	416	- 461	446	1023	- 1443	1257
		RS	D	2	7	221.2	- 221.2	221.2	N/Q	-	-	1183	- 1183	1183	
			D	2	31	215.0	- 219.2	217.2	N/Q	439	- 474	460	1150	- 1276	1214
			D	3	38	218.2	- 226.2	222.0	-6	445	- 462	453	1167	- 1288	1211
			D	4	39	223.2	- 241.2	231.3	-5	438	- 473	454	1258	- 1429	1366
			D	5	9	207.2	- 221.2	211.7	-11	423	- 451	432	1109	- 1891	1215
				303	131.2	241.2			298	474		426	1891		
Bulls															
0-450		RS	C	2	8	257.2	- 287.2	276.0	N/Q	-	-	604	- 646	631	
			C	2	10	289.2	- 289.2	289.2	N/Q	526	- 526	526	723	- 723	723
		FD	C	2	11	235.0	- 249.2	245.3	-48	-	-	959	- 1022	977	
		FD	C	3	7	241.2	- 288.2	263.9	-15	-	-	910	- 1211	1097	
			C	3	1	271.2	- 271.2	271.2	N/Q	493	- 493	493	990	- 990	990
		FD	D	2	3	193.2	- 220.0	202.1	-22	-	-	704	- 705	705	
			D	2	2	195.2	- 195.2	195.2	N/Q	355	- 355	355	878	- 878	878
			E	2	2	140.0	- 140.0	140.0	N/Q	255	- 255	255	539	- 539	539
		RS	E	2	1	146.2	- 146.2	146.2	N/Q	-	-	512	- 512	512	
450-600		RS	C	3	1	266.2	- 266.2	266.2	N/Q	-	-	1464	- 1464	1464	
			C	3	2	245.2	- 247.2	246.2	N/Q	438	- 441	440	1287	- 1446	1367
		FD	D	2	4	181.2	- 181.2	181.2	-18	-	-	843	- 843	843	
600+			C	2	2	215.2	- 220.2	217.7	N/Q	391	- 400	396	1431	- 1506	1469
			C	3	20	228.2	- 257.2	243.5	-5	408	- 459	435	1458	- 2434	1811
			D	1	1	154.5	- 154.5	154.5	N/Q	281	- 281	281	1004	- 1004	1004
				75	140.0	289.2			255	526		512	2434		

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
 FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.